

COMMODORE

VOL 5 NO 4

M A G A Z I N E

AUSTRALIAN \$4.95

N.Z. \$5.20

(Recommended Retail Price)

Issue 32

BOOOO!!!

**SOUND EFFECTS
GENERATORS
for your 64**

TWO OFF!!!



GRAPHICS LIBRARY

Full Colour Spacebattle
Enclosed

BUILD A SPEECH BOARD

For your VIC, 64 & 128

BACK ISSUE - INDEX



**If you own an Apple IIc,
you'd have to add all this**



**to match the versatility, expandability
and higher intelligence of the
new Commodore 128**
(and it costs less too).

The new Commodore 128™ personal computer is breakthrough technology at a breakthrough price. It outshines the Apple® IIc in performance capability, performance quality and price. It is expandable to 512K RAM while the IIc isn't expandable at all.

And the new Commodore 128 has a numeric keypad built right into its keyboard that makes crunching numbers a lot easier. And the Commodore 128 has graphic and sound capabilities that far exceed those of the Apple IIc. But the most important news is that

the new Commodore 128 jumps you into a whole new world of business, productivity, education and word processing programs while still running over 3,000 programs designed for the Commodore 64.™ That's what we call a higher intelligence.

COMMODORE 128  A Higher Intelligence

 **commodore**
COMPUTER
Keeping up with you.

BEEMAN MAYRHOFER STOTT/CC422

COMMODORE

M A G A Z I N E

Commodore Magazine is published 6 issue per volume currently 10/12 issues a year (this may alter without notice.) Produced by Mervyn Beamish Graphics Pty Ltd through its division Kim Books. The cost of a one volume subscription (6 issues including p&p) is \$A30 within Australia, \$NZ36 within New Zealand and \$A38 elsewhere. Overseas airmail (including New Zealand) \$A8 extra. Subscriptions are available from the Publisher and individual copies from News Agents, dealers and other retail outlets.

Opinions: The views of reviewers and other contributors are not necessarily shared by the publishers.

Copyright: All articles, programs & illustrations in this magazine are copyright, unless otherwise stated. They should not be sold or passed on to non-subscribers in any form: printed or in tape or disk format.

Liability: Although material used in Commodore Magazine is checked for accuracy, no liability can be assumed for any losses due to the use of any material in this magazine.

EDITOR

Mervyn Beamish

ASSISTANT EDITOR

Lawrence Hulse (IMAGISTICS)

PRODUCTION & DESIGN

Denise Elkins

TECHNICAL WRITERS

Greg Perry & Paul Blair

EDITORIAL ASSISTANCE

Michael Spiteri & David Roth

DESPATCH

Melissa Williams

ADVERTISING

Webster Media Sales
(02) 331 4777

DISTRIBUTION ENQUIRIES

Bookshops & Newsagents

Gordon & Gotch

Computer Stores & Others

KIM BOOKS
(02) 439 1827

PUBLISHER

KIM BOOKS
82 Alexander St., Crows Nest 2065
(02) 439 1827

PRINTER

LANGRIDGE PRESS
52 Gibbes St., Chatswood 2067
(02) 406 6266

COMMODORE USERS MAGAZINE

VOLUME 5 NUMBER 4 ISSUE 32

CONTENTS

	PAGE
Editorial	2
Read This	
Nice Lister Conventions & Helpout	4
News & Views	5
Letters	6
User Group Column	
Pickings from User Group Newsletters etc - L. Hulse	8
MPS802 (1526) Printer & the C64	
- Denis Hare	9
Robots	
A.I./Home Computer Possibilities - L. Hulse	12
Speech Board for the VIC & C64	
Programs & D.I.Y. Instructions - P. Markowski	14
P.C., Sidekick & Other Matters	16
Handson comments - M. Beamish	16
Sound Effects for the Commodore 64	
SFX Generators 1 & 2 Programs - D. Bergemeier	20
Graphic Library - Number 3	24
Spacebattle - H. Salive	24
Commodore Telecommunication	29
The How & Whys (Part 2) - G. Perry	29
64 Talk	
Communications Cartridge for C64 - A Review - G. Perry	30
Beginners Corner	31
Basic Error Messages - P. Blair	31
Adventure Help - M. Spiteri i.	33
Beyond Polar Graphs	33
Graphics for the 1520 Printer - P. Davies	33
The Printer Page	34
64/Gemini/Cardco Program - P. Blair	34
Superbase - P. Blair	36
The Others	
"Data" Statements in G-Pascal	
Review - Commodore 64 Graphics with Comal	
- D. Roth	37
Snippets - P. Blair	38
Books & Things	40
Commodore Doctor - G. Perry	43
Competitions	43
Definitions, High Score	44
INSERT	
Back Issue INDEX	8(a)



EDITORIAL

M E R V Y N B E A M I S H



Mervyn Beamish

NEXT ISSUE

Win a
Commodore 128
Computer & Disk Drive

Open to current and
new subscribers
Competition details next issue!

Last issue I floated the idea of a user convention – a get together of micro computer users. Not a marketing exercise to promote product and service, but an event to develop fellowship and information sharing amongst users. The event would seem to be ideal for a large user group to organise.

Since then I've had some reaction. Generally it is thought that it should be an annual event organised under the name of national organisation of user groups.

Another reader commended the idea but pointed out that the petty politics between the larger groups made it "...unlikely that they could organise their way out of a wet paper bag."

The above view I took with a grain of salt until I discovered that earlier this year Commodore had floated the idea of a user's fair held under big marques in a Sydney location. The idea, I was informed, was proposed to a number of User Groups. The company soon withdrew the proposal when it was met by inter-group rivalry and narrow mindedness from some of the groups.

Commodore comes into quite a lot of flack from its users. Sometimes quite justifiably but more, I feel, because of the Australian's national pastime of knocking. Commodore is a commercial enterprise. If users want a convention and if they require support from Commodore for the venture they have to sell the benefits of such an event to the company, prove by a unified front, that the company is not going to end up with egg on its face while groups run around each other seeking a pecking order.

Keep the concept of a national user convention alive send me your ideas and comments.

Another "Lik Lik" problem. Some readers have complained that their subscription copies arrive after the magazine appears on the newstands. Unfortunately there is little that can be done about the situation. The magazine is delivered, by the printer, to Gordon and Gotch for newstands delivery at the same time as it goes to the mail packaging people. Gordon and Gotch seem to get them out in about a day (sometimes). The Mailing room needs about four to stuff, sort and deliver – then it is in the hands of Australia Post. The problem is further enlarged when there are mail strikes – e.g. last issue. So to our valued readers, please do not believe that we are ignoring you. We get the magazine out to you as soon as possible and in most cases it arrives at the same time or before your local newstands.

Mervyn Beamish
Editor

ADVERTISERS

PAGE

Avtek Electronics Pty Ltd	35	Maxwell Office Equipment.....	18
Benson Computers.....	2	Meyertronix.....	41
Centre Industries.....	39	P.D.S.H.....	41
Clemens M. Computers	8	Pitman Educational Software	13
Cockroach Software	8	Pittwater Distributors	19
Commodore Business Machines... BC, IFC		Software To Go.....	39
Epson Australia	3	Strategic Software Club	28
Forrest Data Services	41	Spacestation Computer Furniture	IBC
Kim Books.....	7, 41	VICWEST Discount Computer Store	36
Lion Electronics	22	Webber, G.S. and Associates.....	23
Luckman, Clive.....	11		

Businessmen & Hackers finally see eye to eye on printers.

Businesspeople will welcome it as a new price break-through in near letter-quality printers. Hackers will welcome it as a whole new standard in low-cost printers.

On appearances, you'd never suspect it was a low-cost printer. And when you see its superb, near letter-quality printing, you'll find it hard to believe that the recommended retail price (excluding sales tax) is under \$440!

The Epson® "NLQ Special" gives you so much more than you've learned to expect from a printer in this price range.

It offers superb, near letter-quality printing in a variety of type styles and sizes.

It prints up to 100 characters per second, and includes a 1024 byte input buffer which reduces the time your computer is tied up during printing.

It produces charts and graphics with a crispness and definition that's seldom been seen on a printer in this price range.


It comes with standard friction feed, optional tractor & cut sheet feeders, and uses standard interfaces.

In its GX-80 configuration, it emulates Commodore, Apple and IBM printers and operates directly with these computers without modification.

In LX-80 configuration, it offers a variety of built-in word processing functions – so you can produce professional-looking documents even without word processing software – and is compatible with almost all other computers.

There is so much more to the Epson GX-80 and LX-80 that you won't find on other low-cost printers.

Call in to your nearest Epson dealer and see what's so special about the "NLQ Special."



The "NLQ SPECIAL" by **EPSON**
AUSTRALIA

Epson Australia Pty Ltd, 3/17 Rodborough Road, Frenchs Forest, Sydney (02) 452 5222. Melbourne (03) 543 6455. Brisbane (07) 832 5400.

*Registered Trademark of Epson Corporation EPS0051/R

HELPOUT is a program checker that makes it easier to correctly enter C64 programs from the Commodore Magazine. Once HELPOUT is loaded enable it with SYS49152, type TEST <CR>.

```
6045 NEXT:GOSUB 6300'CFSI
```

If you do it wrong, one of six error messages will appear, and a fog-horn will blow.

QUOTE: HELPOUT checks to ensure that quotes come in pairs. Either you left one out, or got a bit carried away and added one of your own.

KEYWORD: You may have misspelled a Basic keyword (GOSLOB instead of GOSUB) or simply left one out. Recheck the line.

UNIDENTIFIED: The cowards way out. The line is not right, but the error could be any of a number of things- wrong line number, wrong checksum, or you just mused it up. Read the line carefully to find the error.

Then the line is OK, HELPOUT strips off the checksum, then enters the line into your program. There is no program space overhead from using HELPOUT.

If you want to add checksums to a program of your own, say for this magazine or a User Group publication, load HELPOUT and get it all going. But this time, enter ADD <CR> instead of TEST.

If your program is already written, load it and LIST it to the screen. Using the cursor keys, put the cursor on each line in turn and press Return. You will get a chirp of sound at each line, but nothing will appear on the screen until you type LIST again.

Lastly, you may turn HELPOUT off to suit yourself. Type KILL <CR>, and HELPOUT is disconnected. If you want it again, type SYS49152 <CR> and away you go.

```

1000 REM: HELPOUT '64
1010 REM:
1020 REM: COMMODORE MAGAZINE
1030 REM:
1040 SA=49152:FA=50052
1050 FORI=SATOF:A:READA:S=S+A:POKELA:NEXT
1060 IFS<>103233THENPRINT"->ERROR. CHECK AGAIN!!":END
1070 PRINT"OK":NEW
1080 DATA 76, 35,192, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 13
1090 DATA 0, 88,193, 94,193,102,193,118,193,131,193,143,193,234,234,234
1100 DATA 76,131,192,162, 5,189, 29,192,149,115,202, 16,248, 96,160, 2
1110 DATA 185, 0, 2,217, 60,193,208, 11,136, 16,245,169, 1,141, 16,192
1120 DATA 76, 31,193, 96,160, 3,185, 0, 2,217, 56,193,208,224,136, 16
1130 DATA 245,169, 0,141, 16,192, 76, 31,193, 96,160, 3,185, 0, 2,217
1140 DATA 52,193,208,224,136, 16,245,160, 5,185,162,227,153,115, 0,136
1150 DATA 16,247,169, 0,141, 24,212, 76, 31,193,230,122,208, 2,230,123
1160 DATA 76,121, 0, 165,157,240,243,165,122,201,255,208,237,165,123,201
1170 DATA 1,208,231, 32, 90,192,173, 0, 2, 32,163,192,144,220,160, 0
1180 DATA 76,234,193,201, 48, 48, 6,201, 58, 16, 2, 56, 96, 24, 96,200
1190 DATA 177,122,201, 32,208, 3,200,208,247,177,122, 96, 24,200,177,122
1200 DATA 240, 53,201, 34,240,245,109, 5,192,141, 5,192,173, 6,192,105
1210 DATA 0,141, 6,192, 76,189,192, 24,109, 7,192,141, 7,192,144, 3
1220 DATA 238, 8,192,238, 11,192, 96, 24,109, 10,192,141, 10,192,144, 3
1230 DATA 238, 9, 92,238, 12,192, 96, 10,168,185, 17,192,133,251,185, 18
1240 DATA 192,133,251, 50, 0,169, 18, 32,210,255,177,251,240, 6, 32,210
1250 DATA 255,200,208,245, 32, 84,195, 32,126,195, 32,228,255,240,251,160
1260 DATA 27,185, 63,193, 32,210,255,136, 16,247,104,104,169, 0,141, 0
1270 DATA 2, 76,116,164, 75, 76, 76, 76, 84, 69, 83, 84, 65, 68, 68,145
1280 DATA 145, 13, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32
1290 DATA 32, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32
1300 DATA 89, 87, 79, 82, 68, 0, 35, 32, 79, 70, 32, 67, 72, 65, 82, 65
1310 DATA 67, 84, 69, 82, 83, 0, 85, 78, 73, 68, 69, 78, 73, 70, 73
1320 DATA 69, 68, 0, 78, 79, 32, 67, 72, 69, 67, 75, 63, 85, 77, 0, 80
1330 DATA 65, 82, 69, 78, 84, 72, 69, 83, 73, 83, 0,200,177,122,208,251
1340 DATA 132,253,192, 9, 16, 3, 76,199,193,136,136,136,136,136,177,122
1350 DATA 201, 31,208, 19,169, 0,145,122,200,162, 0,177,122,157, 60, 3
1360 DATA 200,232,224, 4,208,245, 96, 76,242,194,160, 0,185, 0, 2,153
1370 DATA 64, 3,240,242,200,208,245,160, 0,185, 64, 3,240,232,153, 0
1380 DATA 2,200,208,245, 32,215,193, 76, 86,194,160, 11,169, 0,153, 3
1390 DATA 192,141, 60, 3,136, 16,247,169,128,133, 2, 32, 27,195,160, 0
1400 DATA 32,155,193, 32,202,193, 32, 49,194,230,122,230,123, 32,124,165
1410 DATA 160, 0, 32,175,192,240,205, 36, 2,240, 6, 32,215,192, 76, 18
1420 DATA 194,201, 34,208, 6, 32,188,192, 76, 18,194, 32,231,192, 76, 18
1430 DATA 194,160, 0,185, 0, 2, 32,163,192,200,144, 10, 24,109, 9,192
1440 DATA 141, 9,192, 76, 51,194,136,162, 0,185, 0, 2,157, 0, 2,240
1450 DATA 4,232,200,208,244, 96, 24,173, 11,192,105, 65,141, 11,192, 56
1460 DATA 173, 12,192,233, 25,144, 6,141, 12,192, 76, 96,194,173, 12,192
1470 DATA 105, 65,141, 12,192,173, 5,192,109, 7,192, 72,173, 6,192,109
1480 DATA 8,192,141, 14,192,104,109, 10,192,141, 13,192,173, 14,192,109
1490 DATA 9,192,141, 14,192, 56,233, 25,144, 6,141, 14,192, 76,150,194
1500 DATA 173, 14,192,105, 65,141, 14,192,173, 13,192,233, 25,144, 6,141
1510 DATA 13,192, 76,171,194,173, 13,192,105, 65,141, 13,192,160, 1,173
1520 DATA 11,192,205, 60, 3,208, 32,200,173, 12,192,205, 61, 3,208, 23
1530 DATA 200,173, 13,192,205, 62, 3,208, 14,173, 14,192,205, 63, 3,208
1540 DATA 6, 32,100,195, 76,122,192,173, 16,192,208, 17,152, 72,104, 76
1550 DATA 247,192,173, 16,192,240, 1, 96,169, 4, 76,247,192,164,253,169
1560 DATA 39,145,122,162, 0,200,189, 11,192,145,122,200,232,224, 4,208
1570 DATA 245,169, 0,145,122, 32,100,195, 76,122,192,160, 0,185, 0, 2
1580 DATA 240, 17,201, 40,208, 3,238, 3,192,201, 41,208, 3,238, 4,192
1590 DATA 200,208,234,173, 3,192,205, 4,192,208, 1, 96,169, 5, 76,247
1600 DATA 192,169, 32,141, 0,212,141, 0,212,169, 9,141, 5,212,169, 15
1610 DATA 141, 24,212, 96, 32, 65,195,169,129, 32,119,195,169,128, 32,119
1620 DATA 195, 76,113,195, 32, 65,195,169, 17, 32,119,195,169, 16, 32,119
1630 DATA 195,169, 0,141, 4,212, 96,141, 4,212,162,112,160, 0,136,208
1640 DATA 253,202,208,250, 96

```

1. All control, colour, function, and shifted and Commodore key graphics are converted to 'words' (or the abbreviations as represented on the keyboard) enclosed in square brackets []. For example, [DOWN], [CLR] and so on.
2. Multiple cursor controls are represented by one word plus a number. For example, [DOWN 15].
3. Shifted graphics (right-hand symbol on key) are converted to the corresponding alphabet character enclosed in square brackets. A shifted 'S' heart character becomes [S].

4. Any character accessed by the Commodore (C=) key is indicated by further enclosing the alphabet character inside the symbols <>. A Commodore 'A' becomes [<A>].
5. With multiple characters, the redundant brackets || are replaced by a comma as:- [CLR,DOWN5,WHT,<A>]
6. With multiple shifted graphics, the alphabet character is simply repeated, numbers are not used as [AAAAAAAAAAAAA].
7. Multiple Commodore graphics are repeated as [<A>, <A>, <A>, <A>].
8. Spaces and shifted spaces within quotes are represented by the words [SPACE] or [SHSPACE] followed by a number if required. For example, [SPACE15].

Keyword	CHRS	
DEL (CTRL-T)	20	
INS	148	
TEXT (CTRL-N)	14	converts character set to upper/lowercase mode.
GRAPH	142	converts character set to uppercase/graphics mode.
LOCK (CTRL-H)	8	disables the C = key and locks the keyboard in the current character mode.
UNLOCK (CTRL-I)	9	enables the C = key sequence.

NEWS & VIEWS

Items of interest that have come in since last issue.

SKAI-64 SUPER DRIVE BETTER THAN EVER

When Century Corp. of Japan released the Skai-64 Disk Drive no one could doubt its superior physical features.

Now Century Corp. have released the new model SKAI-64 SUPER DRIVE. With Super EPROM and the new Fastload & Utility Diskette the real compatibility of the Skai is vastly improved PLUS it is much faster in formatting and reading than the 1541.

SKAI-64 Super Drive New Features:

- Formats a diskette in 10 seconds (Commodore 1541 - 90 sec.)
- Reads from diskette 30% faster.
- No head knock on read errors.
- Now runs Epyx fast load cartridge and videotex software.
- Runs all Commodore software.

Over 2000 programs have been tested successfully by various impartial reviewers. With the earlier model Skai-64m, a smaller number of programs did not run. Now, with the Super Drive, the following programs not only run but they are much faster:- Fastload (EPYX), Mr Nibble (F.C.S.), Copy Q and Copy QII (Q-R&D), Turbo 64 (F.S.S.), Profimat V2.0, Grog's Revenge, Gemstone Warrior.

The SKAI-64 comes well packaged in moulded polystyrene within a cardboard sleeve to ensure in-transit protection - similar to that of the 1541. However, apart from reading and writing the same disk format, this is where any similarities between the two units end. A comprehensive manual and new Fastload & Utility Diskette are included in the package, along with the connecting cable to hook up directly to your Commodore unit.

The new Skai-64 Super Drive is a superior product to the Skai-64 Model 1. Obviously its physical attributes play an important part in the reliability, ease of maintenance, user friendliness, and overall life of the disk drive, but now it is also faster and much more compatible.

PRICE \$299.00 (introductory offer).
Available through Porchester Computers Pty. Ltd. (Inc. in Victoria)
Tel: (03) 417 6999

ISEPIC

Well it happens to the best of us.

Corrupted programs and damaged disks can be a nightmare, especially when you're the owner of a Commodore 64.

Chances are you've got quite a collection of commercial software - the stuff that has hidden read/write protection schemes.

That means you can't make back-up copies, so if you really liked that disk you had better fork out and get another one. Unless you've got de-protection software.

ISEPIC (pronounced Icepick) is a revolutionary new concept in software deprotection for the Commodore 64.

ISEPIC is an extraordinary hardware/software combination capable of copying

SIZE OF FILE (Blocks)	LOADING TIMES (seconds)		COMMODORE 1541
	SUPER-DRIVE Super	With Turbo	
33	17	6.5	33
65	32	10.5	44.4
120	53	15.8	75
220	101	35.2	144
Format	10	10	85

Below:
SKAI-64
Super Drive



virtually all memory-resident software regardless of the original protection scheme or storage medium.

Rather than duplicating disks or cassette tapes, ISEPIC copies the program to disk as it runs in the Commodore's memory, thus creating a "snapshot" image of the entire RAM, I/O, and CPU status.

This snapshot is now unprotected and self contained enabling the user complete access for inspection and alteration. You can create a compact, auto-booting file that will load up to 10 times faster and also allow you to store many programs on a single disk as well as transfer them to a hard drive or a device other than a 1541.

The entire procedure is relatively simple, a matter of flicking a switch and turning the drive on and off. All adequately explained step by step in the accompanying documentation. If you're a machine language programmer or you just like experimenting, the "program editor" option on the ISEPIC menu can prove to be a worthwhile and educational experience.

The unbroken snapshot image can be edited in hexadecimal and machine language. Once inside you have access to the entire 64K snapshot as well as the I/O memory and CPU status.

Bensons (Australian distributors) have the ISEPIC available at a very reasonable \$149.00 inc. Tel: (03) 417 6999.

MARKET MATURITY SHOWS AT COMMUNICATIONS 85

The "gee-whiz" is gone from the computer and communication industry as the hardware takes a similar look and industry sophistication moves to the software.

Gone are the bathing suit clad, leggy women enticing show goes to see the latest electronic piece.

The industry has come of age, and the important questions revolve around equipment and software applications.

This change is evident in the style of the 46 display stands which were at the Communications '85 show in Sydney, where the concept was to provide manufacturers and supplies with a marketing platform while providing visitors with an opportunity to compare the latest communications technology available in Australia.

Among the notable advances were:

The various types of telephone extension systems. Telecom has a very compact double connector, and the James Hardie Industries Group subsidiary Phone World offers the Super Snap connector system which includes a caddy reel as well as adhesive telephone cable.

NEC Australia introduced a teleconferencing device called the Electronic Writing Board which is a pressure sensitive board that translates into digital form all handwriting and diagrams which are written on the board. Thus the information can be handled as normal data transmission information.

The West Australian computer communications company, Dataswitch Technology Ltd displayed a latest generation data switching system which can connect up to 1320 devices at 9600 baud. The system forms a local area network in much the same way voice PBX ties together telephones.

The next show, Communications '86, will occur in Melbourne next June.

Letters

Address letters to: The Editor, Commodore Magazine, Kim Books 82 Alexander St., Crows Nest 2065

Dear Merv,

I enjoy your magazine very much, and have just recently taken a one year subscription, which we can both enjoy.

Would it be possible for you to include in "COMMODORE" a section dealing with machine language routines with the aim of assisting machine code learners to get a toehold in the art. Routines such as ---- get a character, print it to screen, update counter, get next character. ---- open rs232, set file name, set baud rate, listen, output a character. ---- Small routines that can open the way.

My opinion is that machine code is not more difficult than basic and might even be easier if magazines carried as many machine code routines as they do basic routines. It is a fact that a novice cannot read a basic program, he (she) must learn all the new meanings and functions for special words, and realisation of the actual program flow comes gradually after reading basic program routines until the pieces fall into place.

If similar short, one job type, machine code routines were as freely available as basic routines I am sure the enigma of machine language would quickly dispell. Look how many people know morse code, braille and the ASCII and Commodore poke codes. How many people can read and write Chinese? (760 million).

Another point would be the end of the terrible result of one program not running on another machine because of an update in basic roms. Machine language changes are usually minor and are not of the frequency of basic changes. Far too much of the printed word assumes that for one to learn machine code one must clamber up through the jungle of basic to see the light to be told machine language is a thousand times better and a thousand times faster but ----- a secret to difficult to learn.

Thank you for your time, please find enclosed a S.A.E. if you would care to acknowledge.
Yours faithfully,
C.P.MacPherson

Paul- Many thanks for your letter of 31 July, which reached me today. It's very useful to get feedback on what our readers like, or suggestions about topics they would like us to cover.

I agree with your sentiments about short MC routines, and have actually included some in recent magazines. But the value of them to "learners" is a bit lost, because we put them up as DATA type loaders, which is great for the "type and run" folk, easy to typeset, but of little real value for those who want to see how the routines work.

Part of the problem lies with the demands of modern publishing methods. We use a form of automatic typesetting, which speeds production, but at the same time places some restrictions on us. I would like to include assembler output listings (CBM or MAE for example), because then you and others could see how the program is constructed. The difficulty is translating that listing into the magazine pages. The Editor and I have been discussing ways and means,

with a view to solving the translation problem. Hang in there, we'll get it all worked out.

But you don't want to hear our problems. I am always on the lookout for useful items to include, and have thoughts about some notes on using editors and assembler programs to write MC programs. For now, they will probably be printed as DATA loaders, but we will experiment with assembler outputs to see if there are more instructive ways of helping MC tyros along.
Best Regards,
Paul

Dear Sir,

It may interest you to know that, despite the commercial end of the very popular Commodore VIC-20 Colour Computer, there is still a great number of enthusiastic users remaining with absolutely no intention of disposing of their machines. To support this large group of users, we have recently decided to continue publication of the Association's magazine "VIC".

"VIC" is now in its third year of publication with 16 bi-monthly issues under its belt. The magazine sells to subscribers and retail customers for \$2.00, a price which, compared magazines such as Compute and the Gazette is very low. The magazine is also entirely dedicated to the VIC-20 computer with no advertising and very little space tied up by news, letters etc....

The Association also distributes public domain software for a small copying fee and maintains a library of around 900 programmes. This service is extremely popular with our subscribers although also open to non-members. Despite the end of Association meetings, we still provide services to members such as free advertising, free

software consulting and special deals on books, disks/tapes and hardware.

I am writing to you in the hope that through your news pages or club news section, you may write a small segment on the Association as I see the main problem as being the communication between users away from the capital cities and one of the last reliable sources of information for the VIC-20. I hope you can help and anxiously await any publicity you may provide.

Thankyou
Chris Groenhout
The Editor "VIC"

ED- There you are Chris, yet another free plug.

Dear Sir,

I have a Commodore 64 and a Datassette and I would love to own a Joystick, but I don't want to spend ten's of dollars on one. So I have a question for you. "Is it possible to build one yourself at home spending a couple of dollars?"

If it is, would you be able to present something like: Instructions how to build a Joystick, in the next issue please.

I only want to use the Joystick for experiments, not for high speed games...I would really appreciate if you could do that for me, thankyou.

H. Borynski

ED - Vol 2 No 2 had a simple Joystick alternative for the old PET. It did not have a fire button, but with a little initiative it can be added.

We will re-publish it in this issue if space permits or next issue. However remember that the original design was for the PET so you will need to check your input port wiring. It should be noted that a fire button should also be added.




Fig 1. Joysticks for the PET. The switch arrangement for my PET joysticks is shown here. The switches are normally open.




Fig 2. The byte input from the user port is shown here. This design exploits the fact that the PET lines PA0 to PA7 will float to high when they are disconnected. When a line goes low, the corresponding switch is closed.





Fig 3. The Wobbilator-a low-cost alternative to joysticks that is easier to use as well. Eight low-cost miniature push buttons are used to build two of these units. Either normally open or normally closed push buttons may be used. The push buttons should not be "snap action" or "detent" or go "click" when depressed, and should only move about 1/8 inch for closure. Use a bit of ribbon cable to attach the connector for the user port to the Wobbilators. Mark each Wobbilator with a dot for "Up" and "Right" and "Left". Choose a dish that fits your hand comfortably.

It's time to put your Commodore to use!

Reader's Special Price

Remove your games disk for a minute or two and consider how useful your Commodore 64 can be around the home or at the office!


The following 3 programs are now available at a Special Price to readers of Commodore Magazine.



THE ORGANIZER

A computerised diary and decision maker. Organize your daily, weekly, monthly or yearly schedules at a glance! Highlight appointments! THE ORGANIZER provides instant daily or weekly scan. Print schedules daily, weekly, monthly or yearly! THE ORGANIZER is a project management tool which controls your time needs.

Special Price \$45.00
(Including Sales Tax and P&P)




DATABASE PLUS

Do away with that old filing cabinet! Throw away your address book! DATABASE PLUS will enable you to store more information and retrieve it more quickly than any other method. DATABASE PLUS is an inexpensive, comprehensive database. The applications of DATABASE PLUS are almost unlimited!

Special Price \$45.00
(Including Sales Tax and P&P)

\$45.00
each pack
(Including sales tax and P&P)



SPREADSHEET PLUS

Hundreds of uses for the business-person and around the home! SPREADSHEET PLUS is a user friendly electronic spreadsheet program...use it for forecasting, balance sheets, time sheets, personal budget, planning events, mailing lists etc! SPREADSHEET PLUS also contains the program PLOT 64 which provides various types of graphs and charts that helps you effectively communicate the information contained in the spreadsheet.

Special Price \$45.00
(Including Sales Tax and P&P)

Offer expires October 31st 1985.

KIM BOOKS - 82 Alexander Street, Crows Nest N.S.W. 2065

I/We wish to order the following programs from KIM BOOKS.

☐ DATABASE PLUS

☐ SPREADSHEET PLUS

☐ THE ORGANIZER

Enclosed is Cheque/Money Order for \$.....

Please charge my Bankcard/Visa/Mastercard/AMEX.....

No..... Expiry Date.....

Signature of Holder..... Name.....

Address.....

..... P/Code.....

Photocopy or facsimile of this form will be acceptable.

Credit cards will be billed via Mervyn Beamish Graphics Pty Ltd

User Group Column

In this edition we reshuffle the group arrangements in order to travel around a bit and give everybody a change at the top. (Democratic lot aren't we!)

The Christchurch New Zealand Commodore Users' Group (CUG) reports in their newsletter "Connection", that Commodore owners there should be grateful that the city's dealers include some keen folk who are prepared to spend both time and money working on bulletin board systems. Other computer owners are not so fortunate. The owner of one popular but now ageing home machine told "Connections", "...our dealers couldn't care less once they've got your money...."

Across two continents to Editor Alan Stuart of the Vic-Ups CUG in Nedlands Western Australia, who has a sure fire way of keeping his readers happy. He publishes members' classified adverts for FREE and says that small adds can be phoned through to him. Now that's service!

With a flash of your eyeballs and to Townsville, where Group Secretary Tony Moore reports that the group has now officially affiliated with the Commodore Computer Users' Group of Queensland. A major advantage of the affiliation is that members now have access to an increasing library of good quality public domain software. Showing that community involvement is important, the group participated with the Cranbrook State School annual fete where they provided computers and software for those attending.

Down the east coast to Victoria, where the newsletter "Communicator" of the Shepparton CUG reports that through their efforts the Goulburn Valley Regional Library is going to install a permanent Viatel facility. In addition, the Club, in conjunction with the Library, will be having a free Viatel demonstration during the ShepSeptember Festival. Also important is that the Club is already planning their end-of-year party. Now that's advance planning! Obviously they want to ensure that the lemon squash is good and cold!

The Peninsula CUG, which meets at Red Hill Victoria, seems truly up and running. Their second Newsletter reports that members have formed three groups: Introduction to the Commodore, Business Applications, and Games. A major goal for the Intro Group will be to provide additional information about keyboard control keys.

The Commodore 64 Users' Group, headquartered in Abbotsford Victoria, announces that they have enough members required by law to proceed with Incorporation and their Constitution is available as an Easyscript file that can be copied to members' individual disks. This is a fine example of paper reduction.

Moving north across the Murray, to Belconnen and the A.C.T. CUG, their Newsletter reports that Brian Evans and Kevin Biggs from Magmedia, were guest speakers. The topic of the evening was how disks are made and included a slide show. We wonder if Brian or Kevin told how to wring out spilt lemon squash from a disk? In

addition, book reviewer John Hambley was impressed with the library addition entitled "Multiplan on the Commodore 64". He forecasts it to, "become very well thumbed."

Nearer to the 'Big Smoke' and the 'Coathanger', the Southern Tablelands CUG Newsletter columnist Mark Bowman reports that Summer Games from Epyx offer some of the best graphics and sound seen on any of the decathalon games.

Mark Hopkins, Editor of the Compu-Tech Computer Club's Victim newsletter (based at Newcastle Technical College) addresses the a popular question often asked by non-computerites, "What can you do with a computer?" His reply is, "It is principally because of the diversity of applications that the question is so hard to answer. It is also perhaps the main reason why computer clubs have been so successful; everyone is able to contribute something to the conversation because the computer is flexible enough to be able to be used effectively in everyone's field of expertise." That's a good answer and worth remembering.

And in the shadow of the 'Coathanger' the Sydcom 64 and CHUG magazine, Peripheral, reports one of the main advantages to being a user group member is that group members offer unbiased opinions and assistance on new products that a person may be considering purchasing plus store discounts. Sydcom is both Australian wide and has members in neighbouring countries.

Laurence Hulse

THE COMPUTER SHOP ON VIATEL

*6464#
IS FOR ME

CLEMENS M. COMPUTERS
TROPICAL ARCADE, CAIRNS
070 51 5600

PHONE NOW FOR VIATEL MODEM SPECIALS!

UPGRADE YOUR COMMODORE 64 & 1541 SYSTEM WITH COCKROACH PRODUCTS

TURBO-ROM

Cockroach has replaced the cassette and RS232 in the normal ROM with more useful code for the 1541 disk user. (A switch is provided to return to normal ROM should you need to load from cassette or use a modem.)

PRICE: \$42 (inc. postage etc.)

1. FAST LOAD—The COCKROACH TURBO-ROM will load virtually ALL commercial software with speed improvements up to 600%.
(NOTE: Improvement varies from program to program.)
2. DOS WEDGE—@ to read error channel, @\$ to list directory to screen (without disturbing memory).
3. FAST FORMAT built-in—The command @F:NAME.ID will format (with verification) a disk in 30 secs (about 3 times normal speed).
4. SCREEN DUMP—The Commodore/F7 combination gives a screen dump to the printer even whilst program is running.
5. FAST SAVE—Save three times faster (verified).
6. Extra commands in immediate mode:—
ZAP—Cold start
OLD—Recover Basic program after NEW or cold start.
MON—Jump to monitor if in memory. (MONAD but can be customised).
SCREEN COLOURS & MESSAGE may also be customised if required. (\$5 extra)

COCKROACH TURBO-ROM is a single chip (with an attached switch) which plugs into the socket presently occupied by your KERNAL ROM.

WRITE LIGHT KIT

See and hear when the drive is actually writing to a disk. No more twiddling your thumbs wondering if it has hung up!

PRICE: \$17 (includes postage etc.)

Requires some expertise with a soldering iron (9 solder joints).

TRACK GAUGE

See instantly which track (or half track) is being read or written to. Requires some mechanical knowhow.

PRICE: \$18 (includes postage etc.)

TURBO-64 UTILITIES DISK

PRICE: \$22 (includes postage etc.)

For owners of our acclaimed TURBO-64 EDITOR. The utilities disk provides:—

1. TURBO-64 file copy onto standard disk
2. AUTOMATIC MULTI LOADER.
3. FAST NEW of TURBO-64 disk.
4. FULL STATUS SCREEN of each TURBO-64 program. Or dump to printer.
5. SCREEN EDITOR—Change any item on TURBO-64 menu screen.

TURBO-FAN

PRICE: \$45 (includes postage etc.)

This is a cooling fan which simply clips to the top of your disk drive and extracts the hot air—preventing premature failure due to overheating. A must for schools, etc.

ALSO AVAILABLE:

TURBO-64—FAST LOAD SYSTEM \$47 (including postage)
TURBO-ROACH—Three minute backup for unprotected disks \$37 (inc. postage etc.)
TURBO-64 LABELS \$2.50 per pack (20) including postage.

COCKROACH SOFTWARE, P.O. BOX 1154, SOUTHPORT, 4215
Telephone: (075) 32 5133 A/H (075) 32 4028

INDEX TO ISSUES

23 to 31 Commodore Magazine

Vol 4 No 1 — Vol 5 No 3

ARTICLES

A Background to BASIC.....	Vol 4 No 1
A Dos Trick.....	Vol 5 No 2
Carriers At War.....	Vol 4 No 4
Commodore BBS's in Australia.....	Vol 5 No 3
Commodore and Education.....	Vol 4 No 3
Commodore Telecomputing.....	Vol 5 No 3
1541 Disk Drive Alignment.....	Vol 5 No 2
1541 Disk Drive Bugs.....	Vol 4 No 5
1541 Disk Drive Manual.....	Vol 5 No 3
Direct Helper.....	Vol 5 No 1
Easyscript/1520 Printer.....	Vol 5 No 3

Education.....	Vol 5 No 1
Educational Software.....	Vol 4 No 3
Eprom Programmer.....	Vol 5 No 3
Hairsaver Power Peace.....	Vol 5 No 1
Hello is Anyone There?.....	Vol 4 No 6
Home Computer Market in the U.S.....	Vol 4 No 5
How to Write Music - Vic 20/C64.....	Vol 4 No 6
Interface Debugging.....	Vol 4 No 6
Isam Kram - + "P".....	Vol 4 No 4
Kiwi Modem.....	Vol 4 No 6
Ladders to Learning.....	Vol 5 No 1
Logo-A Language For Everyone.....	Vol 4 No 1

Mail-order from Commodore.....	Vol 4 No 1
Pilot for the Commodore 64.....	Vol 4 No 1
The Printer Page.....	
Presets.....	Vol 5 No 2
Epson GX 80.....	Vol 5 No 3
Program Protection.....	Vol 5 No 2
Revised 6502 Microprocessor.....	Vol 4 No 5
Setting up a BBS.....	Vol 5 No 3
Short Waves Can Activate Your RAMs.....	Vol 4 No 6

Speech Synthesis.....	Vol 4 No 4
Strategy in "Reach for the Stars".....	Vol 4 No 1
The Descending Chip.....	Vol 4 No 1
Three from Cymbal.....	Vol 5 No 3
Transferring Pictures.....	Vol 4 No 6
Two to one.....	Vol 5 No 2
Using the Sid.....	
Part 1.....	Vol 4 No 2
Part 2.....	Vol 4 No 3
Part 3.....	Vol 4 No 5

U.S. Copyright.....	Vol 4 No 6
Viatel and the Commodore 64.....	Vol 5 No 2
Vic 1520 Printer/Plotter.....	Vol 4 No 2

PROGRAMS

Adding some Zap into your programs.....	Vol 4 No 5
Anagrams.....	Vol 4 No 5
Anonym, Synonym & Supermath.....	Vol 5 No 1
Basad 64.....	Vol 4 No 4
Cassette Directory:CBM/VIC.....	Vol 4 No 4
C64 - Graphics Utility.....	Vol 4 No 1
Converter.....	Vol 4 No 3
Creepy Caves.....	Vol 4 No 6
CPIT-GEN.....	Vol 5 No 3
C16 Zapper.....	Vol 4 No 5
Data Compaction.....	Vol 5 No 2
Data Dodger.....	
Part 1.....	Vol 4 No 4
Part 2.....	Vol 5 No 2
Datawriters.....	Vol 4 No 3, Vol 4 No 6
Dice, Adventure Worksheet.....	Vol 4 No 4
Directory.....	Vol 5 No 2
Disk Name Change.....	Vol 4 No 6
Displayprint.....	Vol 5 No 3
Display Program, Graphics Generator.....	Vol 5 No 1
Do Dis Data or Dat Data.....	Vol 4 No 3
Downscroll.....	Vol 4 No 1
Easy File Reading.....	Vol 4 No 4
Eprom Programmer for VIC 20.....	Vol 5 No 2
Equations.....	Vol 4 No 3
Fileuser.....	Vol 4 No 4
Flags for the C64.....	Vol 4 No 1
Fuzzy Sort C16.....	Vol 4 No 4
Helpful Hints.....	Vol 4 No 1
Helpout.....	
Part 1.....	Vol 5 No 1
Part 2.....	Vol 5 No 3
High Resolution Graphics.....	Vol 4 No 1
Home Library.....	
Part 1.....	Vol 5 No 1
Part 2.....	Vol 5 No 2
Part 3.....	Vol 5 No 3
Kernel Rev 03.....	Vol 5 No 1
Life in the Fast Lane.....	Vol 4 No 5

Maps and Mapping

Part 1.....	Vol 4 No 5
Part 2.....	Vol 4 No 6
Part 3.....	Vol 5 No 1
Mastermind.....	Vol 4 No 2
M.L. Listings for 24hr Timer and Alarm.....	
Part 1.....	Vol 4 No 3
Part 2.....	Vol 4 No 4
Monad for the C64.....	Vol 4 No 2
Moonlander.....	Vol 4 No 2
Multicolumn Records.....	Vol 4 No 6
Nice Lister.....	Vol 4 No 2
Number Formatting.....	Vol 5 No 1
Polar Graphs.....	Vol 5 No 1
Print @ for the C64.....	Vol 5 No 3
Printer Checker.....	Vol 5 No 3
Program Lists.....	Vol 5 No 2
Quickies.....	Vol 4 No's 2,4,6
Random Numbers.....	Vol 4 No 4
Self Modifying Programs.....	Vol 4 No 5
Sequential To Program Convert & RTerm.....	Vol 5 No 2
Shuffle.....	Vol 4 No 3
SSort.....	Vol 4 No 5
Strategy.....	Vol 4 No 4
Superkey-64.....	Vol 4 No 1
Sweetsixteen.....	Vol 4 No 6
The Others.....	Vol 5 No's 1,2,3
Comal Strings.....	Vol 5 No 1
Forth Array Handling.....	Vol 5 No 3
Treasure Quest.....	Vol 5 No 3
Tumbler.....	Vol 4 No 1
Two For The VIC 20.....	Vol 4 No 4
Universe II.....	Vol 4 No 5
Variable File Names in G-Pascal.....	Vol 4 No 6
Vic Magicians Apprentice.....	
Designing your own characters.....	Vol 4 No 2
Helpful hints and tips.....	Vol 4 No 3
An Invoice/Statement using the.....	
Vic Printer.....	Vol 4 No 4
On-Screen Graphics.....	Vol 4 No 6
Vic Calculator.....	Vol 5 No 1
Vic's and their Printers.....	Vol 5 No 2
Geography on your VIC.....	Vol 5 No 3
Where Does It All End?.....	Vol 4 No 6
Writing Disk Errors.....	Vol 4 No 6
Disk Name Change.....	Vol 4 No 6

BOOK REVIEWS

A PET in the Classroom.....	Vol 4 No 2
Building with LOGO.....	Vol 5 No 3
Business Applications for the Commodore 64.....	Vol 4 No 2
Brainteasers for the Commodore 64.....	Vol 4 No 3
C64 Programs For The Home.....	Vol 4 No 1
Commodore 64 Machine Language Tutorial.....	Vol 4 No 3
DIY Robotics and Sensors.....	Vol 4 No 3
Dr.Aron's Guide to the Care, Feeding and Training of Your Commodore 64.....	Vol 4 No 5
Exploring Adventures on the VIC.....	Vol 4 No 2
Getting the Most from Your Micro.....	Vol 4 No 1
Graphics and Sound on the Commodore 64.....	Vol 4 No 6
Halo Graphics.....	Vol 5 No 3
Learning Logo on the Commodore 64.....	Vol 5 No 1
Lets Talk Commodore Turtle.....	Vol 5 No 1
Machine Code Routines.....	Vol 5 No 3
Mastering the Commodore 64.....	Vol 4 No 6
Micro-Computer Art.....	Vol 5 No 3
Programming for Education.....	Vol 5 No 1
The Anatomy of the 1541 Disk Drive.....	Vol 4 No 6
The Anatomy of the Commodore 64.....	Vol 5 No 1
The Big Fat Book of Commodore 64 Games.....	Vol 4 No 5
The Commodore Experience.....	Vol 5 No 2
The Commodore 64 Graphics Toolbox.....	Vol 5 No 2
The Complete Commodore 64 ROM Disassembler.....	Vol 4 No 2
The Computer & Video Games 'Book of Adventure'.....	Vol 4 No 2
The Penguin Book of C64 Games.....	Vol 4 No 1
The Penguin Book of VIC-20 Games.....	Vol 4 No 1
The VIC 20 Connection.....	Vol 4 No 2
The VIC Playground.....	Vol 4 No 2
Using the C64 In The Home.....	Vol 4 No 1

Continued overleaf

Continued from previous page

GAMES REVIEWS

Abductor.....	Vol 4 No 2
Adventure Master.....	Vol 4 No 5
Beyond Castle Wolfenstein.....	Vol 4 No 5
Carriers At War.....	Vol 4 No 5
Garden of Eden.....	Vol 4 No 5
Gemstone Warrior.....	Vol 5 No 3
Ghostbusters.....	Vol 4 No 6
Gridrunner-VIC20.....	Vol 4 No 2
Horace Skis on Pavlod.....	Vol 4 No 2
Hover Bower.....	Vol 4 No 2
Labrynth of the Creator.....	Vol 4 No 1
Matrix.....	Vol 4 No 1
Metagalactic Llamas Battle at the Edge of Time.....	Vol 4 No 1
50 Mission Crush.....	Vol 4 No 5
Moon Buggy 64.....	Vol 4 No 1
Munch Mania.....	Vol 4 No 3
Mystery Master.....	Vol 4 No 5
Petch.....	Vol 4 No 3
Professor Guile's Chemical Erabus.....	Vol 4 No 3, Vol 4 No 5
Quest for Tarek.....	Vol 4 No 1
Questron.....	Vol 4 No 5
Scramble 64.....	Vol 4 No 1
Sherlock.....	Vol 4 No 5
Speculator.....	Vol 4 No 2
Tarek Mk1.....	Vol 4 No 5
Telengard.....	Vol 4 No 5
The Way of the Exploding Fist.....	Vol 5 No 3
The Quill.....	Vol 4 No 5
Valhalla.....	Vol 4 No 5

PRODUCTS, HARDWARE AND SOFTWARE REVIEWS


Advanced Cassette Operating System.....	Vol 4 No 3
Blitz - a fast basic compiler.....	Vol 5 No 1
Cicada 300C Modem.....	Vol 4 No 2
Cockroach Disk Drive Cooling Fan.....	Vol 5 No 2
Commodore MPS 802 Printer.....	Vol 4 No 2
Commodore SX-64 Executive Pack.....	Vol 4 No 3
Dataform - program review.....	Vol 4 No 1
Datalign - Program Review.....	Vol 5 No 2
Dreamhouse.....	Vol 4 No 5
Easycript 1520/Printer.....	Vol 5 No 3
Graphics Master.....	Vol 4 No 6
Inside Commodore DOS.....	Vol 4 No 4
Joysticks.....	Vol 5 No 2
Ladders to Learning.....	Vol 5 No 3
Let's Stop & Pick the Daisies.....	Vol 4 No 5
Mega Modem Kit.....	Vol 5 No 2
Microneye System.....	Vol 4 No 6
Paintpic/Koala Pad.....	Vol 4 No 2
Pavlod - fast loading cassette system.....	Vol 4 No 1
Plus/4.....	Vol 4 No 6
Print Shop.....	Vol 5 No 2
Promenade for the VIC 20 & C64.....	Vol 5 No 2
Sure Shot Joystick.....	Vol 4 No 3
SPR C64/1541 Turbo System.....	Vol 4 No 6
The New Machines	
Part 1.....	Vol 4 No 5
Part 2.....	Vol 4 No 6
Part 3.....	Vol 5 No 2
The Skai-64 (CX500) Disk Drive.....	Vol 5 No 2
The World-Link Interface.....	Vol 5 No 2
TOTL Business 3.6.....	Vol 4 No 3
Turbo 64.....	Vol 4 No 4
VIP Terminal.....	Vol 4 No 4

REFERENCE SECTIONS

Commodore Reference-Basic 3.5 Memory Map.....	Vol 4 No 5
Commodore 64 Utility Basad Manual.....	Vol 4 No 5
Monad Manual.....	Vol 4 No 3
Term 64 Manual.....	Vol 5 No 1

MPS802 (1526) PRINTER AND THE C64

BY DENIS HARE



The Commodore MPS802 Printer has been available in Australia now for about a year, replacing the Commodore 1526 Printer, which reputedly had some bugs with its ROM. If you own a 1526 read on, because all programs in this article have been tested on the 1526 (revision 5) as well as the MPS802.

DESCRIPTION

The MPS802 is a friction/tractor feed, 45 lines per minute (80 columns), serial impact dot matrix printer, that prints upper and lower case alphabetic characters, numeric characters, and all the graphic characters available on your C64. The printer having its own internal microprocessor has excellent formatting capabilities. Formatting features includes the ability to specify left or right justification of columns, or alignment of numeric data on its decimal position. Line spacing is programmable and user defined characters can be printed. Enhanced and reverse printing, are also available, as well as bit mapping graphics, but you will have to read on, because the MPS802 handbook makes no reference to the bit mapping graphics capabilities.

FORMAT CONTROL

Through the printer's format control option, you can control the interpretation of data sent to the printer. To implement the format control option, you use the third parameter of the OPEN command which is called the secondary address. Any one of ten secondary addresses can be used with the OPEN command as follows.

- 0 - Print data exactly as received in Upper/Graphics case. (default value)
- 1 - Print data according to a previously defined format.
- 2 - Store the formatting data.
- 3 - Set the number of lines per page to be printed.
- 4 - Enable the printer format diagnostic message.
- 5 - Define a programmable character.
- 6 - Set spacing between lines.
- 7 - Print data exactly as received in Upper/Lower case.
- 8 - Not used.
- 9 - Suppress diagnostic message printing.
- 10 - Reset printer.

Don't forget that after each appropriate OPEN command has been transmitted a PRINT# statement is required to transmit the secondary address information to the printer.

Examples of most of the format control secondary addresses can be found in the program listings that are part of this article.

FRICTION FEED

The FRICTION FEED mechanism (fed similar to a standard typewriter) is a very handy facility enabling A4 paper, envelopes etc, to be used with the printer. FRICTION FEED is enabled by placing the paper release lever (on left hand side) in the rear position.

The program ENVELOPE PRINTER MPS802, detailed in LISTING 1, will allow you to print addresses on envelopes

using the printer's FRICTION FEED capabilities. If thin envelopes are being used, it may be necessary to place a sheet of paper behind the envelopes to protect the printer platen.

Note the pokes in lines 260 to 300 which put a leading quotation mark before your response to the input statement, enabling leading blanks to be used. This also allows commas, colons, cursor control and C64 left side Key graphic symbols, to be used, without an EXTRA IGNORED error message.

MULTILAYER PAPER

A small lever is located on the right handle side of the MPS802, which can be set to allow up to three copies including the original copy to be printed.

For single ply paper the lever should be in the forward position.

FORMATTING

Perhaps the most significant feature of your printer is its ability to format data. Formatting is a must, if you are using preformatted forms with the printer.

The program HEXADEcimal CONVERSION CHART, detailed in LISTING 2, demonstrates the capabilities of formatting with the MPS802. Study the REM statements in the program and refer to the printer handbook and you should have little trouble understanding how the formatting was achieved.

HIGH RESOLUTION (HIRES) GRAPHICS

The MPS802 handbook makes no reference to HIRES (Bit-mapped) printing using the printer but it is possible.

The program HIRES GRAPHIC PRINT MPS802, detailed in LISTING 3, will dump a standard HIRES graphic screen to the MPS802, taking about 10 minutes, with the print out about 9.5cm x 6cm in size.

The program rotates each HIRES byte into a new format and then defines it as a programmable character for printing.

The program in LISTING 4, draws a sine wave. Type in both programs as one and after SAVING, RUN to see your first HIRES print out, on the MPS802.

For doing letter heads or other work, the print out can be enhanced to a 19cm x 6cm by changing lines 4185 and 4190 of LISTING 3, as follows.

Continued overleaf

Continued from previous page

```
4185 PRINT#4,TAB(COUNTER)CHR$(14)CHR$(254)CHR$(141);
4190 COUNTER=COUNTER+2:IF COUNTER=80THENPRINT#4,
CHR$(13):COUNTER=0
```

Note enhanced printing takes longer to print.

HIRES WITH SIMON'S BASIC

If you are using your C64 for programing and not using a enhanced form of BASIC like SIMON'S BASIC, you are limited in some respects.

With SIMON'S BASIC you can make pictures, graphs, etc in HIRES or MULTICOLOUR modes. You are given quite a few graphic commands for drawing lines, circles, blocks, adding text, etc. It has a COPY command that will dump the graphic screen to a printer in the Commodore 1525 format but locks up the MPS802.

SIMON'S BASIC places the 8K bit map memory in hidden RAM, under the KERNAL at \$E000-\$FFFF. The 1K screen memory is placed at \$C000.

The program HIRES MEMORY RELOCATOR (SIMON'S), detailed in LISTING 5, switches out the ROM, allowing you to access the 8K bit map data and transfer it to memory \$2000-\$3FFF, then, switches back the ROM.

Memory location \$2000-\$3FFF is where the program HIRES GRAPHIC PRINT MPS802 (LISTING 3) prints from and to make it work with SIMON'S BASIC all you have to do is remove the REM from line 4020.

The program in LISTING 6, is a SIMON'S BASIC demonstration program for testing the HIRES printing. Carry out the following steps for a MPS802 SIMON'S HIRES screen dump to the printer.

STEP 1 - Load SIMON'S BASIC.

STEP 2 - Type in the program in LISTING 5, SAVE and RUN. The routine (program) is wedged into memory to relocated memory when called.

STEP 3 - Type in the Demonstration program in LISTING 6 and then use the MERGE command to add HIRES GRAPHIC PRINT MPS802 program (LISTING 3) to the demonstration program.

STEP 4 - Remove REM from line 4020 so that the program can call the relocate memory wedge.

STEP 5 - SAVE and RUN.

SAVING HIRES SCREENS

If you wish to save a HIRES screen that you have printed, NEW the memory (or use your reset button if fitted) and enter the following line in the direct mode.

```
SYS57812"filename",8:POKE193,0:POKE194,32:
POKE174,64:POKE175,63:SYS62954
```

The file (screen) can be loaded when required as usual, as follows.

```
LOAD"filename",8,1
```

After LOADING the HIRES screen file, LOAD HIRES GRAPIC PRINT MPS802 program (listing 3) and run. Great, specially with SIMON'S BASIC screens that can be printed without SIMON'S BASIC in the computer.

Datassette can be used instead of the disk if you change 8 to 1 when saving and loading.

ACKNOWLEDGEMENTS

1. COMMODORE MICROCOMPUTER Sept/Oct 1984 for the basic idea for LISTING 3.
2. Mr Bob Wicks, Sergeants Mess, Watsonia for testing the programs on his 1526 printer.

Listing 1

```
10 REM #####
20 REM D HARE 1985
30 REM ENVELOPE PRINTER FOR THE MPS802
40 REM #####
50 POKE 53280,13: POKE 53281,13: PRINT "[CLR,<CYN>,TEXT]"
60 PRINT "[RVS,SPACE3,E,N,V,E,L,O,P,E,SPACE,P,R,I,N,T,E,R,
SPACE,F,O,R,SHSPACE,T,H,E,SPACE,M,P,S]802[SPACE5,OFF]"
70 PRINT : PRINT
80 INPUT "[SPACE4,RVS,E,OFF]NVELOPE OR[SPACE,
RVS]Q[OFF]UIT";A$
90 IF A$="E" THEN 170
100 IF A$="[E]" THEN 170
110 IF A$="Q" THEN 140
120 IF A$="[Q]" THEN 140
130 GOTO 50
140 END
150 PRINT
160 B$="":C$="":D$="":E$="":F$="":
170 PRINT "[CLR,RVS,SPACE6,E,N,V,E,L,O,P,E,SHSPACE,P,R,I,N,
T,L,R,SPACE,M,P,S]802[SPACE6,OFF]"
180 PRIN "[DOWN,SPACE,P]RINTING STARTS FROM A THIRD
OF THE WAY";
190 PRINT " ACROSS THE[SPACE,P]LATEN AND 2.2CM DOWN
FROM "
200 PRINT " THE BEND IN THE[SPACE,M,P,S]802 PAPER FEED. "
210 PRINT "[DOWN,RVS,SPACE,P,L,E,A,S,E,SHSPACE,E,N,S,U,R,
E,SHSPACE,A,SHSPACE,E,N,V,E,L,O,P,E,SHSPACE,I,S,
SHSPACE,I,N,SHSPACE,M,P,S]802[SPACE,OFF]"
220 PRINT "[DOWN,RVS,SPACE,A,N,D,SHSPACE,T,H,E,SHSPACE,
P,A,P,E,R,SHSPACE,R,E,L,E,A,S,E,SHSPACE,L,E,V,E,R,
SHSPACE,I,S,SHSPACE,I,N,SHSPACE,T,H,E,SPACE,OFF]"
230 PRINT "[DOWN,RVS,SPACE,R,E,A,R,SHSPACE,P,O,S,I,T,I,O,N,
SPACE25,OFF]"
240 PRINT "[SPACE8,<O><O><O><O><O><O><O><O>
<O><O><O><O><O><O><O><O><O>
<O><O><O><O><O><O><O><O>]"
250 PRINT
260 POKE 631,34: POKE 198,1: INPUT "LINE 1";B$
270 POKE 631,34: POKE 198,1: INPUT "LINE 2";C$
280 POKE 631,34: POKE 198,1: INPUT "LINE 3";D$
290 POKE 631,34: POKE 198,1: INPUT "LINE 4";E$
300 POKE 631,34: POKE 198,1: INPUT "LINE 5";F$
310 PRINT
320 PRINT "[SPACE8,<U><U><U><U><U><U><U><U>
<U><U><U><U><U><U><U><U><U>
<U><U><U><U><U><U><U><U><U>]"
330 OPEN 4,4,7: REM PRINT DATA AS $[LOCK]EIVED,
LOWER OR UPPER CASE
340 PRINT#4,"[SPACE23]";B$
350 PRINT#4,"[SPACE23]";C$
360 PRINT#4,"[SPACE23]";D$
370 PRINT#4,"[SPACE23]";E$
380 PRINT#4,"[SPACE23]";F$
390 CLOSE 4
400 PRINT "[DOWN,SPACE,A]NOTHER ENVELOPE[SPACE,RVS,
SPACE]SAME[SPACE,OFF,SPACE]PRINT";
410 INPUT "([Y]/N)";G$
420 IF G$="[Y]" THEN 490
430 IF G$="Y" THEN 490
440 PRINT "[DOWN,SPACE,A]NOTHER ENVELOPE[SPACE,RVS,
SPACE]NEW[SPACE,OFF,SPACE]PRINT";
450 INPUT "([Y]/N)";H$
460 IF H$="[Y]" THEN 530
470 IF H$="Y" THEN 530
480 GOTO 50
490 PRINT "[RVS,SPACE,P,L,A,C,E,SHSPACE,A,SHSPACE,N,E,W,
SHSPACE,E,N,V,E,L,O,P,E,SHSPACE,I,N,SHSPACE,T,H,E,
SHSPACE,M,P,S]802[SPACE,OFF]"
500 PRINT " PRESS ANY KEY "
510 GET K$: IF K$="" THEN 510
520 GOTO 330
530 PRINT "[RVS,SPACE,P,L,A,C,E,SHSPACE,N,E,W,SHSPACE,E,
N,V,E,L,O,P,E,SHSPACE,I,N,SHSPACE,T,H,E,SHSPACE,
M,P,S]802"
540 PRINT " PRESS ANY KEY "
550 GET K$: IF K$="" THEN 550
560 GOTO 160
```

Listing 2

```
10 REM #####
20 REM D HARE 1985
30 REM HEXADECIMAL CONVERSION CHART
40 REM #####
50 OPEN 1,4: REM PRINT DATA EXACTLY AS TRANSMITTED
60 OPEN 2,4,1: REM FORMAT DATA BEFORE IT IS PRINTED
70 OPEN 3,4,2: REM TRANSMIT THE FORMAT STRING
80 OPEN 4,4,4: REM ENABLE FORMAT DIAGNOSTIC MESSAGES
  TO BE PRINTED
90 PRINT#4: REM ENABLE ERROR DIAGNOSTICS
100 PRINT#1, CHR$(14)"[SPACE3]HEXADECIMAL CONVERSION
  "; CHR$(15)
110 PRINT#1, CHR$(14)"[SPACE3,<Y><Y><Y><Y><Y><Y>
  <Y><Y><Y><Y><Y><Y><Y><Y><Y><Y><Y><Y>
  <Y><Y><Y><Y><Y><Y><Y><Y><Y>]"; CHR$(15)
120 PRINT#1,"HEX[SPACE2]-0[SPACE2]-1[SPACE2]-2[SPACE2]-
  3[SPACE2]-4[SPACE2]-5[SPACE2]-6[SPACE2]-7[SPACE2]-
  8[SPACE2]-9[SPACE2]-A[SPACE2]-B[SPACE2]-C[SPACE2]-
  D[SPACE2]-E[SPACE2]-F"
130 B=0
140 AS=CHR$(65)
150 XS=CHR$(29)
160 FS="Z[RVS]-[SPACE2]999 999 999 999 999 999 999 999 999
  999 999 999 999"
170 PRINT#3,FS
180 FOR I=0 TO 9
190 PRINT#2,I,B+0,B+1,B+2,B+3,B+4,B+5,B+6,B+7,B+8,B+9,
  B+10,B+11,B+12,B+13,B+14;
200 PRINT#2,B+15
210 B=B+16
220 NEXT I
230 FS="A[RVS]-[SPACE2]999 999 999 999 999 999 999 999 999
  999 999 999 999"
240 PRINT#3,FS
250 FOR I=1 TO 6
260 PRINT#2,AS,XS,B+0,B+1,B+2,B+3,B+4,B+5,B+6,B+7,B+8,
  B+9,B+10,B+11,B+12,B+13;
270 PRINT#2,B+14,B+15
280 B=B+16
290 AS=CHR$(65+I)
300 NEXT I
310 PRINT#1, CHR$(13) CHR$(13) CHR$(13)
320 CLOSE 1: CLOSE 2: CLOSE 3: CLOSE 4
```

Listing 3

```
4000 REM #####
4005 REM D HARE 1985
4010 REM HIRES GRAPHIC PRINT MPS802
4015 REM #####
4020 REM SYS21820
4025 PRINT "[CLR,DOWN10]"
4030 PRINT "[RVS,SPACE]PRINTING TO THE MPS802. GRAPHIC
  PRINT[SPACE2,OFF]";
4035 PRINT "[RVS,SPACE8]TAKES ABOUT 10 MINUTES[SPACE10,
  OFF]"
4040 REM -----
4045 REM ADJUST POINTERS : OPEN CHANNELS TO THE
  MPS802 (CUSTOM)
4050 REM -----
4055 POKE 52,32: POKE 56,32
4060 OPEN 5,4,5: OPEN 4,4
4065 REM -----
4070 REM PUT ML IN CASSETTE BUFFER
4075 REM -----
4080 COUNTER=0:BASE=2*4096: GOSUB 4215
4085 REM -----
4090 REM MOVE BYTE INFO INTO CASSETTE BUFFER WITH ML
4095 REM -----
4100 FOR BYTE=0 TO 7
4105 A=PEEK (BASE+BYTE)
4110 POKE 965+BYTE,A
4115 NEXT
4120 BASE=BASE+8: IF BASE>2*4096+8000 THEN CLOSE 4:
  CLOSE 5: GOTO 4365
4125 REM -----
4130 REM RUN ML ROUTINE TO ROTATE EACH BYTE INTO THE
  NEW FORMAT
```

```
4135 REM -----
4140 AS="": SYS 828
4145 FOR BYTE=0 TO 7
4150 A=PEEK (973+BYTE)
4155 AS=AS+ CHR$(A)
4160 NEXT
4165 REM -----
4170 REM PRINTING ROUTINE
4175 REM -----
4180 PRINT#5,AS
4185 PRINT#4, TAB(COUNTER) CHR$(254) CHR$(141);
4190 COUNTER=COUNTER+1: IF COUNTER=40 THEN PRINT#4,
  CHR$(13):COUNTER=0
4195 GOTO 4100
4200 REM -----
4205 REM SET MPS802 LINE SPACING : ML ROUTINE
4210 REM -----
4215 OPEN 6,4,6: PRINT#6, CHR$(10): CLOSE 6
4220 B=0: FOR DE=828 TO 980
4225 READ A
4230 POKE DE,A:B=B+A
4235 NEXT
4240 IF B<17120 THEN PRINT "ERROR IN DATA STATEMENTS":
  END
4245 RETURN
4250 DATA 162,7,169,0,157,205,3,202
4255 DATA 224,255,208,248,169,128,141,196
4260 DATA 3,162,0,160,0,189,197,3
4265 DATA 10,157,197,3,32,183,3,200
4270 DATA 192,8,240,2,208,239,232,160
4275 DATA 0,224,1,240,28,224,2,240
4280 DATA 31,224,3,240,34,224,4,240
4285 DATA 37,224,5,240,40,224,6,240
4290 DATA 43,224,7,240,46,224,8,240
4295 DATA 49,169,64,141,196,3,208,197
4300 DATA 169,32,141,196,3,208,190,169
4305 DATA 16,141,196,3,208,183,169,8
4310 DATA 141,196,3,208,176,169,4,141
4315 DATA 196,3,208,169,169,2,141,196
4320 DATA 3,208,162,169,1,141,196,3
4325 DATA 208,155,96,144,10,24,185,205
4330 DATA 3,109,196,3,153,205,3,96
4335 DATA 0
4340 DATA 0,0,0,0,0,0,0,0
4345 DATA 0,0,0,0,0,0,0,0
4350 REM -----
4355 REM RESET MPS802 : RETURN TO NORMAL : END
4360 REM -----
4365 OPEN 10,4,10: PRINT#10: CLOSE 10
4370 POKE 53272,21: POKE 53265,155: PRINT "[CLR,
  SPACE]BYE-BYE": END
```

Listing 4

```
10 REM #####
20 REM D HARE 1985
30 REM STANDARD HIRES - SINE WAVE
40 REM #####
50 TT=2*4096: POKE 53272, PEEK (53272) OR 8
60 REM -----
70 REM STANDARD HIRES SET UP
80 REM -----
90 POKE 53265, PEEK (53265) OR 32
100 FOR I=TT TO TT+7999: POKE I,0: NEXT
110 FOR I=1024 TO 2023: POKE I,3: NEXT
120 REM -----
130 REM SINE WAVE FOR THE DEMO
140 REM -----
150 FOR X=0 TO 319 STEP .5
160 Y=INT (90+80* SIN (X/10))
170 CH=INT (X/8)
180 PO=INT (Y/8)
190 LH=Y AND 7
200 BY=TT+PO*320+8*CH+LH
210 BI=7-(X AND 7)
220 POKE BY, PEEK (BY) OR (2*BI)
230 NEXT X
240 POKE 53272,21: POKE 53265,155
```

Continued on page 42

Robots (Artificial Intelligence)

Imagistics

From running shoes which keep track of energy use to robots which knock over furniture while trying to serve a meal, these are some of the signs that we have arrived at the interface with artificial intelligence.

You can put soles on your C-64 with the Puma RS (Running System) Computer Shoe. The shoe has a microprocessor located in the right heel. First a runner calibrates the runner's processor by entering height, weight, and stride measurements.

After the run, the footwear is connected to a C-64 and the information is downloaded and stored on disk. The separate software disk has room for six years of running logs and running efficiency can be formulated easily. The shoes cost about US\$200.

As for the recalcitrant robot waiter, the Court of Session in Edinburgh Scotland dealt with a case recently in which a second-hand robot, bought to serve wine to customers, ran amok in a restaurant and stopped only when its head fell off into a customer's lap. The robot had cost \$9,500.

The trend is toward re-programmable robots or more correctly-mechanical manipulators. The three common ways of producing controlled mechanical movement for industrial robots are by electric motors, pneumatics or hydraulics.

Electrical systems use direct current motors as fixed increment stepping motors. The major limitation of this type of system is that

electric motors produce rotary motion and to convert that to linear motion requires a lead screw, a gearbox or an harmonic drive gear. These have problems with reliability and cost.

In pneumatic drives, compressed air is used in a cylinder to move a piston which provides the linear motion. Replacing the compressed air with a low viscosity oil forms the hydraulic system.

Many robotic systems use low pressure hydraulics, because a single, low-cost electric motor is sufficient to drive the oil pumps which control the arm and gripper movements. Piston return is by springs and/or gravity.

The common features of hydraulic computer controlled robots are their low cost (usually under \$10,000), they have up to six controllable axes, are positional sensing, have servo control plus continuous path motion, a learning ability and an RS232 interface.

Domestic application of robots which plug into C-64s and Vic 20s are being developed by Intellect Electronics Pty Ltd. The robots are priced at about \$400 and can 'walk', talk and learn their way around a house. They are designed to carry and collect items.

To get started in building computer controlled robots, a fun project is building a robot 'mouse'. A very simple scurry robot consists of a rectangular piece of perspex to

the front end of which are attached two small five volt DC motors. These motors directly drive model airplane wheels. At the centre rear of the plastic base is a small furniture castor.

Construction tools are a sharp knife, a small hacksaw, a ruler and plastic cement.

The two controls needed for a DC motor are speed and direction. Speed can be controlled by changing the supply voltage, and rotation direction by switching polarity of the motor's power supply. Additional circuitry is required to protect the computer if high voltages are used.

There are many basic switching circuits for small DC motors, some of which include solid state relays, which can be driven by a computer I/O port. So the direction of motor rotation is easily solved.

The motor's speed can be controlled by pulse-width modulation, which turns on the motor for a period and then off. The ratio of on and off times determines the speed of rotation. If the time periods are very small, then the motor's mechanical inertial will cause the pulses to be smoothed out and gives a varying motor supply voltage and so speed.

For more information on ROBOTS & THE MOUSE we recommend:
Commodore Computing May 1984 Vol 2 No 12 "Building A Robot Mouse". (Try inter-library loans through your local library.)
"DIY ROBOTICS/SENSORS - C64"
a Sunshine Book.
(CW. Electronics, P.O.Box 335, Gladesville 2111 can supply this one if its not available at your local shop - \$21.26 p&p included.)




FIG B
Complete Motor Control Circuit

FIG A
A basic circuit configuration for switching small DC loads.





FIG C
A Program to control the speed of a DC motor with the C64.

```

0 C000 A940 LDA #40
1 C002 8D03DD STA $DD03
2 C005 A200 LDM #00
3 C007 8E01DD STX $DD01
4 C00A E8 INX
5 C00B 84FB CPY #F3
6 C00D D0FB SNE #C00A
7 C00F A940 LDA #40
8 C011 8D01DD STA $DD01
9 C014 E8 INX
10 C015 D0FD SNE #C014
11 C017 85C5 CPY #C5
12 C019 0A40 CMP #40
13 C01B 0000 BEQ #C005
14 C01D 0000 BNE #C015
15 C01F 0000 BNE #C014
16 C021 0000 BNE #C014
17 C023 0000 BNE #C014
18 C025 0000 BNE #C014
19 C027 0000 BNE #C014
20 C029 0000 BNE #C014
21 C02B 0000 BNE #C014
22 C02D 0000 BNE #C014
23 C02F 0000 BNE #C014
24 C031 0000 BNE #C014
25 C033 0000 BNE #C014
26 C035 0000 BNE #C014
27 C037 0000 BNE #C014
28 C039 0000 BNE #C014
29 C03B 0000 BNE #C014
30 C03D 0000 BNE #C014
31 C03F 0000 BNE #C014
32 C041 0000 BNE #C014
33 C043 0000 BNE #C014
34 C045 0000 BNE #C014
35 C047 0000 BNE #C014
36 C049 0000 BNE #C014
37 C04B 0000 BNE #C014
38 C04D 0000 BNE #C014
39 C04F 0000 BNE #C014
40 C051 0000 BNE #C014
41 C053 0000 BNE #C014
42 C055 0000 BNE #C014
43 C057 0000 BNE #C014
44 C059 0000 BNE #C014
45 C05B 0000 BNE #C014
46 C05D 0000 BNE #C014
47 C05F 0000 BNE #C014
48 C061 0000 BNE #C014
49 C063 0000 BNE #C014
50 C065 0000 BNE #C014
51 C067 0000 BNE #C014
52 C069 0000 BNE #C014
53 C06B 0000 BNE #C014
54 C06D 0000 BNE #C014
55 C06F 0000 BNE #C014
56 C071 0000 BNE #C014
57 C073 0000 BNE #C014
58 C075 0000 BNE #C014
59 C077 0000 BNE #C014
60 C079 0000 BNE #C014
61 C07B 0000 BNE #C014
62 C07D 0000 BNE #C014
63 C07F 0000 BNE #C014
64 C081 0000 BNE #C014
65 C083 0000 BNE #C014
66 C085 0000 BNE #C014
67 C087 0000 BNE #C014
68 C089 0000 BNE #C014
69 C08B 0000 BNE #C014
70 C08D 0000 BNE #C014
71 C08F 0000 BNE #C014
72 C091 0000 BNE #C014
73 C093 0000 BNE #C014
74 C095 0000 BNE #C014
75 C097 0000 BNE #C014
76 C099 0000 BNE #C014
77 C09B 0000 BNE #C014
78 C09D 0000 BNE #C014
79 C09F 0000 BNE #C014
80 C0A1 0000 BNE #C014
81 C0A3 0000 BNE #C014
82 C0A5 0000 BNE #C014
83 C0A7 0000 BNE #C014
84 C0A9 0000 BNE #C014
85 C0AB 0000 BNE #C014
86 C0AD 0000 BNE #C014
87 C0AF 0000 BNE #C014
88 C0B1 0000 BNE #C014
89 C0B3 0000 BNE #C014
90 C0B5 0000 BNE #C014
91 C0B7 0000 BNE #C014
92 C0B9 0000 BNE #C014
93 C0BB 0000 BNE #C014
94 C0BD 0000 BNE #C014
95 C0BF 0000 BNE #C014
96 C0C1 0000 BNE #C014
97 C0C3 0000 BNE #C014
98 C0C5 0000 BNE #C014
99 C0C7 0000 BNE #C014
100 C0C9 0000 BNE #C014
101 C0CB 0000 BNE #C014
102 C0CD 0000 BNE #C014
103 C0CF 0000 BNE #C014
104 C0D1 0000 BNE #C014
105 C0D3 0000 BNE #C014
106 C0D5 0000 BNE #C014
107 C0D7 0000 BNE #C014
108 C0D9 0000 BNE #C014
109 C0DB 0000 BNE #C014
110 C0DD 0000 BNE #C014
111 C0DF 0000 BNE #C014
112 C0E1 0000 BNE #C014
113 C0E3 0000 BNE #C014
114 C0E5 0000 BNE #C014
115 C0E7 0000 BNE #C014
116 C0E9 0000 BNE #C014
117 C0EB 0000 BNE #C014
118 C0ED 0000 BNE #C014
119 C0EF 0000 BNE #C014
120 C0F1 0000 BNE #C014
121 C0F3 0000 BNE #C014
122 C0F5 0000 BNE #C014
123 C0F7 0000 BNE #C014
124 C0F9 0000 BNE #C014
125 C0FB 0000 BNE #C014
126 C0FD 0000 BNE #C014
127 C0FF 0000 BNE #C014
128 C101 0000 BNE #C014
129 C103 0000 BNE #C014
130 C105 0000 BNE #C014
131 C107 0000 BNE #C014
132 C109 0000 BNE #C014
133 C10B 0000 BNE #C014
134 C10D 0000 BNE #C014
135 C10F 0000 BNE #C014
136 C111 0000 BNE #C014
137 C113 0000 BNE #C014
138 C115 0000 BNE #C014
139 C117 0000 BNE #C014
140 C119 0000 BNE #C014
141 C11B 0000 BNE #C014
142 C11D 0000 BNE #C014
143 C11F 0000 BNE #C014
144 C121 0000 BNE #C014
145 C123 0000 BNE #C014
146 C125 0000 BNE #C014
147 C127 0000 BNE #C014
148 C129 0000 BNE #C014
149 C12B 0000 BNE #C014
150 C12D 0000 BNE #C014
151 C12F 0000 BNE #C014
152 C131 0000 BNE #C014
153 C133 0000 BNE #C014
154 C135 0000 BNE #C014
155 C137 0000 BNE #C014
156 C139 0000 BNE #C014
157 C13B 0000 BNE #C014
158 C13D 0000 BNE #C014
159 C13F 0000 BNE #C014
160 C141 0000 BNE #C014
161 C143 0000 BNE #C014
162 C145 0000 BNE #C014
163 C147 0000 BNE #C014
164 C149 0000 BNE #C014
165 C14B 0000 BNE #C014
166 C14D 0000 BNE #C014
167 C14F 0000 BNE #C014
168 C151 0000 BNE #C014
169 C153 0000 BNE #C014
170 C155 0000 BNE #C014
171 C157 0000 BNE #C014
172 C159 0000 BNE #C014
173 C15B 0000 BNE #C014
174 C15D 0000 BNE #C014
175 C15F 0000 BNE #C014
176 C161 0000 BNE #C014
177 C163 0000 BNE #C014
178 C165 0000 BNE #C014
179 C167 0000 BNE #C014
180 C169 0000 BNE #C014
181 C16B 0000 BNE #C014
182 C16D 0000 BNE #C014
183 C16F 0000 BNE #C014
184 C171 0000 BNE #C014
185 C173 0000 BNE #C014
186 C175 0000 BNE #C014
187 C177 0000 BNE #C014
188 C179 0000 BNE #C014
189 C17B 0000 BNE #C014
190 C17D 0000 BNE #C014
191 C17F 0000 BNE #C014
192 C181 0000 BNE #C014
193 C183 0000 BNE #C014
194 C185 0000 BNE #C014
195 C187 0000 BNE #C014
196 C189 0000 BNE #C014
197 C18B 0000 BNE #C014
198 C18D 0000 BNE #C014
199 C18F 0000 BNE #C014
200 C191 0000 BNE #C014
201 C193 0000 BNE #C014
202 C195 0000 BNE #C014
203 C197 0000 BNE #C014
204 C199 0000 BNE #C014
205 C19B 0000 BNE #C014
206 C19D 0000 BNE #C014
207 C19F 0000 BNE #C014
208 C1A1 0000 BNE #C014
209 C1A3 0000 BNE #C014
210 C1A5 0000 BNE #C014
211 C1A7 0000 BNE #C014
212 C1A9 0000 BNE #C014
213 C1AB 0000 BNE #C014
214 C1AD 0000 BNE #C014
215 C1AF 0000 BNE #C014
216 C1B1 0000 BNE #C014
217 C1B3 0000 BNE #C014
218 C1B5 0000 BNE #C014
219 C1B7 0000 BNE #C014
220 C1B9 0000 BNE #C014
221 C1BB 0000 BNE #C014
222 C1BD 0000 BNE #C014
223 C1BF 0000 BNE #C014
224 C1C1 0000 BNE #C014
225 C1C3 0000 BNE #C014
226 C1C5 0000 BNE #C014
227 C1C7 0000 BNE #C014
228 C1C9 0000 BNE #C014
229 C1CB 0000 BNE #C014
230 C1CD 0000 BNE #C014
231 C1CF 0000 BNE #C014
232 C1D1 0000 BNE #C014
233 C1D3 0000 BNE #C014
234 C1D5 0000 BNE #C014
235 C1D7 0000 BNE #C014
236 C1D9 0000 BNE #C014
237 C1DB 0000 BNE #C014
238 C1DD 0000 BNE #C014
239 C1DF 0000 BNE #C014
240 C1E1 0000 BNE #C014
241 C1E3 0000 BNE #C014
242 C1E5 0000 BNE #C014
243 C1E7 0000 BNE #C014
244 C1E9 0000 BNE #C014
245 C1EB 0000 BNE #C014
246 C1ED 0000 BNE #C014
247 C1EF 0000 BNE #C014
248 C1F1 0000 BNE #C014
249 C1F3 0000 BNE #C014
250 C1F5 0000 BNE #C014
251 C1F7 0000 BNE #C014
252 C1F9 0000 BNE #C014
253 C1FB 0000 BNE #C014
254 C1FD 0000 BNE #C014
255 C1FF 0000 BNE #C014
256 C201 0000 BNE #C014
257 C203 0000 BNE #C014
258 C205 0000 BNE #C014
259 C207 0000 BNE #C014
260 C209 0000 BNE #C014
261 C20B 0000 BNE #C014
262 C20D 0000 BNE #C014
263 C20F 0000 BNE #C014
264 C211 0000 BNE #C014
265 C213 0000 BNE #C014
266 C215 0000 BNE #C014
267 C217 0000 BNE #C014
268 C219 0000 BNE #C014
269 C21B 0000 BNE #C014
270 C21D 0000 BNE #C014
271 C21F 0000 BNE #C014
272 C221 0000 BNE #C014
273 C223 0000 BNE #C014
274 C225 0000 BNE #C014
275 C227 0000 BNE #C014
276 C229 0000 BNE #C014
277 C22B 0000 BNE #C014
278 C22D 0000 BNE #C014
279 C22F 0000 BNE #C014
280 C231 0000 BNE #C014
281 C233 0000 BNE #C014
282 C235 0000 BNE #C014
283 C237 0000 BNE #C014
284 C239 0000 BNE #C014
285 C23B 0000 BNE #C014
286 C23D 0000 BNE #C014
287 C23F 0000 BNE #C014
288 C241 0000 BNE #C014
289 C243 0000 BNE #C014
290 C245 0000 BNE #C014
291 C247 0000 BNE #C014
292 C249 0000 BNE #C014
293 C24B 0000 BNE #C014
294 C24D 0000 BNE #C014
295 C24F 0000 BNE #C014
296 C251 0000 BNE #C014
297 C253 0000 BNE #C014
298 C255 0000 BNE #C014
299 C257 0000 BNE #C014
300 C259 0000 BNE #C014
301 C25B 0000 BNE #C014
302 C25D 0000 BNE #C014
303 C25F 0000 BNE #C014
304 C261 0000 BNE #C014
305 C263 0000 BNE #C014
306 C265 0000 BNE #C014
307 C267 0000 BNE #C014
308 C269 0000 BNE #C014
309 C26B 0000 BNE #C014
310 C26D 0000 BNE #C014
311 C26F 0000 BNE #C014
312 C271 0000 BNE #C014
313 C273 0000 BNE #C014
314 C275 0000 BNE #C014
315 C277 0000 BNE #C014
316 C279 0000 BNE #C014
317 C27B 0000 BNE #C014
318 C27D 0000 BNE #C014
319 C27F 0000 BNE #C014
320 C281 0000 BNE #C014
321 C283 0000 BNE #C014
322 C285 0000 BNE #C014
323 C287 0000 BNE #C014
324 C289 0000 BNE #C014
325 C28B 0000 BNE #C014
326 C28D 0000 BNE #C014
327 C28F 0000 BNE #C014
328 C291 0000 BNE #C014
329 C293 0000 BNE #C014
330 C295 0000 BNE #C014
331 C297 0000 BNE #C014
332 C299 0000 BNE #C014
333 C29B 0000 BNE #C014
334 C29D 0000 BNE #C014
335 C29F 0000 BNE #C014
336 C2A1 0000 BNE #C014
337 C2A3 0000 BNE #C014
338 C2A5 0000 BNE #C014
339 C2A7 0000 BNE #C014
340 C2A9 0000 BNE #C014
341 C2AB 0000 BNE #C014
342 C2AD 0000 BNE #C014
343 C2AF 0000 BNE #C014
344 C2B1 0000 BNE #C014
345 C2B3 0000 BNE #C014
346 C2B5 0000 BNE #C014
347 C2B7 0000 BNE #C014
348 C2B9 0000 BNE #C014
349 C2BB 0000 BNE #C014
350 C2BD 0000 BNE #C014
351 C2BF 0000 BNE #C014
352 C2C1 0000 BNE #C014
353 C2C3 0000 BNE #C014
354 C2C5 0000 BNE #C014
355 C2C7 0000 BNE #C014
356 C2C9 0000 BNE #C014
357 C2CB 0000 BNE #C014
358 C2CD 0000 BNE #C014
359 C2CF 0000 BNE #C014
360 C2D1 0000 BNE #C014
361 C2D3 0000 BNE #C014
362 C2D5 0000 BNE #C014
363 C2D7 0000 BNE #C014
364 C2D9 0000 BNE #C014
365 C2DB 0000 BNE #C014
366 C2DD 0000 BNE #C014
367 C2DF 0000 BNE #C014
368 C2E1 0000 BNE #C014
369 C2E3 0000 BNE #C014
370 C2E5 0000 BNE #C014
371 C2E7 0000 BNE #C014
372 C2E9 0000 BNE #C014
373 C2EB 0000 BNE #C014
374 C2ED 0000 BNE #C014
375 C2EF 0000 BNE #C014
376 C2F1 0000 BNE #C014
377 C2F3 0000 BNE #C014
378 C2F5 0000 BNE #C014
379 C2F7 0000 BNE #C014
380 C2F9 0000 BNE #C014
381 C2FB 0000 BNE #C014
382 C2FD 0000 BNE #C014
383 C2FF 0000 BNE #C014
384 C301 0000 BNE #C014
385 C303 0000 BNE #C014
386 C305 0000 BNE #C014
387 C307 0000 BNE #C014
388 C309 0000 BNE #C014
389 C30B 0000 BNE #C014
390 C30D 0000 BNE #C014
391 C30F 0000 BNE #C014
392 C311 0000 BNE #C014
393 C313 0000 BNE #C014
394 C315 0000 BNE #C014
395 C317 0000 BNE #C014
396 C319 0000 BNE #C014
397 C31B 0000 BNE #C014
398 C31D 0000 BNE #C014
399 C31F 0000 BNE #C014
400 C321 0000 BNE #C014
401 C323 0000 BNE #C014
402 C325 0000 BNE #C014
403 C327 0000 BNE #C014
404 C329 0000 BNE #C014
405 C32B 0000 BNE #C014
406 C32D 0000 BNE #C014
407 C32F 0000 BNE #C014
408 C331 0000 BNE #C014
409 C333 0000 BNE #C014
410 C335 0000 BNE #C014
411 C337 0000 BNE #C014
412 C339 0000 BNE #C014
413 C33B 0000 BNE #C014
414 C33D 0000 BNE #C014
415 C33F 0000 BNE #C014
416 C341 0000 BNE #C014
417 C343 0000 BNE #C014
418 C345 0000 BNE #C014
419 C347 0000 BNE #C014
420 C349 0000 BNE #C014
421 C34B 0000 BNE #C014
422 C34D 0000 BNE #C014
423 C34F 0000 BNE #C014
424 C351 0000 BNE #C014
425 C353 0000 BNE #C014
426 C355 0000 BNE #C014
427 C357 0000 BNE #C014
428 C359 0000 BNE #C014
429 C35B 0000 BNE #C014
430 C35D 0000 BNE #C014
431 C35F 0000 BNE #C014
432 C361 0000 BNE #C014
433 C363 0000 BNE #C014
434 C365 0000 BNE #C014
435 C367 0000 BNE #C014
436 C369 0000 BNE #C014
437 C36B 0000 BNE #C014
438 C36D 0000 BNE #C014
439 C36F 0000 BNE #C014
440 C371 0000 BNE #C014
441 C373 0000 BNE #C014
442 C375 0000 BNE #C014
443 C377 0000 BNE #C014
444 C379 0000 BNE #C014
445 C37B 0000 BNE #C014
446 C37D 0000 BNE #C014
447 C37F 0000 BNE #C014
448 C381 0000 BNE #C014
449 C383 0000 BNE #C014
450 C385 0000 BNE #C014
451 C387 0000 BNE #C014
452 C389 0000 BNE #C014
453 C38B 0000 BNE #C014
454 C38D 0000 BNE #C014
455 C38F 0000 BNE #C014
456 C391 0000 BNE #C014
457 C393 0000 BNE #C014
458 C395 0000 BNE #C014
459 C397 0000 BNE #C014
460 C399 0000 BNE #C014
461 C39B 0000 BNE #C014
462 C39D 0000 BNE #C014
463 C39F 0000 BNE #C014
464 C3A1 0000 BNE #C014
465 C3A3 0000 BNE #C014
466 C3A5 0000 BNE #C014
467 C3A7 0000 BNE #C014
468 C3A9 0000 BNE #C014
469 C3AB 0000 BNE #C014
470 C3AD 0000 BNE #C014
471 C3AF 0000 BNE #C014
472 C3B1 0000 BNE #C014
473 C3B3 0000 BNE #C014
474 C3B5 0000 BNE #C014
475 C3B7 0000 BNE #C014
476 C3B9 0000 BNE #C014
477 C3BB 0000 BNE #C014
478 C3BD 0000 BNE #C014
479 C3BF 0000 BNE #C014
480 C3C1 0000 BNE #C014
481 C3C3 0000 BNE #C014
482 C3C5 0000 BNE #C014
483 C3C7 0000 BNE #C014
484 C3C9 0000 BNE #C014
485 C3CB 0000 BNE #C014
486 C3CD 0000 BNE #C014
487 C3CF 0000 BNE #C014
488 C3D1 0000 BNE #C014
489 C3D3 0000 BNE #C014
490 C3D5 0000 BNE #C014
491 C3D7 0000 BNE #C014
492 C3D9 0000 BNE #C014
493 C3DB 0000 BNE #C014
494 C3DD 0000 BNE #C014
495 C3DF 0000 BNE #C014
496 C3E1 0000 BNE #C014
497 C3E3 0000 BNE #C014
498 C3E5 0000 BNE #C014
499 C3E7 0000 BNE #C014
500 C3E9 0000 BNE #C014
501 C3EB 0000 BNE #C014
502 C3ED 0000 BNE #C014
503 C3EF 0000 BNE #C014
504 C3F1 0000 BNE #C014
505 C3F3 0000 BNE #C014
506 C3F5 0000 BNE #C014
507 C3F7 0000 BNE #C014
508 C3F9 0000 BNE #C014
509 C3FB 0000 BNE #C014
510 C3FD 0000 BNE #C014
511 C3FF 0000 BNE #C014
512 C401 0000 BNE #C014
513 C403 0000 BNE #C014
514 C405 0000 BNE #C014
515 C407 0000 BNE #C014
516 C409 0000 BNE #C014
517 C40B 0000 BNE #C014
518 C40D 0000 BNE #C014
519 C40F 0000 BNE #C014
520 C411 0000 BNE #C014
521 C413 0000 BNE #C014
522 C415 0000 BNE #C014
523 C417 0000 BNE #C014
524 C419 0000 BNE #C014
525 C41B 0000 BNE #C014
526 C41D 0000 BNE #C014
527 C41F 0000 BNE #C014
528 C421 
```




PITMAN EDUCATION SOFTWARE

EDU-KIT

Software for Australian Primary Schools

Mathematics

- ★ **Cricket Maths**
Players practise their Maths facts whilst playing against the computer in a cricket setting.
- ★ **Number Maze**
To get through the maze you must know your tables!
- ★ **Number Snake**
A game similar to Snakes and Ladders that fosters the learning of number facts at varying levels of difficulty.



English

- ★ **Wordmaster**
The computer challenges you to spell the words correctly!
With Wordmaster you can compose and store your own word lists.
- ★ **Save Our Sal**
Choose the correct homophone and save Sally from the dreaded shark Knaws!
- ★ **Funky Punky**
The player types the missing punctuation marks into sentences on the screen.
Capital letters, full stops, commas, question marks, apostrophes or any combination of these.
Compose and store your own passages!
- ★ **Zap the Letter**
A strategy game which challenges the player to unjumble the words in a block puzzle.

Available on disk for Commodore 64
Price of each pack \$29.95
(plus 20% sales tax)

Pitman Education Software
158 Bouverie Street,
Carlton, Vic. 3053
Ph. (03) 347 3055

Please supply:
Qty _____ Title _____
.....
.....
.....
Freight charges Single copies \$1 50 2-3 copies \$2 00
4-5 copies \$3 00 6 or more \$5 00
I enclose \$ _____ in payment (Cheque or money order)
Name _____
Address _____
City _____ State _____
School orders should be made on an OFFICIAL ORDER FORM

SPEECH BOARD

for the VIC & C64

by Paul Markowski

I've always wanted to try one of those speech add ons available for the VIC and 64, however I've always thought they've been a bit pricey for my limited budget. The other day I was browsing through the local Tandy electronics store and I came across a small package containing a speech chip, a SPO256. There was also a small booklet included explaining how to interface the chip to almost any computer with a parallel port and how to program the chip to produce speech. As all this was priced at a reasonable \$24.95, I soon found myself walking away with one SPO256.

The SPO256 is a pretty ingenious device consisting of a parallel port, a 16K ROM containing speech allophone data, and a microprocessor to process the data feed in through the parallel port and the data from the 16K ROM. Here is the way it works. You provide the SPO256 with one of 64 decimal numbers which specify the address of the desired allophone you wish the SPO256 to utter. The microprocessor takes the data from the parallel port and uses this to fetch the data required to make the desired sound. The microprocessor passes the data through a vocal tract circuit and it comes out on pin 24 as a digital signal that can be fed into an amplifier to create the desired speech.

You might be surprised to learn that the VIC and 64 USER PORTs can be programmed as parallel ports and that there are also all of the other signals required to make the SPO256 work. As the SPO256 only requires a single +5V power supply getting the whole thing working is very easy indeed. There is also a big plus for 64 users, you can feed the output of the SPO256 (pin 24) directly into your 64 at pin 5 of the audio/video socket. This is the audio input connection and you can use the output filters of the SID chip to filter the speech of the SPO256. The speech can then be heard through the television speaker. VIC owners will need to build the additional circuit outlined in the diagram to filter and amplify the SPO256 output.

The circuit is fairly easy to build. I used a small matrix board with solder pads on one side (Radio Shack Part No 276-168) from Tandy. It is also a very good idea to use a socket for the SPO256. That way you can test the pins in the socket with a multi-meter with everything connected up but with the SPO256 not in the circuit. You don't want to blow a \$25 chip first time you power your speech board up. The small booklet that comes with the SPO256 is very clear about what pins do what and how the pins are configured on the chip. The booklet also contains the information you will need to create words and even provides a small dictionary to get you started. For VIC owners I have provided a list of additional parts you will need to get the project working.

Now a few tips about using this device. The SPO256 is a fairly slow device (after all you've got to hear what its saying) so it is fairly easy to drive it from a BASIC program. I have included some demonstration programs for both the VIC and 64 so you can see how its done. Another peculiarity off the SPO256 is the fact that if you don't supply it with a new allophone code after it has finished with the previous one, it will keep sounding the previous sound it generated. This means that you must give the SPO256 the code for a pause between each word and that you must try to supply each succeeding allophone at the precise time that the SPO256 is ready for it, otherwise some funny clicks and clucks can occur. The booklet supplied has a table of allophone codes and a time taken to utter each sound, so it is fairly easy to

generate a delay loop to get the desired effect. Another unusual feature of this chip is the fact that all the speech information stored in the SPO256 was taken from actually spoken words which were analysed to extract the 59 discrete sounds which the SPO256 can make (the other 5 codes give you various length pauses). This has meant that because the chip was designed in the USA, all speech generated has a distinct American drawl to it.

Well I hope you have a go at building this project. It can be a lot of fun, teach you a little bit about microprocessor interfacing and hopefully you will wind up with a talking Commodore....good luck.

Parts List

- 1 SPO256 chip
- 1 matrix board (Radio Shack part no 276-168)
- 1 28 pin IC socket
- 1 39pF ceramic capacitor
- 1 27pF ceramic capacitor
- 1 22kF trimmer capacitor
- 1 100ohm choke
- 1 12 way connector for the USER PORT (must have 0.156" spacing wire and solder)

VIC owners will also need

- 1 LM386 OP AMP
- 1 3ohm speaker
- 3 0.1uF ceramic capacitors
- 2 0.022uF ceramic capacitors
- 1 100uF electrolytic capacitor
- 1 10uF ceramic capacitor
- 1 1uF ceramic capacitor
- 2 33k resistors
- 1 10ohm resistor
- 1 10k variable resistor

VIC SPEECH PROG

```

1000 RESTORE
1005 REM SET CB1 TO NEGATIVE INTERRUPT MODE & CB2
      TO PULSE OUTPUT MODE
1010 POKE 37148,175
1020 REM DISABLE CB1 AND CB2 INTERRUPTS
1030 POKE 37150,124
1045 REM SET THE DATA DIRECTION REGISTER FOR VIA
      #1 TO OUTPUT
1050 POKE 37138,255
1060 REM NOW START SENDING DATA
1070 READ A,B
1080 IF A=255 THEN 1160
1085 REM CHECK THE INTERRUPT REG TO SEE IF CB1 IS
      SET & IF SO WAIT FOR SPO256 TO FINISH
1090 X=PEEK (37149) AND 16
1100 IF X<>16 THEN 1090
1110 POKE 37136,A: FOR I=1 TO B: NEXT : GOTO 1070
1160 READ A,B: IF A<255 THEN 1090
1170 FOR I=1 TO 500: NEXT : GOTO 1000
1200 DATA 8,60,24,50,16,80,26,60,33,100,58,160,3,60,3,
      60,255,255
1300 DATA 42,80,15,40,16,90,9,100,49,75,22,50,13,70,51,50,51,
      50,3,50,3,50,255,255
1400 DATA 255,255
  
```


64 SPEECH PROG

```


1000 RESTORE 'BAOS
1005 REM SET THE PASSBAND FILTER & VOLUME'BCHG
1010 POKE 54296,128+16+15'DNLX
1015 REM SET THE FILTER FREQUENCIES'BXQG
1020 POKE 54293,2'BHVB
1030 POKE 54294,130'BJTX
1040 POKE 54295,8+(16*9)'DMYB
1045 REM SET THE DATA DIRECTION REG FOR CIA #2 TO
      OUTPUT & DISABLE INTERRUPTS'BGDS
1050 POKE 56579,255: POKE 56589,16'CSCC
  
```

SPEECH BOARD

for the
VIC & C64



We must apologise to the many readers who contacted us, enquiring as to the whereabouts of the diagrams of the Read Program Switch for the Eprom Programmer Article by Paul Markowski in last Issue. Diagrams are printed below.



MODIFICATIONS TO THE READ/PROGRAM SWITCH TO OVERCOME RANDOM PULSES TO THE ADDRESS GENERATOR

PC, SIDEKICK

& other matters

Mervyn Beamish

I'm sitting down with a Commodore PC10. It is the first time I've been within COOEE of any PC so all I can do is give you my impressions of it as a computer in its own right and not in comparison to other PC's.

Commodore's Answers

First a few questions to Collin Conlin, Commodore's National Marketing Representative for the PC.

Q. IBM Compatible. How compatible is it?

A. So far we have not found anything that will not run on it. Dealers have not reported anything either. That includes software or hardware.

Q. Is it compatible with any of the other Commodore machines.

A. No. It is IBM compatible there is no Commodore compatibility at all. Hardware or software wise.

Q. Is there a hard disk?

A. You can get a hard disk version (PC20). The hard disk sits inside. Unlike the IBM there is no outward sign of the hard disk. It's a Cannon hard disk a BASF drive. The PC10 does not have a hard disk but one can simply be added by the user.

Q. If you bought this off the shelf (PC10) in IBM what would it cost?

A. The IBM equivalent would cost \$5150.00 off the shelf. The PC10 costs \$3,600.00.

Q. Is this the cheapest IBM compatible on the market?

A. No. There are other cheaper machines on the market. Generally Taiwanese IBM copies. But we believe this to be the most cost effective in the market place.

Q. What do you get with the computer?

A. The screen (monitor), disk drives and Keyboard (if you bought an IBM in some cases the keyboard is an extra!)

Q. Power supply?

A. Built in. The power supply is rated at 170W so you should be able to run peripherals straight off the PC's own power supply i.e. 2x70Mb hard disks - no upgrade required.

Q. Software - what do you get?

A. MS DOS and CW BASIC on floppy disk. The IBM has BASIC in ROM but you have to buy the MS DOS. We don't charge extra for it.

Q. So there is no software on ROM?

A. That is right. When you switch it on the machine invites you to load a disk the same as any other IBM compatible machine.

Q. Any out of the usual uses for the system arisen yet?

A. The system has not been out in the market long enough yet. One of our dealers in the country has a POINT-OF-SALE system

running and it operates the cash register, and has lights hooked up too! He sells off the system. If anyone comes in he says "Look at this, I use one in my own business" and pushes F5 and the till draw opens and so on. Another dealer in a vertical market in Western Australia sells restaurant software and some accounting software. Apart from

that the system is selling as a good solid business unit.

THE GOOD BITS

Commodore produce a Feature/Benefit sheet for their dealers. I've included it here verbatim and with no comment.

PC FAB SHEET

CPU		KEYBOARD	
Feature	Five(5) Full size expansion slots	Feature	Three position stand
Benefit	Will accomodate all size cards	Benefit	Adjustable to suit most requirements
Feature	256K of memory expandable to 640K on motherboard	Feature	Numbers lock LED indicator
Benefit	Doesn't use expansion slot	Benefit	Display of current mode
Feature	RS232 interface on motherboard	Feature	Easy to use
Benefit	Doesn't use expansion slot	Feature	Capitals lock LED indicator
Feature	Centronics interface on motherboard	Benefit	Display of current mode
Benefit	Doesn't use expansion slot	Feature	Easy to use
Feature	170 watt power supply	Feature	Specific purpose keys separate from typewriter keyboard
Benefit	Will drive 2x70Mb hard disks	Benefit	Aesthetically pleasing
Feature	No upgrade required	Feature	Easy to use
Feature	Fan inside power supply	Feature	Home keys on typewriter sculptured
Benefit	More efficient cooling	Benefit	Easy to use
Feature	Space inside for hard disk	Feature	Home key on numeric key pad has "Bump"
Benefit	Hard disk upgrade can be internal	Benefit	Easy to use
Feature	Activity LED for hard disk	Feature	Large return key
Benefit	No requirement for dealer to install	Benefit	Easy to use
Feature	BASF floppy drive	Feature	Two return/enter keys
Benefit	High performance/reliability	Benefit	Easy to use
Feature	Keyboard connects at front of CPU	SCREEN	
Benefit	Keyboard stability	Feature	Fold-up screen stand
Feature	Locking floppy disk drive	Benefit	Easy to use
Benefit	Media corruption protection		

SPECIFICATIONS

Compatibility	IBM PC & XT
Microprocessor	Intel 8088 16-bit processor
	Intel 8087 Floating Point Processor (optional)
Operating System	MS-DOS 2.1.
Clock Speed	4.77 Mhz
Memory	Main - 256K RAM (Expandable to 640K)
	Video 32K RAM
	ROM 8K or 16K
Display	12" monochrome CRT (green phosphor), or 12" RGBI colour (medium resolution)
	Screen formats:
	Monochrome graphic 640 X 200 pixels
	Monochrome graphic 640 X 352 pixels
	Colour alphanumeric, 16 colours, 40 X 25
	Colour graphic, 16 colours, 160 X 200 pixels
	Colour graphic, 4 colours, 320 X 200 pixels
	Colour graphic, 16 colours, 320 X 200 pixels
	Colour graphic, 4 colours, 640 X 200 pixels
	Alphanumeric attributes:
	High intensity, reverse video, blinking
	Underlining (monochrome only)
Keyboard	Detachable
Interfaces	84 keys, including 10 function keys
	Parallel port - Centronics
	Serial port - RS232
	Keyboard
	RGBI
	Composite monochrome
	Five expansion slots (for PC compatible PCBs)
Storage	Power
	Dual double-sided floppy disk drives
	capacity 360K each, or
	one floppy & one 10M byte hard disk
Software	Will run all IBM P.C. software

SIDEKICK

I took a copy of SIDEKICK (refer last issue) to try on the PC10 and once into the system I became envious of PC users. SIDEKICK sits in the background and you can call it up as required – over the top of whatever you are currently working on and without losing anything. SIDEKICK contains:

Notepad

A full-screen WordStar/TURBO Pascal compatible text editor with special notepad features like easy data transfer from any other program, automatic time/date stamping of notes, etc.

Calculator

On-screen calculator performing as a normal pocket calculator, and offering special features for programmers.

CaLendar

Perpetual CaLendar with daily appointment schedules.

Dialer

Automatic dialer which takes numbers from its own phone directory or directly from the screen. You may find the number with dBase-II or any other database that you already have, and Sidekick will make the call!

ASCII Table

Displays the full 256-character ASCII alphabet in decimal and hexadecimal values and shows the corresponding IBM PC characters and mnemonics. A must for any programmer.

Help

An on-line help system holds your hand whenever you need it.

Setup

Sidekick's various standard values may be changed to suit your every desire whenever you want – no complicated installation procedures necessary!

Sidekick makes full use of windows: each function uses its own separate window, and many windows may be present on the screen at the same time. When a window opens, it will cover some other information, but everything is still present underneath it.




Figure 1 Sidekick makes full use of Windows

Each window may be easily moved around on the screen to uncover information that you need to see on the original screen or in other windows. The size of the notepad window may even be varied, both horizontally and vertically – it can take up the whole screen, or just part of a line.

At logon SIDEKICK will tell you how much memory you have in total, the memory available after DOS and other system stuff and finally the amount of memory left after loading SIDEKICK. A rather nice feature is that limited versions can be loaded thus saving memory i.e. exclude Notepad and load the rest etc.

EASY TO USE

The system is called up by pressing the Ctrl and Alt keys together, a main menu comes on screen.




Figure 2 – Sidekick Main Selection Window

Selection is made by pressing the relevant function key. But there are a number of ways to access an item i.e. Notepad can be called up with F2, AltN or use the arrows to move the horizontal bar to Notepad and press ENTER. If you want to get back to what you are doing hit the Esc key. Alternatively if the window (or any SIDEKICK window) is covering something you wish to see on the screen it can be easily moved by activating SCROLL LOCK and deactivate NUM LOCK then use the arrow keys to move the window

around the screen. It is possible that you have a number of windows on the screen at the same time and that your current one overlaps another. It is possible to rearrange the windows and bring one in the background into the foreground.

CALCULATOR

The calculator is typical of the detail that SIDEKICK goes into. On the screen the calculator window gives graphics representing an every day electronic calculator.




Figure 3 Calculator

The graphic's display reacts the same as a calculator as you use the numeric pad on the computer. One can do DEC, HEX and BIN conversions and maths and if you wish lift the result and store then for inclusion in work you are doing elsewhere. You can remove SIDEKICK windows from the screen, carry on with the job you are currently working on and call the window back later on without losing any information contained within the window. Notepad can be utilized as a screen dump if you so desire. I'm very excited about the versatility of SIDEKICK it is flexible, powerful and useful (as opposed to gimmicky).

Continued overleaf




Figure 4 Notepad - Calculator - ASCII Table




Figure 5 Back to the Notepad

USES

But how would you use it? In the back of the manual some typical examples are given:

Example 1

You are working with a word processor, like WordStar, and you need to make a few calculations in connection with the text you are writing. You do not want the calculations included in the text, only the results. On the other hand you want to keep the calculations for future reference.

Without Sidekick: First dig out your calculator. Now do the calculations. Now find a piece of paper and a pencil, or write the number with WordStar, then mark the text as a block and write it to a file. When you later on need the notes and calculations for your own reference you must either read in the file as a block, read it and then delete it, or try to find the piece of paper.

With Sidekick: Activate the calculator. Do the calculations. Activate the Notepad and write your notes.

Press Esc twice to return to your word processor.

When you later on need the notes, simply activate the notepad from within your word processor, read the note and return to your word processor by pressing Esc.

Example 2:

Something very strange just happened to the program you are running, unfortunately the in-house specialist is out to lunch and you know he will not believe you unless you show it to him. On the other hand you can't stop working. What do you do?

Without Sidekick: 1) Continue working and learn to live with the problem; nobody will fix it, because nobody will believe you. Or 2) Stop working and get in trouble with your boss.


With Sidekick: Activate the notepad and press F4 to import data from the screen. Now use the block commands to copy the entire screen to the note file which you may show the in-house specialist later on.

Example 3:

You are writing a large BASIC program with lots of GOTOs and GOSUBs, but you keep forgetting the line number of your input routine, or the meaning of line numbers such as 8760.

Without Sidekick: You very quickly end up with endless lists of notes on paper - which you must keep updated all the time.

With Sidekick: Use the Notepad to maintain lists of your subroutines. Notepad's search command lets you quickly locate any subroutine in the list, and the sort command lets you keep the list sorted - on line numbers, on names, or on anything else.



COMMODORE PC


AVAILABILITY

SIDEKICK comes on disk and is accompanied by a very readable and understandable

manual! All in all the package is very professionally presented and as you've no doubt guessed has impressed this user. Distributed by Software Source Pty Ltd, Sydney, the package is available (protected and unprotected) for IBM PC, XT, AT, Jr. and true compatibles - like the Commodore PC. Price \$99.95.



commodore
computer centre
PC, CBM8000, B700
VIC-20 & 64



LARGE COMPUTER DISPLAY — 3000 SQ. FT.

WE ARE THE EXPERTS, COME AND SEE US FOR:

SALES

- Every conceivable accessory
- Huge range of programmes (particularly education)
- Direct connect typewriters
- 17 different printers
- Serial & Parallel Interfaces
- Monitors: colour and monochrome
- Touch tablets
- Plotters
- Disk Drives (4 different & includes compatibles)
- Desks, printer stands
- Books, labels, magazines (huge range)

SERVICE

- Prompt repairs by friendly experts
- Disk drives aligned (specialty)
- Easy access
- Plenty of Parking
- Open Saturday mornings
- Established 1968
- Repairs accepted by mail (include phone number)

Maxwell

OFFICE EQUIPMENT (VIC) PTY. LTD.
162-164 NICHOLSON ST. ABBOTSFORD VIC.
(near Hoddle Street) Telephone: (03) 419 6811

FOR SPECIAL
CONCESSION
BRING
THIS
AD

Pittwater Distributors Presents:

ELECTRONIC CASH BOOK 64

A DISK BASED PROGRAM FOR THE COMMODORE 64

A Cash Book is essential if a business, no matter how large or small is to properly monitor its incoming and outgoing money. Without accurate knowledge of cash flow, no businessman can operate efficiently in the current financial climate.

Too often, especially in small businesses, writing up a manual Cash Book is put off because it is tedious and time consuming and most feel that they are better served by making more sales or obtaining more work than worrying about the cash management side of things. Many would be better served to try and contain the day to day running cost of their business so that the extra income is not swallowed by extra expenses.

With the above in mind, the ELECTRONIC CASH BOOK has been designed to help businessmen both large and small, to get an accurate picture of incoming money (sales) and their outgoing money (expenses). Coupled to the Commodore 64 it is an economical and foolproof method of keeping on top of your cash flow.

ECB has made provision for the following:

- ★ No accounting experience needed whatsoever
- ★ Comprehensive manual
- ★ Program is menu driven
- ★ Allows for 19 Dissections for incoming money or sales
- ★ Allows for 40 Dissections for outgoing money or expenses
- ★ Keeps a running balance of your bank account
- ★ Enables budget to be set against all Dissections
- ★ Has extensive printout facilities
- ★ Provision for periodical payments from bank account
- ★ Electronic reconciliation of bank statement
- ★ Extensive enquiries possible
- ★ Provides for comparing MTD, YTD and Previous YTD figures

These and many more provisions are available through the program to enable all businesses, whatever their size, to keep a firm hold on their cash flow. As well, you will save on accountancy costs because at the end of the year, you will simply present to your Accountant complete printouts of all financial transactions conducted throughout the financial year. From the Cash Book printouts your Accountant will be able to write up your general ledger, thereby, leading to your profit and loss account.

This program does not cost, it SAVES.

PROFESSIONAL FLIGHT MANAGER

A DISK BASED PROGRAMME FOR THE COMMODORE 64

Designed for: General Aviation

Anyone who flies a powered aircraft - from student pilot in a two seater trainer, to the holder of the Senior Commercial Licence piloting an executive Learjet.

And for anyone who operates or manages the operation of General Aviation aircraft - private owners, flying schools, charter operators, commuter airlines.

The Need

Prior to any pilot conducting a flight outside of a training area, a flight plan is required to be lodged. Flight planning involves selecting a route, plotting tracks and distances on charts, applying meteorological data, calculating en-route times, and assessing fuel needs a time consuming process.

In addition, certain elements of this information need to be available at short notice to those who operate aircraft in business. Charter operators, for instance, need the ability to provide immediate comparative quotes on flights to remote locations.

The Concept

PROFESSIONAL FLIGHT MANAGER embodies the very concept of the computer. It introduces a time and labour saving facility combined with the security of absolute accuracy, into a professional environment where these qualities must be integrated without compromise.

The Answer

PROFESSIONAL FLIGHT MANAGER offers two prime functions. These relate to a) Flight Planning and b) Trip Costing.

These prime functions incorporate the ability to access extensive navigation related calculations capable of providing an unprecedented wealth of information to the user.

Utilising the database provided, the user has the ability to store, access and edit information relevant to his own needs and operating procedures.

THE ELECTRONIC CARD FILE

A DISK BASED PROGRAMME FOR THE COMMODORE 64

The Electronic Card File is an extremely fast program, designed to emulate a handwritten card system. But with many more options!

Flexibility: You design what card the way you want it to appear.

Efficient data storage: Allows up to 3200 records per disk depending upon layout, etc.

Efficient data entry: Normal entry, plus

- up to 100 coded entries
- the ability to duplicate any field into any other field of the same type
- assign values to keys for single keystroke entry of common entry values
- create an overlay that can be entered into any record at any time
- simple arithmetic operation (add, subtract, multiply, divide) between any pair of numeric fields
- multiple numeric fields can be totalled
- instant update of totals, etc., whenever new numeric data is entered, or existing numeric data is altered

Access records via

- Sequence, either backward or forward
- record number
- the values stored in key fields - every field on the card may be declared a key field at any time, either singly or in conjunction with others

Extensive reporting facilities - set up your own page of text, indicate where data from the cards is to go.

Labels - design your own. The system will handle up to 5 labels across a page up to 30 lines per label.

PROGRAMS COMING!

"The Indoor Cricket Reporter"

"Small Industry Debtors"

"Payroll"

"Point Of Sale"

PITTWATER DISTRIBUTORS

P.O. BOX 677

BROOKVALE, 2100 N.S.W.

Tel: (02) 981 4941

Sound Effects for the Commodore 64

by David Bergmeier

Sound effects are an important part of any game. They can be used to increase the quality of practically any program, and can be adapted to suit a particular game. Take for example an enthralling adventure where as well as the text "you hear a loud gunshot", you include a good sound effect. There is no telling how much sound effects can improve a game. What's more, they are very easy to write in BASIC.

One method that I use is to have all the sound effects one after the other at the end of the program, then call them using the GOSUB statement whenever they are required.

The general structure of a sound effect is easy. The first thing to do is to clear the SID chip so any previous settings will not affect the current noise. The next thing is to specify a maximum volume, the attack, decay, sustain and release (ADSR) and a waveform (more about these later). Then comes the sound effect which can range from changing pitch to changing just about anything (such as filter settings which will be discussed later.) Then all that is left is to turn off the dreadful noise once the sound effect has executed.

The first few lines of initialization are what I term "standard settings" simply because all they do is to enable the sound to start as soon as it is turned on and stop once it has been turned off. (ie. No attack, decay or release and a maximum sustain.)

```
10 S=54272
20 FORI=0TO24:POKES+I.0:
NEXT
30 POKES+24.15
40 POKES+5.0
50 POKES+6.240
60 POKES+4.17
```

Now for the sound effect. An often used but simple method is to continuously change the pitch with a FOR-NEXT loop. There are two pitch locations for each voice, a high byte and a low byte. When creating sound effects it is very much easier to cheat by disregarding the low byte and only using the high byte. There may be a few sound effects where it is necessary to use the low byte, but for most

cases it can be omitted. Here is a simple siren :-

```
70 FORI=1TO255
80 POKES+I.1
90 NEXT
```

Now to remove the high-pitched wail at the end there are three alternatives.

- 1) turn off the volume (type "POKES+24.0")
- 2) turn off the pitch (type "POKES+1.0") or
- 3) turn off the waveform (type "POKES+4.16").

I would usually do 2 and 3. To alter the speed of the siren change the rate at which the FOR-NEXT loop increments. ie, change line 70 to :-

```
70 FORI=1to255STEP5
```

Try different numbers (other than 5) for different speeds. To slow the siren down try using decimal values such as (0.5 or 0.8). Don't try numbers that are too large or the siren will sound wrong. Stick to numbers less than ten, fifteen at the most (for a GOOD siren). The siren goes up and can easily come down. Enter the following lines onto the end of the program so far.

```
100 FORI=255TO0STEP-1
110 POKES+I.1
120 NEXT
```

After you have run this sound effect, you may notice that there is no sound left at the end. This is because the pitch is turned off by the last value POKED into the pitch register during the FOR-NEXT loop. Once again, go ahead and change the speed by altering the number after the STEP in line 100 but DON'T omit the minus sign or the siren will not come down.

In the initialisation (line 60) the waveform was set. This actual waveform is a triangle waveform and sounds very smooth. (This is due to the fact it is very similar to a sine wave.) There are three other waveforms available. They are the sawtooth which sounds like a buzz, the pulse (or square wave) which is a smooth buzz and the random waveform which is similar to a white noise. Each have different purposes. To hear them, change the number POKED into S+4 in line 60 to one of the following :-

- 17 - triangle
- 33 - sawtooth
- 65 - pulse
- 129 - noise

If using the pulse waveform add a pulse width by adding line 55:

```
55 POKES+3.8
```

Once again this is only a high byte. It can be altered to any value between zero and fifteen. But if the high byte is fifteen, the low byte (S+2) can only be zero. (For further information see pages 192 to 196 in the 64 Programmer's Reference Guide.)

The second sound effect is essentially the same as the first except it is repetitive. This makes it far more flexible, easier to create better sounds and far more useful in programs. Use the first six initialisation lines from sound effect one and add the following lines:-

```
70 FORI=1TO20
80 FORJ=1TO255STEP20
90 POKES+I.1
100 NEXT
110 NEXT
```

Then to end the sound effect add:-

```
120 POKES+1.0
```

The following modifications can be made to this sound effect:

- 1) the speed by changing the number after the STEP in line 80
- 2) the waveform by changing the number POKED into S+4 in line 60.
- 3) the number of repetitions by altering the second number (20) in line 70
- 4) the range of the pitch by changing one or both numbers in line 80

eg. 80 FORJ=100TO200STEP10

Make sure the first number is greater than the second one.

As you see, the number of all possible sound effects using this method is quite large. Note that the first two numbers in line 80 MUST be integers between (and including) 0 and 255. Don't forget to add line 55 if using a waveform of 65. Also, there is no limit to the range of numbers in the FOR-NEXT loop in line 70. Large numbers simply keep the sound effect running longer.

To save time I have written a simple sound effects generator to help create these kinds of sound effects. It is very easy to use and contains full instructions. Type it in and run it. Sound effects are added to the end of the program once you are satisfied with the current sound effect. All ranges for prompts are given and if you want to use previous settings just hit RETURN without typing anything. At the end you must press RETURN several times or cursor down and enter NEW before hitting RETURN on those lines.

To give you an idea what the uses for this type of sound effect are, I have written several short sound effects each using FOR-NEXT loops. Some are more complicated than others, but you can see how the loops are basically constructed. These are all included in the second program which includes full instructions.

Next time I'll be discussing elementary sound effects with things like randomness and simple useful sounds for games. I'll also include an explanation of ADSR.

(c) Copyright DAVID BERGMEIER 1985



TZWOFFF!!
BOOOOM!

SFX GENERATOR

```

10 REM "#####"
   'BAPC
20 REM "#SOUND EFFECTS GENERATOR V-1[SPACE3]#" 'BAVG
30 REM "#BY DAVID BERGMEIER[SPACE2]APRIL 1985#" 'BAPH
40 REM "#####"
   'BAPF
100 POKE 53280,5: POKE 53281,0: POKE 650,128'DXRB
110 PRINT "[CLR,GRN,DOWN,SPACE7]SOUND EFFECTS
   GENERATOR V1" 'BAFF
120 INPUT "[DOWN3,SPACE2]START (0-255)";S$'BDXB
125 S=VAL(S$): IF S<0 OR S>255 THEN 100'HPVK
130 INPUT "[DOWN,SPACE2]END[SPACE3](0-255)";E$'BDFC
135 E=VAL(E$): IF E<0 OR E>255 THEN 100'HPUK
140 INPUT "[DOWN,SPACE2]STEP (BETWEEN -255 & 255:NOT 0)";
   T$'BDQH
145 T=VAL(T$): IF T=0 OR T>255 OR T<-255 THEN 100'KTWP
147 IF (S>E) AND (T>0) THEN 100'FLUL
148 IF (S<E) AND (T<0) THEN 100'FLYM
150 INPUT "[DOWN,SPACE2]REPETITION";R$'BDWE
155 R=VAL(R$): IF R<1 THEN 100'FLTK
160 INPUT "[DOWN,SPACE2]WAVEFORM (17,33,65,129)";W$'BDKH
165 W=VAL(W$): IF W<>17 AND W<>33 AND W<>65 AND
   W<>129 THEN 100'PWAV
200 SD=54272: FOR I=0 TO 24: POKE SD+I,0: NEXT 'HTAE
210 POKE SD+24,15'CHHY
220 POKE SD+5,0'CFEA
230 POKE SD+6,240'CHHB
240 POKE SD+4,W'CFRC
245 IF W=65 THEN POKE SD+3,8'FIVK
250 FOR I=1 TO R'DDM
260 FOR J=S TO E STEP T'EEGF
270 POKE 54273,J'BHSH
280 NEXT 'BAEE
290 NEXT 'BAEF
300 FOR I=0 TO 24: POKE SD+I,0: NEXT 'GLPD
310 PRINT "[HOME,DOWN18,SPACE2,RVS]C[OFF]HANGE ,
   [SPACE,RVS]A[OFF]GAIN OR[SPACE,RVS]L[OFF]IST" 'BAXH
330 GET AS$: IF AS$="" THEN 330'E IF E
340 IF AS$="C" THEN 100'DFEE
350 IF AS$="A" THEN 200'DDFD
360 IF AS$<>"L" THEN 330'EFVG
400 PRINT "[CLR]"; POKE 53280,6'CIWB
410 INPUT "[DOWN2]START OF LINE NUMBERS (1000-)";LN$
   'BEWH
415 LN=VAL(LN$): IF LN<1000 OR LN>63999 THEN 400'HYKO
420 INPUT "[DOWN2,SPACE2]STEP OF LINE NUMBERS 5
   [LEFT3]";LI$'BETJ
425 LI=VAL(LI$): IF LI<0 THEN 400'FOQL
430 INPUT "[DOWN,SPACE]CONTINUE (Y/N)";AS$: IF AS$="N"
   THEN 200'EJOJ
440 PRINT "[CLR,DOWN]" 'BALD
450 PRINT LN"S=54272" 'BCFF
455 LN=LN+LI'CGLL
460 PRINT LN"FORI=0TO24:POKES+I,0:NEXT" 'BCVL
465 LN=LN+LI'CGLM

```

```

470 PRINT LN"POKES+24,15" 'BCBI
475 LN=LN+LI'CGLN
480 PRINT LN"POKES+5,0" 'BCVJ
485 LN=LN+LI'CGLO
490 PRINT LN"POKES+6,240" 'BCBK
495 LN=LN+LI'CGLP
500 PRINT LN"POKES+4," 'W'BDIC
505 LN=LN+LI'CGLH
510 IF W=65 THEN PRINT LN"POKES+3,8" 'EFMG
515 IF W=65 THEN LN=LN+LI'FJCK
520 PRINT LN"FORI=1TO" 'R'BDFE
525 LN=LN+LI'CGLJ
530 PRINT LN"FORJ=" "S"TO"E"STEP" 'T'BFSH
535 LN=LN+LI'CGLK
540 PRINT LN"POKES+1,J" 'BCSG
545 LN=LN+LI'CGLL
550 PRINT LN"NEXT:NEXT" 'BCSH
555 LN=LN+LI'CGLM
560 PRINT LN"POKES+1,0" 'BCRI
565 LN=LN+LI'CGLN
570 PRINT "[DOWN7,WHT,SPACE4,RVS,SPACE]PRESS
   RETURN 13 TIMES " 'BAVN
580 PRINT "[HOME]"; 'BBFH
599 END 'BACR
600 FOR I=54272 TO 54296: POKE I,0: NEXT 'FQUG
610 GOTO 100'BDAC

```

SFX GENERATOR 2

```

10 REM "#####"
   'BAPC
20 REM "# SOUND EFFECTS GENERATOR[SPACE2]V-2 #"
   'BAWG
30 REM "# BY DAVID BERGEMIER[SPACE2]MAY 1985 #" 'BAHH
40 REM "#####"
   'BAPF
100 PRINT "[CLR,WHT]"; POKE 53280,6: POKE 53281,0'DRJA
110 PRINT "< SOUND EFFECTS GENERATOR VERSION 2 "
   'BADG
120 PRINT "[DOWN,RED,RIGHT3]PLEASE MAKE YOUR
   SELECTION[GRN,DOWN]" 'BASF
130 PRINT "[RVS,SPACE12]1 SIMPLE SIREN #1[SPACE11]" 'BAAF
140 PRINT "[RVS,SPACE12]2 SIMPLE SIREN #2[SPACE11]" 'BACG
150 PRINT "[RVS,SPACE12]3 MUSICAL SCALES[SPACE12]" 'BATH
160 PRINT "[RVS,SPACE12]4 UFO SHOOTING[SPACE14]" 'BAQI
170 PRINT "[RVS,SPACE12]5 UFO LANDING[SPACE15]" 'BANJ
180 PRINT "[RVS,SPACE12]6 UFO DECENT[SPACE16]" 'BAVK
190 PRINT "[RVS,SPACE12]7 ALIEN WARNING[SPACE13]" 'BAFL
200 PRINT "[RVS,SPACE12]8 ALIEN ALERT[SPACE15]" 'BAKD
210 PRINT "[RVS,SPACE12]9 BLACK ALERT[SPACE15]" 'BAYE
220 PRINT "[RVS,SPACE12]0 RED ALERT[SPACE17,HOME]" 'BAQF
230 GET AS$: IF AS$="" THEN 230'EIED
240 IF AS$="0" THEN AS$="10" 'EESD
250 IF VAL(AS$)<0 THEN 230'EILF
260 POKE 53281,1: PRINT "[CLR]"; 'CJCF
270 ON VAL(AS$) GOSUB 300,400,500,600,700,800,900,1000,1100,1200
   'DVHN
280 GOTO 100'BDACF
300 REM ### SIMPLE SIREN #1 ### 'BTAC
305 S=54272'BGJE
310 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDD
315 POKE S+24,15'CGOF
320 POKE S+5,0'CELB
325 POKE S+6,240'CGOG
330 POKE S+4,17'CFQC
335 FOR I=1 TO 255'DFLH
340 POKE S+1,I'CEHD
345 NEXT 'BAEG
350 POKE S+1,0'CEHE
355 RETURN 'BAQH
400 REM ### SIMPLE SIREN #2 ### 'BTBD
405 S=54272'BGJF
410 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDE
415 POKE S+24,15'CGOG
420 POKE S+5,0'CELC
425 POKE S+6,240'CGOH
430 POKE S+4,17'CFQD
435 FOR I=1 TO 255'DFLI
440 POKE S+1,I'CEHE
445 NEXT 'BAEH
450 FOR I=255 TO 0 STEP -1'FGMH

```

Continued overle

```

455 POKE S+1,I'CEHK
460 NEXT 'BAEE
465 RETURN 'BAQJ
500 REM ### MUSICAL SCALES ### 'BTQE
505 S=54272'BGJG
510 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDF
515 POKE S+24,15'CGOH
520 POKE S+5,0'CELD
525 POKE S+6,240'CGOI
530 POKE S+4,17'CFQE
535 FOR I=200 TO 50 STEP -50'FIHL
540 FOR J=1 TO I STEP 4'EETG
545 POKE S+1,J'CEIK
550 FOR K=1 TO 40: NEXT 'EFOH
555 NEXT 'BAEJ
560 NEXT 'BAEF
565 POKE S+1,0'CEHM
570 RETURN 'BAQG
600 REM ### UFO SHOOTING ### 'BRGE
605 S=54272'BGJH
610 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDG
615 POKE S+24,15'CGOI
620 POKE S+5,0'CELE
625 POKE S+6,240'CGOJ
630 POKE S+4,17'CFQF
635 FOR I=1 TO 16'DEIK
640 FOR J=20 TO (40+2*I)'FJJJ
645 POKE S+1,J'CEIL
650 NEXT 'BAEF
655 NEXT 'BAEK
660 POKE S+1,0'CEHI
665 RETURN 'BAQL
700 REM ### UFO LANDING ### 'BQVF
705 S=54272'BGJI
710 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDH
715 POKE S+24,15'CGOJ
720 POKE S+5,0'CELF
725 POKE S+6,240'CGOK
730 POKE S+4,17'CFQG
735 FOR I=0 TO 20'DECL
740 FOR J=(50-I) TO (30-I) STEP -5'HMBL
745 POKE S+1,J'CEIM
750 NEXT 'BAEG
755 FOR J=(30-I) TO (50-I) STEP 5'GMFR
760 POKE S+1,J'CEIJ
765 NEXT 'BAEM
770 NEXT 'BAEI
775 POKE S+1,0'CEHP
780 RETURN 'BAQJ
800 REM ### UFO DECENT ### 'BPDF
805 S=54272'BGJJ
810 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDI
815 POKE S+24,15'CGOK
820 POKE S+5,0'CELG
825 POKE S+6,240'CGOL
830 POKE S+4,17'CFQH
835 FOR I=250 TO 0 STEP -20'FHGO
840 FOR J=1 TO I STEP 5'EEUJ
845 POKE S+1,J'CEIN
850 NEXT 'BAEH
855 NEXT 'BAEM
860 POKE S+1,0'CEHK
865 RETURN 'BAQN
900 REM ### ALIEN WARNING ### 'BSXH
905 S=54272'BGJK
910 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDJ
915 POKE S+24,15'CGOL
920 POKE S+5,0'CELH
925 POKE S+6,240'CGOM
930 POKE S+4,17'CFQI
935 FOR I=1 TO 30'DEEN
940 FOR J=70 TO 60 STEP -1'FGOL
945 POKE S+1,J'CEIO
950 NEXT 'BAEI
955 FOR J=60 TO 70'DFMP
960 POKE S+1,J'CEIL
965 NEXT 'BAEO
970 NEXT 'BAEK
975 POKE S+1,0'CEHR
980 RETURN 'BAQL

```

TWO OFF!!

```

1000 REM ### ALIEN ALERT ### 'BQPW
1005 S=54272'BGJA
1010 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDY
1015 POKE S+24,15'CGOB
1020 POKE S+5,0'CELW
1025 POKE S+6,240'CGOC
1030 POKE S+4,17'CFQX
1035 FOR I=1 TO 20'DEDD
1040 FOR J=10 TO 110 STEP 10'EIEB
1045 POKE S+1,J'CEIE
1050 NEXT 'BAEX
1055 NEXT 'BAED
1060 POKE S+1,0'CEHB
1065 RETURN 'BAQE
1100 REM ### BLACK ALERT ### 'BQDX
1105 S=54272'BGJB
1110 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDA
1115 POKE S+24,15'CGOC
1120 POKE S+5,0'CELY
1125 POKE S+6,240'CGOD
1130 POKE S+3,1'CEKG
1135 FOR I=1 TO 10'DECE
1140 FOR J=20 TO 30'DFEA
1145 POKE S+1,J'CEIF
1150 FOR K=1 TO 50: NEXT 'EFPC
1155 NEXT 'BAEE
1160 NEXT 'BAEA
1165 POKE S+1,0'CEHH
1170 RETURN 'BAQB
1200 REM ### RED ALERT ### 'BOEX
1205 S=54272'BGJC
1210 FOR I=0 TO 24: POKE S+I,0: NEXT 'GKDB
1215 POKE S+24,15'CGOD
1220 POKE S+5,0'CELY
1225 POKE S+6,240'CGOE
1230 POKE S+4,33'CFOA
1235 FOR I=1 TO 20'DEDF
1240 FOR J=10 TO 50 STEP 2'EGSC
1245 POKE S+1,J'CEIG
1250 NEXT 'BAEA
1255 POKE S+1,0'CEHH
1260 FOR J=1 TO 10: NEXT 'EFKE
1265 NEXT 'BAEG
1270 RETURN 'BAQC

```

presenting . . . **CAPTURE™**

A NEW WAY TO UNLOCK THE POWER OF YOUR C64 OR C128*

- **CAPTURE** IS A CARTRIDGE THAT PLUGS INTO YOUR COMPUTER'S EXPANSION PORT.
- **CAPTURE** DOES NOTHING — UNTIL YOU PRESS ITS **CAPTURE** BUTTON — UNTIL THEN, A RUNNING PROGRAM CANNOT DETECT ITS PRESENCE.
- **CAPTURE** THEN TAKES CONTROL — NO IFS, ANDS OR BUTS — AND PRESENTS A MENU.
- **CAPTURE** WILL NEATLY SAVE EVERYTHING IN YOUR COMPUTER TO YOUR 1541 OR COMPATIBLE DISK DRIVE — ALL 64K OF RAM, CPU, VIC AND SID CHIP REGISTERS — EVERYTHING IN EASY TO VIEW CHUNKS.
- **CAPTURE** WILL, IF YOU WANT, PRE-CONFIGURE YOUR COMPUTER'S RAM SO THAT ONLY MEMORY ALTERED BY YOUR PROGRAM NEED BE SAVED.
- **CAPTURE** WILL WRITE A BOOT ON YOUR DISK SO YOU CAN RELOAD AND BEGIN EXECUTION RIGHT WHERE YOU LEFT OFF.
- **CAPTURE** DOES ALL THIS AT A COST OF JUST **\$88.55**

BUT HERE'S THE BEST PART

- **CAPTURE** WILL MAKE AN AUTO-START CARTRIDGE OF YOUR PROGRAM. IT'S EASY! JUST FOLLOW THE DIRECTIONS ON THE SCREEN. NOW PLUG IN YOUR CARTRIDGE AND TURN ON YOUR COMPUTER. IN LESS THAN TWO SECONDS YOUR PROGRAM BEGINS AGAIN AT PRECISELY THE POINT WHERE YOU **CAPTURED** IT. MAGIC!
- BESIDES **CAPTURE**, YOU NEED A *promenade* C1 AND A SUPPLY OF CPR3 CARTRIDGE KITS

C64 AND C128 TM COMMODORE ELECTRONICS, LTD

*WHEN OPERATING IN 64 MODE



LION ELECTRONICS

314 GT. EASTERN HIGHWAY
MIDLAND 6056 W.A.


Back up & Stay up!

BACK up Commodore with the new ISEPIC

Back up precious Commodore 64 software with ISEPIC (Icepick) — a revolutionary hardware/software combination.

Save protected programs as they run in the 64's memory and gain complete access. Bypasses any (Com. 64) disk protection.

Create a compact, auto-booting, fast-loading file which is completely unprotected and self-contained.




- Programs load faster than originals.
- Eliminates drive "knock"
- Place multiple programs on one disk.

\$149

Stay up & running with NEW Super-Drive

\$299

New fast load, fast format Skai-64 Super Drive runs Cool, runs more reliably! Now runs Fastload cartridges, Videotex software, plus many more. Reads disks 30 p.c. faster with no head-knock on read errors.



- Over 2000 programs tested
- 10 sec. format
- Runs all Commodore software
- Long & reliable drive-life

Pricing Valid till 31st Oct.

*Purchase these two products together and you will receive a box of Logitec floppy diskettes.

Australia-wide delivery — 10 day money back guarantee
6 months warranty



Benson Computers

177 Barkly Street,
St Kilda, Vic. 3182



Tel: (03) 534 0994

STOP

GO NO FURTHER FOR THE CHEAPEST COMMODORE 64 SOFTWARE IN AUSTRALIA

A VIEW TO KILL	\$27.95(c)	
ALIEN	\$23.95(c)	\$23.95(d)
BATTLE FOR MIDWAY	\$27.95(c)	\$27.95(d)
BOULDERDASH	\$21.95(c)	\$26.95(d)
BOUNTY BOB	\$27.95(c)	\$27.95(d)
BROADSTREET	\$27.95(c)	\$27.95(d)
BRUCE LEE	\$25.95(c)	\$33.95(d)
CASTLE OF TERROR	\$21.95(c)	
CAULDRON	\$17.95(c)	
DAMBUSTERS	\$22.95(c)	\$22.95(d)
ELITE	\$34.95(c)	\$42.95(d)
EXPLODING FIST	\$21.95(c)	\$26.95(d)
F-15 STRIKE EAGLE	\$35.95(c)	\$35.95(d)
GOOCH'S CRICKET	\$27.95(c)	\$27.95(d)
POLE POSITION	\$26.95(c)	\$33.95(d)
RAID OVER MOSCOW	\$27.95(c)	\$27.95(d)
RED MOON	\$27.95(c)	\$27.95(d)
RETURN TO EDEN	\$27.95(c)	\$27.95(d)
ROCKY HORROR SHOW	\$27.95(c)	\$27.95(d)
SHERLOCK	\$35.95(c)	
SLAPSHOT	\$17.95(c)	
SLAPSHOT II	\$26.95(c)	\$26.95(d)
SORCERY	\$22.95(c)	\$27.95(d)
SPY vs. SPY	\$26.95(c)	\$30.95(d)
SUPER HUEY	\$24.95(c)	\$27.95(d)
THEATRE EUROPE	\$27.95(c)	\$27.95(d)
THE HOBBIT (With Book)	\$35.95(c)	
THE HOBBIT ON DISK		\$35.95(d)
UTILITIES		
BIG MOUTH (Speech Synthesizer)		\$16.95(c)
DISCO (Tape to Disk Utility)		\$21.95(c)
FASTBACK (Tape Backup Utility)		\$21.95(c)
GRAPHICS MASTER (Sprite Utility)		\$17.95(c)



G.S. WEBBER AND ASSOCIATES

17 Thurlgona Road, Engadine. Phone orders to (02) 520 5037

ALL MAIL TO: P.O. Box 238, GYMEA. N.S.W. 2227

Kindly supply the following software.

Payment by CHEQUE M.O.

BANKCARD VISA MASTERCARD

CARD NO:

EXPIRY DATE SIGNATURE

NAME: DATE

ADDRESS:

..... POSTCODE

QTY.	TITLE	CASSETTE OR DISK	AMOUNT

SUB TOTAL

ADD HANDLING AND POSTAGE

TOTAL PAYABLE

CM10

Graphic Library Number 3 : Spacebattle

by Harold T. Salive - Kiwisoft Programs Ptd Ltd

This is the third in our series of GRAPHIC LIBRARY illustrations for the C64.

The illustrations are drawn and compatible with CADPIC® and PAINTPIC® software produced by KIWISOFT of (you guessed it) New Zealand. These programs are available through this magazine.

The two programs below are:

DISPLAY

A high speed picture loading program. You can load any of our Graphic Library pictures with this program by changing the file name in Line 7.

SPACEBATTLEGEN

This program generates SPACEBATTLE, our Library picture for this month. It has a double check facility. First HELPOUT - (if you are not using HELPOUT omit the last 5 characters in each line 'xxxx'). Secondly the program has a built-in checksum error facility.

First load and run SPACEBATTLEGEN which will generate the SPACEBATTLE file, then save it to tape or disk.

Secondly NEW, LOAD display and RUN. The picture will then come up on your screen.

May the force be with you.

NOTE: There should be 13 items in each of the datalines except for the last two. Double check that you put in all commas that are shown.

© KIWISOFT 1985

DISPLAY PROGRAM

```
1 REM MULTICOLOR PAINTPIC PICTURE DISPLAY
  PROGRAM'BOIL
2 REM SUPPLIED BY KIWISOFT PROGRAMS LTD'BEDJ
4 BK$=CHR$(144):BL$=CHR$(31):CS$=CHR$(19)+
  CHR$(147):DN$=CHR$(17)'KMNQ
5 JT=37376:BO=53280: FOR I=JT TO 37565: READ X: POKE I,X:
  Y=Y+X: NEXT 'KKMR
6 IF Y<>33014 THEN PRINT "BAD DATA STATEMENT":
  STOP 'GHAO
7 POKE BO+1,5:="SPACEBATTLE":BC=2:DP=10:REM DISPLAY
  FOR 10 SEC WITH RED BORD
8 SYS 37532: REM CLEAR GRAPHIC SCREEN TO BG'CDMO
10 PRINT CS$DN$DN$DN$DN$BL$ TAB(12):"DISPLAY
  PICTURES" 'CWAH
12 PRINT "[SPACE6]"DN$DN$** PAINTED WITH"BK$
  "PAINTPIC"BL$**"DN$BPGK
15 PRINT " " TAB(13)"SPECIAL OFFER"DN$'CGLI
20 PRINT " " TAB(11)BK$"COMMODORE MAGAZINE"
  'CGKF
25 PRINT " " TAB(7)"VOL 5 NO 1 - $35 P&P INCD" 'CCMK
30 PRINT " " TAB(15)DN$"KIM BOOKS" 'CGOE
37 PRINT " " TAB(3)"82 ALEXANDER ST. CROWS NEST.
  2065" 'CCKQ
50 FOR I=1 TO 5000: NEXT 'EHJE
60 GOSUB 1000: GOSUB 9100: PRINT CS$: RUN: REM NEED
  FULL RESTART SINCE CM NOW BAD'FSQQ
1000 GOSUB 2000: OPEN I,DEV,SA,ID$: GET #1,AS:
  IF AS<>"P" THEN PRINT "NOT PICTURE": END 'JCIH
1010 GOSUB 9000: POKE BO,BC AND 15
1020 GET #1,AS:UB=ASC (AS+ CHR$(0)): POKE BO+1,UB:
  SYS JT: CLOSE 1:U=FRE (0)
1030 FOR I=0 TO DP: FOR J=0 TO 500: GOSUB 1060: NEXT J:
  NEXT I: RETURN
```



```
1060 GET AS: IF AS="Q" GOTO 1070: REM QUIT
1065 IF AS="-" GOTO 9500: REM CHANGE BORDER
1067 RETURN
1070 GOSUB 9100: PRINT CS$: END 'DJHD
2000 CLOSE 1: PRINT DN$DN$"ENTER T FOR TAPE OR
  D FOR DISK": INPUT "[SPACE2](T/D)":AS'DMGH
2010 AS=LEFT$(AS,1): IF AS="T" THEN DEV=1:SA=0:
  POKE 37529,96: RETURN : REM STOP ST CHK'KOGL
2020 IF AS<>"D" GOTO 2000'EGCY
2030 DEV=8:SA=2: POKE 37529,208: RETURN :
  REM SET ST CHK'FDWH
9000 POKE 53272,120: POKE 53265, PEEK (53265) OR 32:
  REM TURN ON GRAPHICS SCREEN'FVVP
9010 POKE 53270, PEEK (53270) OR 16'DPNG
9020 POKE 56578, PEEK (56578) OR 3: POKE 56576,
  ( PEEK (56576) AND 252) OR 2'HJXO
9030 RETURN 'BAQE
9100 POKE 53272,21: POKE 53265, PEEK (53265) AND 223:
  REM TURN ON TEXT SCREEN'FRKP
9110 POKE 53270, PEEK (53270) AND 239'DQLI
9120 POKE 56578, PEEK (56578) OR 3: POKE 56576,
  ( PEEK (56576) AND 252) OR 3'HJYP
9130 POKE BO,8: POKE BO+1,5: RETURN 'ELQJ
9500 POKE BO,( PEEK (BO)+1) AND 255: RETURN :
  REM CYCLE BORDER'GBUQ
9900 DATA 162,132,198,255,160,0,132,253,169,216,133,254,169,219,32,83,146
  'BODW
9905 DATA 165,252,201,219,144,245,169,231,197,251,176,239,132,253,169,92,
  133,254'BUFE
9910 DATA 169,95,32,83,146,165,252,201,95,144,245,169,231,197,251,176,239,
  132'BRVY
9915 DATA 253,169,96,133,254,169,127,32,83,146,165,252,201,127,144,245,
  169,63'BRQE
9920 DATA 197,251,176,239,72,72,104,104,76,204,255,141,193,146,32,207,255,
  141'BRYA
9925 DATA 190,146,32,207,255,141,191,146,32,207,255,141,192,146,160,0,24,
  173'BQGF
9930 DATA 191,146,101,253,133,251,173,192,146,101,254,133,252,173,190,
  146,145,253'BVAC
9935 DATA 230,253,208,9,230,254,173,193,146,197,254,144,195,165,254,197,
  252,208'BTRG
9940 DATA 232,165,253,197,251,208,226,165,144,208,179,96,160,0,132,253,
  169,96'BRQC
9945 DATA 133,254,169,192,133,251,169,224,133,252,152,145,253,230,253,
  208,2,230'BTHH
9950 DATA 254,230,251,208,244,230,252,208,240,96'BNPW
```

SPACEBATTLEGEN

```

1 REM PROGRAM TO MAKE PICTURE IN CADPIC FORM'BHRI
2 REM SUPPLIED BY KIWISOFT PROGRAMS LTD'BEDJ
10 DIMX(99),VX(11):L=0'CPYB
12 PRINT:PRINT"CHECKING DATA STATEMENTS"CBGH
15 L=0'BCRD
20 GOSUB400:READX(I):IFX(I)<1000THENI=I+1:GOTO20'XIH
30 IFI<>12THENGOSUB450:GOSUB500:PRINTI+1:"VALUES INSTEAD OF 13":GOTO15'JRVN
40 FORI=0TO11:X(12)=X(12)-X(I):VX(I)=VX(I)+X(I):NEXTIKNN
50 IFX(12)<>5000THENGOSUB500:PRINT" BAD VALUE ON LINE":GOTO15'HQCN
60 K=K+1:PRINT"#":IFK<633GOTO15'GMMI
65 IFLGOTO95'CDFI
68 IFX(0)<>38THENPRINT:PRINT"##TOO MANY DATA LINES":GOTO95'HKJV
70 FORI=0TO11:GOSUB400:READX(I)'FNQI
80 IFX(I)<>VX(I)THENK=0:GOSUB500:PRINT" BAD POSITION":I+1:"SOMEWHERE"IUUFV
90 NEXTI:IFKGOTO100'DFVH
95 PRINT:PRINT"###PLEASE FIX ERRS##":STOP'DCFR
100 PRINT:PRINT"DATA STATEMENTS ARE CORRECT"CBOD
110 PRINT:PRINT"BEGIN STORING PICTURE":PRINT'DCGE
120 PRINT"ENTER T FOR TAPE OR D FOR DISK STORAGE":INPUT (T/D):AS'CEWK
130 AS=LEFT$(AS,1):IFAS="T"THENDEV=1:SA=1:BS="":GOTO150'JBGJ
140 DEV=8:SA=2:BS="S,W":IFAS<>"D"GOTO120'HRSI
150 OPENI,DEV,SA,"SPACEBATTLE"+BS'CLKH
160 RESTORE:READK:READK=A=2:PRINT#1,"P":CHRS(K):REMEMBER2SEMICOLONS'HHON
170 FORI=1TO633'DFLE
175 FORJ=AT06'DDBJ
180 D=0:READC:READB:IFC=0THEND=1'HLDJ
185 PRINT#1,CHRS(B):CHRS(C):CHRS(D):REMEMBER 3 SEMICOLONS'FGAT
190 NEXTJ:READK:REMTROW OUT CHECKSUM'DUCL
195 A=1:PRINT"%":NEXTI'DGRM
200 CLOSEI'BBIV
205 PRINT:PRINT"PICTURE SAVED":END'DCYG
400 LO=PEEK(63):L1=PEEK(64):RETURN'FOME
450 IFI=1ANDX(0)=1771THENPRINT:PRINT"##MISSING DATA LINES":GOTO95'IOAQ
455 RETURN'BAQI
500 L=1:PRINT:PRINT"ERR LINE":L1*256+L0:"":RETURN'GPUJ
1000 DATA 68,6,11,4,6,15,8,1,2,2,6,5,129'BFKY
1010 DATA 11,8,1,9,2,11,2,7,2,11,4,6,5074'BGWA
1020 DATA 10,8,2,2,1,6,2,7,1,2,2,7,5050'BEUA
1030 DATA 12,8,1,11,3,7,2,11,4,6,1,8,5074'BGWC
1040 DATA 2,10,10,8,5,7,12,8,1,11,3,7,5084'BHWD
1050 DATA 2,11,4,6,1,8,2,10,6,6,4,8,5068'BFFE
1060 DATA 5,7,12,8,6,11,4,6,2,8,3,6,5078'BFOF
1070 DATA 1,14,2,6,1,12,4,8,5,7,12,8,5080'BGAG
1080 DATA 6,11,4,6,2,8,1,6,4,12,2,6,5068'BFFH
1090 DATA 2,2,19,8,9,6,3,1,6,4,12,5072'BEHI
1100 DATA 4,6,3,8,3,13,8,9,6,3,5063'BCQY
1110 DATA 9,6,19,8,9,6,3,10,6,1,5077'BDYA
1120 DATA 17,8,9,6,2,2,14,8,7,8,5081'BDBX
1130 DATA 2,9,2,8,1,9,1,8,4,9,2,8,5063'BDXC
1140 DATA 9,6,3,1,6,1,1,6,1,2,5036'BBAD
1150 DATA 2,10,8,2,9,2,8,1,9,2,8,5061'BDKE
1160 DATA 1,9,4,8,9,6,3,1,6,1,12,5060'BDIF
1170 DATA 1,6,1,2,2,6,4,8,2,4,8,5044'BCFG
1180 DATA 1,3,9,8,8,10,6,2,1,6,5054'BCHH
1190 DATA 1,12,2,6,1,1,6,4,8,3,9,5053'BDDI
1200 DATA 3,8,1,9,11,8,2,2,8,6,2,5060'BDIA
1210 DATA 4,6,4,2,5,9,14,8,1,5,12,5070'BEDC
1220 DATA 5,6,6,9,4,2,19,8,1,5,12,5077'BERD
1230 DATA 5,6,6,9,4,2,2,8,6,7,11,8,5074'BEUE
1240 DATA 1,10,12,7,9,2,3,8,6,7,5065'BDJE
1250 DATA 11,8,1,5,12,5,6,7,9,5,8,5077'BERG
1260 DATA 6,7,11,8,1,8,8,9,9,5,8,5080'BDFG
1270 DATA 6,7,11,8,1,7,8,10,9,22,8,5097'BFSI
1280 DATA 1,2,8,6,9,1,8,1,9,29,8,5082'BDAI
1290 DATA 1,2,8,4,9,1,8,2,9,1,8,5053'BCQJ
1300 DATA 8,9,21,8,1,2,8,15,9,22,8,5111'BFKC
1310 DATA 1,10,9,13,8,17,10,9,13,8,5098'BGJD
1320 DATA 17,6,252,4,242,1,173,1,49,1,135,5881'BMJF
1330 DATA 1,101,1,251,1,133,1,251,1,173,1,50,5965'BOJG
1340 DATA 1,135,1,101,1,252,1,133,1,252,1,108,5987'BPJ1
1350 DATA 21,252,4,242,2,10,1,13,1,45,1,135,5727'BNMI
1360 DATA 1,145,1,251,1,104,1,168,1,96,4,252,6025'BOVJ
1370 DATA 1,242,2,252,1,242,13,252,3,241,2,252,6503'BQEL
1380 DATA 4,242,1,136,1,24,1,144,1,212,1,177,5944'BOVL
1390 DATA 1,251,1,41,1,252,1,141,1,45,1,135,5871'BNMM
1400 DATA 1,32,1,133,5,242,13,252,3,241,2,252,6177'BPLF
1410 DATA 4,242,1,254,1,169,10,242,1,29,5,242,6200'BPMG
1420 DATA 22,252,1,208,1,233,7,242,2,252,1,242,6463'BQOH
1430 DATA 1,139,5,242,14,252,7,249,1,252,1,220,6383'BQAI
1440 DATA 1,9,4,242,2,252,1,254,2,252,1,242,6262'BNUI
1450 DATA 1,173,17,252,1,242,1,252,7,249,3,6198'BNLJ
1460 DATA 5,242,4,252,1,242,5,13,252,1,242,6259'BNXK
1470 DATA 1,252,7,249,3,7,242,2,252,1,242,6258'BMHL
1480 DATA 7,1,230,1,252,1,140,1,193,2,142,5970'BMOM
1490 DATA 1,199,1,142,1,172,1,199,1,142,1,242,6102'BP00
1500 DATA 1,252,6,249,1,137,2,128,1,10,242,6029'BNWF
1510 DATA 7,1,243,1,76,1,14,1,139,1,32,5516'BJCF

```

```

1520 DATA 1,242,1,138,1,162,1,254,1,132,1,251,6185'BPJ1
1530 DATA 1,242,1,252,6,249,1,137,2,128,1,10,6030'BONI
1540 DATA 2,1,240,13,1,12,1,76,1,41,5388'BHSI
1550 DATA 1,240,1,28,3,106,1,108,1,145,1,251,5886'BOWK
1560 DATA 1,200,1,242,1,252,7,249,3,1,242,6199'BMWL
1570 DATA 3,252,1,242,1,240,10,1,12,1,172,5935'BMHM
1580 DATA 1,32,1,145,1,251,1,200,1,208,1,251,6093'BOEN
1590 DATA 1,230,1,252,1,145,1,251,1,242,8,252,6385'BPNP
1600 DATA 2,2,242,2,252,1,242,1,252,1,254,6251'BMJG
1610 DATA 1,252,1,240,9,1,44,1,140,1,96,5786'BKDH
1620 DATA 1,24,1,96,1,32,1,242,1,138,1,162,5700'BM0I
1630 DATA 1,1,1,32,4,252,6,242,1,1,2,5543'BHNI
1640 DATA 1,242,2,252,1,242,23,252,1,142,4,252,6414'BQGL
1650 DATA 6,242,1,3,242,2,252,2,242,21,252,6265'BNRL
1660 DATA 1,10,242,5,252,1,242,1,252,1,6007'BKCM
1670 DATA 1,252,1,242,19,252,1,1,98,9,242,6118'BMGN
1680 DATA 7,252,2,3,252,6,242,11,252,1,6028'BKRO
1690 DATA 10,242,7,252,2,3,252,6,242,11,252,6279'BOAP
1700 DATA 1,10,242,7,252,1,204,1,142,3,252,6115'BNFH
1710 DATA 6,242,11,252,1,1,142,1,173,1,204,6034'BNFI
1720 DATA 1,142,1,56,1,237,1,186,1,142,1,140,5909'BOXJ
1730 DATA 8,252,1,186,1,142,3,252,6,242,11,252,6356'BQAL
1740 DATA 1,1,205,1,185,1,142,1,240,1,1,136,1,141,5769'BOWO
1750 DATA 1,144,1,19,1,236,1,188,8,252,1,142,5994'BOKN
1760 DATA 1,176,20,252,1,1,141,1,185,2,140,5920'BNLN
1770 DATA 1,188,1,142,1,32,1,124,1,136,1,141,5769'BOWO
1780 DATA 1,48,1,135,1,41,1,7,1,205,1,185,5627'BLXP
1790 DATA 1,142,1,240,1,21,20,252,1,1,140,5820'BMSQ
1800 DATA 1,183,1,140,1,44,1,124,1,140,1,24,5661'BNGI
1810 DATA 1,108,1,189,1,142,1,141,1,188,1,140,5914'BPQK
1820 DATA 1,156,1,5,1,172,1,252,1,141,1,189,5921'BNWK
1830 DATA 20,252,1,1,24,1,109,1,183,2,140,5734'BMKL
1840 DATA 1,60,1,140,1,172,2,204,1,48,1,140,5771'BNKM
1850 DATA 1,188,1,12,2,76,1,140,1,173,1,189,5785'BNNN
1860 DATA 20,252,1,1,44,1,236,1,142,1,172,5871'BM00
1870 DATA 1,204,1,140,1,44,1,157,1,140,1,172,5863'BOMP
1880 DATA 1,251,1,141,1,194,1,142,1,165,1,252,6151'BPFR
1890 DATA 1,24,1,109,1,191,1,142,1,141,1,195,5808'BOTR
1900 DATA 1,142,17,1,140,1,32,1,204,1,252,5792'BMJJ
1910 DATA 1,140,1,204,1,142,1,160,1,1,132,5684'BLCK
1920 DATA 1,121,1,136,1,24,1,109,1,181,1,142,5719'BOML
1930 DATA 1,141,1,47,1,135,1,176,1,65,1,169,5739'BNLM
1940 DATA 1,159,17,7,1,3,3,1,15,5207'BEDL
1950 DATA 1,48,2,207,1,63,1,1,1,3,1,255,5583'BIDN
1960 DATA 1,3,2,255,1,2,1,170,2,1,252,5690'BIRO
1970 DATA 1,15,1,252,1,255,1,15,1,171,4,5717'BKQQ
1980 DATA 1,192,2,48,1,204,10,1,128,1,32,5620'BLJR
1990 DATA 1,8,1,2,8,1,128,1,40,64,5254'BFYR
2000 DATA 3,3,5,5,255,2,63,1,15,3,5355'BFDA
2010 DATA 2,192,3,240,44,1,2,2,1,2,5489'BGYB
2020 DATA 4,1,80,1,118,1,253,1,149,5,5613'BIAC
2030 DATA 1,155,1,95,1,149,6,1,192,1,104,5706'BLDE
2040 DATA 16,2,3,8,1,192,1,48,1,12,5284'BGDE
2050 DATA 2,3,8,1,192,56,1,12,2,15,5292'BGBF
2060 DATA 2,63,1,207,1,254,2,250,1,234,1,229,6245'BOUH
2070 DATA 1,166,1,181,1,149,1,213,1,85,1,129,5929'BOGJ
2080 DATA 1,102,1,169,1,149,1,85,1,87,1,127,5725'BNKJ
2090 DATA 1,215,1,10,1,86,1,165,1,89,2,85,5657'BLNK
2100 DATA 1,245,1,117,1,243,2,191,1,175,1,239,6217'BPTD
2110 DATA 1,111,1,123,1,91,3,2,192,1,5526'BINC
2120 DATA 2,240,8,1,10,1,2,7,1,128,5400'BGID
2130 DATA 1,160,1,40,1,10,1,2,6,1,128,5351'BIFF
2140 DATA 1,160,1,40,1,10,30,1,195,7,5446'BIFF
2150 DATA 1,60,7,1,63,7,1,255,1,5396'BEHG
2160 DATA 1,15,3,3,3,1,255,2,252,4,255,5794'BJEI
2170 DATA 1,63,1,255,5,2,192,1,240,1,5761'BIYI
2180 DATA 1,37,1,7,1,15,1,41,1,11,1,5,5122'BHJ
2190 DATA 3,1,105,1,213,1,89,1,176,1,90,5681'BKAL
2200 DATA 3,1,176,1,252,1,86,7,1,128,5656'BI0C
2210 DATA 6,1,48,2,1,8,1,11,1,187,5266'BFDD
2220 DATA 1,85,4,1,3,2,1,160,1,5258'BDYD
2230 DATA 1,192,10,1,12,1,56,32,1,48,5354'BIUF
2240 DATA 1,12,2,3,8,1,192,1,48,1,12,5281'BHUG
2250 DATA 1,3,6,1,5,1,140,2,254,5314'BERG
2260 DATA 1,249,1,253,2,249,1,253,1,249,1,87,6347'BOOK
2270 DATA 3,95,4,127,2,255,2,253,7,255,1,91,6100'BNNK
2280 DATA 1,90,1,87,2,86,1,87,2,86,2,240,5685'BKBL
2290 DATA 6,252,24,1,2,7,1,128,1,160,5582'BI0L
2300 DATA 1,40,1,10,1,2,7,1,128,1,160,5352'BIHD
2310 DATA 1,40,1,42,7,1,128,40,2,15,5277'BHVE
2320 DATA 3,3,3,1,255,1,240,2,252,3,255,6018'BKPG
2330 DATA 1,63,1,240,1,15,4,2,192,1,5520'BHMG
2340 DATA 1,255,7,1,192,1,63,7,1,252,5780'BIKH
2350 DATA 1,3,4,1,42,1,8,1,130,1,255,5447'BHTI
2360 DATA 1,10,1,8,1,34,1,130,1,3,1,40,5231'BIYJ
2370 DATA 1,232,1,251,1,15,1,42,1,46,1,171,5763'BM0L
2380 DATA 1,2,1,34,1,232,1,186,1,255,1,162,5877'BM0M
2390 DATA 1,168,1,250,1,192,1,48,1,240,1,5904'BLTN
2400 DATA 1,192,1,63,1,160,1,32,5,1,255,5712'BKPF
2410 DATA 8,1,255,7,1,240,1,13,4,5530'BFSF
2420 DATA 1,1,1,5,1,1,1,85,4,1,64,5165'BEAF

```

Continued overleaf

2430 DATA 4,1,1,1,1,5,18,142,5065'BCSG
2440 DATA 1,8,1,1,213,1,95,1,16,1,85,5423'BHAJ
2450 DATA 1,6,1,1,189,1,61,1,1,1,80,2,85,5484'BJFK
2460 DATA 2,240,1,80,17,1,9,7,1,85,5443'BGGK
2470 DATA 7,1,84,1,249,1,253,1,249,1,238,6085'BLOM
2480 DATA 1,222,1,250,1,254,1,252,1,127,1,119,6230'BPAO
2490 DATA 2,95,1,93,1,87,1,149,1,253,2,247,5932'BMVO
2500 DATA 1,223,1,127,1,255,1,127,1,215,2,255,6209'BPMH
2510 DATA 1,253,2,255,1,247,1,253,1,117,1,87,6219'BOBI
2520 DATA 2,86,3,91,1,90,1,110,3,252,1,188,5828'BMLI
2530 DATA 1,60,3,240,40,1,10,2,2,5,5364'BGII
2540 DATA 1,128,1,160,1,174,1,171,1,42,1,10,5691'BNMK
2550 DATA 1,2,4,1,176,1,236,1,191,1,175,5789'BKJL
2560 DATA 1,187,6,1,192,1,224,32,1,63,5708'BUDM
2570 DATA 2,15,2,3,3,1,192,2,240,3,252,5715'BJJM
2580 DATA 2,255,19,1,2,2,1,14,1,8,5305'BFSN
2590 DATA 1,32,1,1,2,1,128,1,1,8,5176'BEUN
2600 DATA 1,34,1,42,1,172,1,1,17,1,143,5482'BLMH
2610 DATA 1,40,1,130,1,1,192,1,200,1,35,5603'BKVI
2620 DATA 1,8,1,47,1,130,1,224,1,194,1,200,5809'BMQJ
2630 DATA 2,192,15,1,1,204,1,63,8,1,241,5765'BKWK
2640 DATA 1,15,1,19,4,1,85,15,2,244,5378'BHJK
2650 DATA 2,1,1,2,85,1,17,1,84,1,85,5280'BGEL
2660 DATA 1,169,1,20,1,1,1,85,2,255,1,5537'BWM
2670 DATA 1,85,1,64,1,42,1,106,1,90,1,218,5611'BLSO
2680 DATA 1,214,1,6,166,1,5,163,1,143,5503'BJTO
2690 DATA 1,163,1,168,1,138,2,1,70,1,128,5859'BOKR
2700 DATA 2,255,1,252,1,60,1,15,1,131,1,64,5784'BMUI
2710 DATA 1,2,1,1,246,1,253,1,207,2,255,1,213,6202'BOGJ
2720 DATA 1,1,85,1,170,1,255,2,64,1,85,5666'BKJK
2730 DATA 1,106,1,53,1,69,1,163,1,243,2,3,5644'BLVL
2740 DATA 1,83,1,163,1,85,1,221,2,255,1,191,6005'BNTM
2750 DATA 2,253,1,245,1,84,1,208,1,80,3,64,5943'BMHN
2760 DATA 2,1,243,1,207,1,62,1,60,2,15,5595'BXJN
2770 DATA 1,12,1,3,1,154,2,229,1,250,1,186,5836'BMAP
2780 DATA 1,47,1,207,1,58,85,1,253,1,170,5829'BMNO
2790 DATA 1,254,1,255,3,85,1,86,1,250,1,171,6109'BNFR
2800 DATA 1,255,1,252,1,108,1,191,1,187,1,243,6242'BPPK
2810 DATA 1,236,1,131,1,1,192,1,240,1,48,5853'BLQK
2820 DATA 2,192,60,1,174,1,35,4,5,1,5477'BIHK
2830 DATA 1,248,1,191,1,47,1,74,1,91,1,94,5751'BLMM
2840 DATA 1,87,1,84,3,1,192,1,176,1,124,5771'BKJN
2850 DATA 1,188,1,253,1,3,1,2,5,1,10,5466'BHVN
2860 DATA 1,86,6,85,1,165,1,168,7,1,208,5729'BKYP
2870 DATA 8,2,63,2,15,2,3,2,3,1,92,5292'BFDQ
2880 DATA 2,240,2,252,1,255,8,1,2,1,8,5772'BIQD
2890 DATA 1,2,5,1,46,1,188,1,32,1,128,5406'BIAR
2900 DATA 1,202,3,1,40,1,160,1,42,1,11,5463'BJCJ
2910 DATA 1,46,1,15,1,14,1,12,1,1,186,5279'BIXK
2920 DATA 1,184,1,179,156,1,12,1,172,1,12,5621'BMSM
2930 DATA 4,1,192,3,1,127,1,213,1,117,5660'BJSJ
2940 DATA 1,1,4,1,214,1,80,1,64,5,5372'BFRN
2950 DATA 1,8,2,42,1,128,1,34,1,10,1,2,5231'BIIO
2960 DATA 2,1,160,1,128,1,10,1,162,1,5467'BIMP
2970 DATA 1,170,4,1,1,2,1,168,1,8,1,170,5527'BIYQ
2980 DATA 1,3,1,170,1,128,1,85,1,3,1,15,5410'BJNR
2990 DATA 1,60,1,240,1,192,1,143,1,63,1,240,5944'BNOT
3000 DATA 1,201,5,1,255,1,1,185,1,16,5568'BIAB
3010 DATA 1,7,1,3,1,1,127,1,64,2,208,3'BEVB
3020 DATA 1,84,1,212,1,244,1,84,1,243,1,3,5876'BLBE
3030 DATA 1,63,5,1,4,1,20,1,80,21,5197'BFFE
3040 DATA 1,204,1,207,1,48,1,15,4,1,171,5654'BKQG
3050 DATA 1,2,1,255,1,3,1,255,1,1,2,5523'BGLG
3060 DATA 1,1,168,1,3,1,192,2,1,3,5373'BFTF
3070 DATA 2,1,3,1,128,1,3,1,63,1,245,1,221,5680'BLMJ
3080 DATA 1,117,1,223,1,125,1,3,1,255,1,95,5824'BMTK
3090 DATA 2,85,1,213,1,85,1,255,1,2,240,5886'BKFL
3100 DATA 1,95,1,87,1,215,1,127,1,255,4,5788'BKOD
3110 DATA 1,192,1,240,1,124,1,223,40,3,5828'BLLE
3120 DATA 1,2,1,2,7,1,149,1,169,1,170,5504'BIXE
3130 DATA 1,106,1,26,1,196,1,241,1,252,1,5,5832'BMRG
3140 DATA 1,16,2,64,1,130,1,146,1,144,1,68,5575'BMAH
3150 DATA 2,85,1,5,1,1,1,128,1,160,1,168,5554'BKXI
3160 DATA 1,170,1,42,1,106,1,90,1,84,1,85,5583'BLAJ
3170 DATA 1,21,1,5,1,1,245,1,251,1,255,5784'BKPK
3180 DATA 1,149,1,64,1,90,1,85,1,92,1,5486'BIQK
3190 DATA 1,64,1,208,1,244,1,1,1,175,1,171,5869'BMDM
3200 DATA 1,101,5,1,64,1,208,1,80,1,255,5718'BKSE
3210 DATA 2,63,2,15,2,3,3,2,192,2,240,5527'BIYE
3220 DATA 1,252,24,1,12,4,3,8,1,192,5500'BHRF
3230 DATA 23,1,3,3,1,3,1,15,1,60,1,240,1,192,5945'BNQI
3240 DATA 1,240,1,192,1,15,1,60,1,247,5466'BIDI
3250 DATA 80,3,3,1,13,1,55,1,61,1,247,5466'BIDI
3260 DATA 1,221,1,119,1,187,1,127,1,255,1,247,6062'BOXK
3270 DATA 1,223,2,255,1,247,1,221,1,255,1,107,6315'BPIH
3280 DATA 1,253,1,247,1,245,1,85,1,1,17,1,246,6199'BOGN
3290 DATA 1,249,1,119,1,253,1,127,24,23,1,127,6107'BPP
3300 DATA 1,255,1,223,1,117,1,221,1,253,1,247,6322'BPE
3310 DATA 1,221,1,87,1,213,1,1,192,1,240,5959'BLVG
3320 DATA 1,112,2,220,1,92,1,223,28,1,2,5683'BLKH
3330 DATA 2,10,1,6,2,3,1,1,127,1,191,1,

3340 DATA 1,155,1,165,1,164,2,255,1,253,1,244,6243'BPRK
3350 DATA 1,208,1,65,1,7,1,31,1,20,1,101,5438'BKKH
3360 DATA 1,5,1,31,1,127,3,255,1,42,1,10,5478'BKPL
3370 DATA 1,2,1,64,1,208,1,244,1,245,1,213,5982'BMUM
3380 DATA 4,132,1,4,1,1,1,1,1,160,1,56,5362'BHLM
3390 DATA 1,58,1,14,2,15,1,3,1,67,1,19,5183'BIEN
3400 DATA 1,20,2,16,2,196,1,200,1,248,1,204,5892'BNSG
3410 DATA 1,20,1,4,1,1,13,,1,252,1,255,5550'BIHG
3420 DATA 2,63,2,15,2,3,4,,2,192,2,240,5527'BIYH
3430 DATA 6,1,85,1,253,6,,1,64,9,5426'BENI
3440 DATA 1,192,4,48,3,12,7,,1,3,3,,5274'BFDDJ
3450 DATA 1,3,1,15,1,60,1,20,1,192,1,15,5531'BKEI
3460 DATA 1,60,1,240,1,192,92,2,13,1,15,5618'BKOM
3470 DATA 1,13,2,63,1,55,1,61,1,125,1,231,5555'BLQN
3480 DATA 1,233,1,235,2,170,1,218,1,122,1,233,6218'BPDP
3490 DATA 2,230,1,237,1,167,1,173,1,253,1,255,6322'BPNQ
3500 DATA 1,95,1,127,1,175,1,191,1,221,1,254,6099'BOEI
3510 DATA 1,215,1,223,1,255,1,215,1,221,1,247,6382'BPHJ
3520 DATA 1,239,1,235,1,190,1,127,1,247,1,246,6290'BPVK
3530 DATA 1,244,1,113,1,212,1,245,1,125,1,159,6104'BPAL
3540 DATA 1,119,1,155,1,231,1,31,1,77,1,17,5636'BMVL
3550 DATA 1,172,1,113,4,1,192,16,2,5,5410'BHRL
3560 DATA 1,1,1,1,3,,1,145,1,70,1,90,5319'BGRM
3570 DATA 1,22,1,69,1,17,1,4,1,127,5327'BJCN
3580 DATA 1,155,1,167,2,169,1,20,2,64,1,253,5840'BNGP
3590 DATA 1,245,1,213,1,84,1,64,3,,1,85,5699'BJMQ
3600 DATA 1,84,1,64,5,,1,106,1,90,1,26,5380'BICH
3610 DATA 1,5,4,1,4,1,16;1,1,70,1,86,5435'BHWI
3620 DATA 1,5,1,1,2,,1,252,1,4,1,25,5354'BFRJ
3630 DATA 1,149,1,165,1,105,1,89,1,26,4,,5543'BKDL
3640 DATA 2,64,2,80,9,1,1,1,4,1,21,5,,5371'CBFXL
3650 DATA 2,26,1,21,1,,1,252,1,54,1,60,5620'BJKM
3660 DATA 1,127,1,191,1,175,1,95,1,31,1,164,5761'BMDO
3670 DATA 1,144,1,64,2,3,192,7,,1,5,5420'BGVO
3680 DATA 7,1,87,1,12,3,3,1,15,1,60,5191'BGPW
3690 DATA 1,240,1,192,1,15,1,60,1,240,1,192,5945'BNQR
3700 DATA 1,3,192,104,1,55,1,61,1,55,5474'BIBI
3710 DATA 1,63,155,1,61,1,55,15,1,90,5389'BJNK
3720 DATA 1,155,1,91,1,215,1,219,1,230,1,237,6153'BOOL
3730 DATA 1,238,1,175,1,173,1,167,1,169,1,153,6081'BPBN
3740 DATA 1,101,1,85,1,101,1,127,1,87,1,95,5602'BMQN
3750 DATA 1,255,1,253,2,247,1,119,1,222,1,246,6349'BPWP
3760 DATA 1,247,1,92,1,240,1,27,1,23,1,205,5890'BMAP
3770 DATA 1,112,1,128,1,1,1,1,2,241,1,4,5503'JBJP
3780 DATA 1,5,1,208,1,219,1,22,1,49,1,5509'BIYQ
3790 DATA 1,3,1,19,1,5,1,66,3,192,1,64,5357'BIKR
3800 DATA 1,16,1,196,1,193,1,192,7,1,64,5673'BLKL
3810 DATA 1,6,1,1,7,1,64,1,80,1,4,5,5176'BEEJ
3820 DATA 1,1,36,1,6,1,1,6,,1,64,5218'BEXK
3830 DATA 1,100,1,84,13,1,21,1,5,1,5,5229'BHGM
3840 DATA 3,2,16,1,87,1,80,1,81,1,64,5337'BHIN
3850 DATA 1,1,4,2,,1,240,1,244,1,252,5747'BHQO
3860 DATA 1,60,2,63,1,31,1,15,1,1,16,5192'BHNP
3870 DATA 1,1,3,1,31,1,125,1,241,1,213,5619'BJIQ
3880 DATA 1,15,1,60,1,244,1,212,3,84,64,5687'BLBS
3890 DATA 8,1,192,3,48,1,2,104,1,59,5432'BIHS
3900 DATA 1,12,15,1,12,1,14,1,12,1,1,5072'BIVK
3910 DATA 1,3,1,23,1,255,1,60,1,195,1,12,764'BLSM
3920 DATA 1,5,1,28,1,31,1,181,1,10,1,1,51,5619'BNDN
3930 DATA 1,29,1,207,1,50,1,204,1,51,1,119,5666'BMSO
3940 DATA 1,125,1,253,1,247,1,157,1,115,1,140,6043'BPEQ
3950 DATA 1,5,1,243,1,124,1,92,1,87,1,25,1,5854'BMAQ
3960 DATA 1,5,1,136,1,32,1,195,1,28,1,44,5492'BLXR
3970 DATA 1,1,129,3,1,1,192,1,195,1,1,5525'BFOU
3980 DATA 1,3,1,8,3,2,1,12,1,92,7,5231'BHWS
3990 DATA 1,16,1,4,1,1,1,3,7,1,192,5228'BFRT
4000 DATA 1,224,1,40,1,1,1,3,6,1,192,5481'BINC
4010 DATA 1,240,6,2,1,7,1,80,1,5339'BDYC
4020 DATA 1,1,2,5,1,4,1,20,2,1,84,5122'BELD
4030 DATA 1,80,1,64,1,8,1,34,1,136,4,5331'BHVH
4040 DATA 1,5,1,6,1,4,1,134,4,1,85,5243'BFUG
4050 DATA 1,170,1,168,1,170,4,,1,85,2,170,5773'BLCI
4060 DATA 1,168,2,1,1,1,2,64,1,16,5257'BFVI
4070 DATA 1,84,1,1,1,1,,1,86,1,21,5198'BEDI
4080 DATA 1,5,4,1,1,1,1,28,1,144,1,80,5367'BHVK
4090 DATA 1,96,2,104,1,96,4,1,15,1,12,5333'BIXL
4100 DATA 1,242,1,200,1,15,1,63,1,241,1,208,5975'BNNE
4110 DATA 1,32,1,128,1,32,1,128,1,213,1,244,5783'BNOF
4120 DATA 1,240,1,244,1,252,1,124,503,1,31,5960'BNKG
4130 DATA 1,1,4,11,3,32,4,3,1,14,674'BEOF
4140 DATA 1,15,6,4,192,23,,159,15,5316'BGEH
4150 DATA 1,3,5,2,3,5,,1,252,1,136,5409'BFTI
4160 DATA 1,48,2,1,240,1,12,240,1,48,5595'BXJJ
4170 DATA 1,,1,192,33,,1,3,7,,1,112,5351'BFLL
4180 DATA 1,31,1,204,1,49,1,8,1,2,1,12,5312'BIIL
4190 DATA 1,1,204,1,19,1,124,1,7,1,192,5622'BKPN
4200 DATA 2,12,1,163,1,204,1,51,1,204,1,153,5694'BMFL
4210 DATA 1,206,2,1,1,1,1,227,1,16,1,68,5535'BJUF
4220 DATA 1,130,3,1,240,1,1,1,1,32,5411'BGTG
4230 DATA 1,1,2,1,1,1,7,1,160,1,96,5282'BGPH
4240 DATA 1,1,48,2,192,27,1,255,1,32,5555'BRKI

4250 DATA 1,23,1,20,1,41,1,10,1,16,1,60,5176'BJEJ
 4260 DATA 1,1,2,193,1,150,1,69,1,1,1,104,5525'BKKL
 4270 DATA 1,10,3,80,1,148,1,159,1,69,1,86,5560'BLIM
 4280 DATA 1,20,5,1,192,1,176,1,144,32,5573'BJYM
 4290 DATA 2,1,3,1,1,2,2,1,4,5018'BBHM
 4300 DATA 1,16,1,67,1,14,1,49,1,224,1,67,5443'BKBG
 4310 DATA 1,12,1,52,1,228,1,144,1,64,1,1,5507'BKKH
 4320 DATA 1,22,1,162,1,8,1,33,1,21,1,22,5274'BJLH
 4330 DATA 1,102,1,166,1,169,1,1,80,1,104,5627'BLQJ
 4340 DATA 3,168,2,160,1,47,2,7,1,132,1,5524'BJAJ
 4350 DATA 1,128,1,32,1,1,1,3,192,2,240,5602'BJKK
 4360 DATA 2,61,2,32,1,16,1,20,1,23,1,15,5175'BJLL
 4370 DATA 2,1,5,1,3,6,48,4,12,16,5098
 4380 DATA 1,15,24,1,240,70,1,40,7,5399'BGYN
 4390 DATA 1,34,1,8,1,1,3,7,1,48,5105'BDYN
 4400 DATA 5,1,48,32,2,2,1,1,3,5095'BCYF
 4410 DATA 1,127,1,252,1,113,1,135,1,39,1,105,5777'BOUI
 4420 DATA 1,20,1,1,146,1,112,1,252,1,245,5781'BLHJ
 4430 DATA 1,212,1,64,2,1,14,1,3,1,19,5319'BHPJ
 4440 DATA 1,135,1,105,1,22,1,1,1,1,68,5337'BINK
 4450 DATA 1,1,3,1,80,1,144,1,100,3,5335'BGEL
 4460 DATA 2,192,1,48,1,12,1,3,20,1,3,5284'BHRM
 4470 DATA 1,12,2,1,1,1,12,2,1,2,5035'BDBM
 4480 DATA 3,1,128,1,1,1,6,1,90,1,106,5339'BHTQ
 4490 DATA 3,1,106,1,104,1,105,1,100,1,145,5568'BMCO
 4500 DATA 3,1,170,1,106,1,90,1,26,1,90,5490'BUJH
 4510 DATA 1,73,1,37,1,5,1,130,1,8,1,98,5357'BKI
 4520 DATA 1,72,1,97,1,85,1,89,1,106,1,33,5488'BKTK
 4530 DATA 1,128,1,16,1,65,1,64,2,1,64,5344'BICK
 4540 DATA 1,204,1,95,2,23,1,1,1,16,1,5,5350'BHOL
 4550 DATA 1,1,3,2,208,1,240,1,112,1,124,5694'BKGN
 4560 DATA 8,1,3,1,243,1,47,1,207,1,44,5557'BIFN
 4570 DATA 1,1,195,1,15,4,4,192,168,5581'BHKO
 4580 DATA 1,4,1,8,1,240,1,12,1,3,5273'BIFP
 4590 DATA 8,1,192,1,48,1,12,1,24,15,5303'BHTQ
 4600 DATA 2,192,1,48,1,12,1,3,3,1,3,5267'BGVI
 4610 DATA 1,12,3,2,192,1,48,27,2,3,5291'BGVJ
 4620 DATA 1,14,1,8,1,12,1,1,3,1,60,5103'BFBK
 4630 DATA 1,240,1,128,1,32,1,192,1,195,1,5793'BLWM
 4640 DATA 3,192,2,1,192,8,1,21,7,5427'BDFM
 4650 DATA 1,85,2,12,1,15,2,3,3,1,192,5317'BHUN
 4660 DATA 1,176,1,48,1,3,192,1,48,6,5477'BHSD
 4670 DATA 1,1,1,85,4,48,1,12,2,92,1,93,5341'BIFP
 4680 DATA 184,1,3,8,1,192,1,48,1,12,5451'BHCQ
 4690 DATA 1,3,8,1,192,1,48,1,12,8,5275'BFFR
 4700 DATA 1,12,1,3,8,2,192,1,48,1,12,5281'BHUJ
 4710 DATA 1,3,3,1,3,1,1,3,1,5017'BAHJ
 4720 DATA 1,3,1,192,1,240,1,12,3,1,195,5650'BQJL
 4730 DATA 1,252,1,1,3,3,2,192,2,5457'BEYL
 4740 DATA 1,48,13,1,15,1,56,1,15,1,1,5153'BHQN
 4750 DATA 6,1,255,2,85,1,26,1,10,1,5388'BGEO
 4760 DATA 1,7,1,5,1,192,1,80,1,164,1,168,5622'BKYQ
 4770 DATA 1,128,1,31,1,195,1,85,1,48,2,12,5506'BLVR
 4780 DATA 1,3,1,117,1,52,1,245,1,53,1,106,5582'BLOS
 4790 DATA 1,21,1,64,1,85,2,84,1,20,1,84,5365'BJBT
 4800 DATA 1,167,1,107,1,43,1,81,1,245,1,255,5904'BNYL
 4810 DATA 1,204,1,245,3,1,192,1,84,1,253,5986'BLFM
 4820 DATA 1,15,1,85,3,1,1,1,4,1,85,5198'BFEM
 4830 DATA 1,218,1,90,1,5,1,31,1,106,1,170,5626'BLMO
 4840 DATA 1,1,85,1,170,1,169,1,85,1,253,5768'BKMP
 4850 DATA 1,164,1,144,1,64,3,1,64,53,5496'BIJP
 4860 DATA 2,85,6,1,64,1,80,86,1,48,5374'BGVO
 4870 DATA 1,63,6,1,48,9,1,3,8,5140'BCIQ
 4880 DATA 1,192,1,48,1,15,8,1,192,1,48,5508'BJIT
 4890 DATA 1,12,1,3,8,1,192,1,48,1,12,5280'BHST
 4900 DATA 1,3,8,2,192,1,48,1,12,11,5279'BGCL
 4910 DATA 1,64,3,1,64,7,1,1,3,5145'BCAL
 4920 DATA 1,1,1,15,1,61,1,116,1,1,5,5204'BGDN
 4930 DATA 1,16,1,106,1,170,1,253,1,80,2,5632'BKIP
 4940 DATA 1,64,1,85,1,4,1,164,1,81,1,1,5405'BIXP
 4950 DATA 1,5,1,85,1,69,1,81,1,20,1,4,5270'BHAQ
 4960 DATA 2,85,1,81,1,85,1,84,1,83,1,79,5504'BJSS
 4970 DATA 1,63,2,85,1,21,1,85,1,208,1,69,5538'BKLT
 4980 DATA 1,87,1,127,1,83,1,95,1,87,1,105,5590'BLOU
 4990 DATA 1,1,1,85,2,244,1,61,1,253,1,243,5894'BLBV
 5000 DATA 1,127,1,85,1,1,21,1,5,1,1,5245'BGND
 5010 DATA 1,2,64,1,85,1,3,85,1,127,5370'BGEE
 5020 DATA 1,31,1,7,1,1,64,1,80,1,84,5272'BGWF
 5030 DATA 3,255,1,253,1,2,5,1,31,1,63,5616'BIWG
 5040 DATA 1,127,1,221,1,85,1,1,84,3,244,5769'BKFI
 5050 DATA 3,84,28,1,40,1,175,1,149,1,165,5648'BLNJ
 5060 DATA 3,85,1,23,2,26,1,208,1,197,1,84,5632'BLIK
 5070 DATA 1,85,1,106,3,170,1,1,85,1,5454'BHYK
 5080 DATA 1,5,1,80,1,147,1,164,1,169,1,5571'BUEL
 5090 DATA 1,85,1,1,85,1,2,255,1,63,5495'BGLM
 5100 DATA 1,64,1,85,1,1,85,1,1,1,196,5437'BHKE
 5110 DATA 1,192,1,193,1,3,1,64,2,1,192,5651'BUCF
 5120 DATA 1,48,1,12,1,3,1,127,1,85,6,5286'BHFG
 5130 DATA 1,192,1,85,7,1,240,15,1,15,5558'BIHH
 5140 DATA 10,2,3,4,1,35,1,187,1,51,5295'BGXI
 5150 DATA 2,192,1,60,4,2,48,36,1,192,5538'BIMJ

5160 DATA 1,48,1,12,1,3,8,1,192,1,48,5316'BHCK
 5170 DATA 1,12,2,3,8,1,192,1,193,1,48,5462'BIEL
 5180 DATA 2,1,64,1,17,1,16,1,64,1,5168'BFXM
 5190 DATA 1,64,1,12,1,3,2,2,6,1,192,5285'BGVN
 5200 DATA 1,176,4,3,48,1,240,1,5,1,21,5501'BIRF
 5210 DATA 1,84,1,80,1,68,1,80,1,68,1,81,5467'BQJH
 5220 DATA 1,85,1,80,2,1,5,1,6,1,4,5187'BEDH
 5230 DATA 1,6,1,85,3,1,85,1,170,1,168,5522'BIHI
 5240 DATA 1,170,1,85,3,1,85,2,170,1,168,5687'BKMK
 5250 DATA 1,90,1,85,1,1,1,2,64,1,16,5263'BGWK
 5260 DATA 1,84,1,151,1,169,1,90,1,86,1,21,5607'BLDM
 5270 DATA 1,5,2,1,2,208,1,112,2,156,1,84,5575'BKUN
 5280 DATA 1,103,1,107,1,1,4,1,1,1,6,5227'BGEN
 5290 DATA 1,24,1,212,1,65,2,5,1,213,1,87,5613'BKPP
 5300 DATA 1,33,1,136,1,1,2,85,1,119,1,221,5602'BLJH
 5310 DATA 1,119,1,223,1,127,1,84,1,116,1,220,5895'BOWI
 5320 DATA 1,119,1,223,3,255,4,3,128,1,224,5962'BMAJ
 5330 DATA 10,1,16,5,1,171,1,40,6,5251'BFJJ
 5340 DATA 1,55,1,241,1,253,1,1,4,3,255,5816'BJYK
 5350 DATA 2,170,1,85,1,112,1,127,3,71,2,74,5649'BMEM
 5360 DATA 1,85,1,1,255,2,253,1,245,1,164,6009'BLWN
 5370 DATA 1,167,1,84,1,52,1,244,1,85,1,5638'BJHO
 5380 DATA 1,63,1,255,1,253,3,1,127,1,3,5709'BJBO
 5390 DATA 1,255,1,213,1,85,3,1,85,1,255,5901'BKYQ
 5400 DATA 1,253,1,87,1,192,3,1,80,1,252,5872'BKEI
 5410 DATA 1,84,6,1,2,2,1,12,1,3,5113'BDNH
 5420 DATA 1,12,1,1,179,1,12,1,3,1,51,5263'BHLJ
 5430 DATA 1,204,3,1,176,1,224,1,252,1,204,6068'BMML
 5440 DATA 1,207,1,44,1,191,1,51,7,1,192,5697'BKFM
 5450 DATA 9,1,14,1,48,1,15,1,48,1,5139'BFDM
 5460 DATA 1,12,1,3,1,1,192,1,188,1,44,5445'BIWN
 5470 DATA 1,143,1,3,1,1,15,6,2,192,5365'BGTO
 5480 DATA 32,1,192,1,48,1,12,1,3,4,5295'BGXP
 5490 DATA 1,4,1,1,1,1,1,192,1,48,5252'BFLO
 5500 DATA 2,1,66,1,10,1,66,1,32,1,8,5189'BGCI
 5510 DATA 2,2,1,81,224,1,136,1,10,1,186,5573'BKQK
 5520 DATA 1,238,1,186,1,170,1,171,1,200,1,226,6197'BPPM
 5530 DATA 1,10,1,58,1,238,1,186,1,168,1,170,5836'BNHM
 5540 DATA 1,6,1,185,1,172,1,189,1,161,1,37,5756'BMNL
 5550 DATA 1,136,1,40,1,38,1,6,3,85,1,42,5355'BJEN
 5560 DATA 1,21,1,1,128,1,22,2,85,1,170,5433'BJOO
 5570 DATA 1,85,2,1,161,1,36,2,164,1,161,5615'BKTO
 5580 DATA 1,85,2,1,4,1,1,2,81,1,4,5183'BEAP
 5590 DATA 1,84,1,16,5,1,1,5,1,21,1,86,5223'BHVR
 5600 DATA 1,90,3,105,1,103,2,167,1,144,1,64,5682'BNVK
 5610 DATA 1,18,1,136,1,162,1,200,1,225,1,213,5960'BOIL
 5620 DATA 1,22,1,102,1,34,1,136,1,2,1,80,5382'BKDM
 5630 DATA 1,104,3,168,1,31,1,159,1,47,1,135,5652'BNYN
 5640 DATA 1,39,1,135,1,39,1,135,5,255,2,253,5867'BNPO
 5650 DATA 1,245,4,224,1,208,1,84,1,87,1,95,5952'BMQP
 5660 DATA 1,2,1,1,7,1,15,1,31,16,5086'BFMP
 5670 DATA 1,85,7,1,85,7,1,85,7,5279'BDHP
 5680 DATA 1,85,32,2,3,2,12,3,48,2,5190'BFWR
 5690 DATA 1,11,1,12,1,48,1,12,2,48,1,143,5281'BKIT
 5700 DATA 1,242,1,15,1,60,1,176,1,204,1,60,5763'BMOL
 5710 DATA 1,51,1,188,1,59,1,243,1,195,2,3,5746'BLLM
 5720 DATA 1,12,1,3,7,1,3,56,1,20,5105'BEHL
 5730 DATA 1,16,5,1,1,2,1,16,1,64,5108'BETM
 5740 DATA 1,69,1,245,1,244,1,245,1,236,1,59,6104'BNOP
 5750 DATA 1,32,1,128,1,162,1,42,1,234,1,168,5772'BNVQ
 5760 DATA 1,170,1,43,1,170,1,163,1,138,1,42,5732'BNNR
 5770 DATA 1,168,1,163,1,254,1,50,1,200,1,130,5971'BOMS
 5780 DATA 1,200,1,32,1,138,1,34,1,136,1,48,5594'BMST
 5790 DATA 1,240,1,12,1,35,1,128,1,32,1,128,5581'BMKU
 5800 DATA 1,4,1,17,1,4,1,5,1,2,16,5053'BERK
 5810 DATA 1,17,1,85,1,21,1,4,1,21,3,5156'BGPM
 5820 DATA 5,85,3,3,85,1,21,1,84,2,64,5354'BHPN
 5830 DATA 1,74,1,73,1,105,1,164,1,128,1,1,5551'BLPP
 5840 DATA 1,6,1,90,1,106,1,170,1,1,1,22,5401'BJEP
 5850 DATA 1,106,1,104,1,105,1,100,1,145,1,152,5718'BPTS
 5860 DATA 1,166,1,169,1,170,1,106,1,90,1,26,5733'BNYS
 5870 DATA 1,90,1,73,1,162,1,160,1,130,1,8,5629'BLST
 5880 DATA 1,98,1,72,1,97,1,85,1,39,1,133,5530'BKNU
 5890 DATA 1,37,1,132,1,20,1,65,1,64,1,5324'BIOP
 5900 DATA 2,85,1,213,1,85,1,21,1,23,1,71,5505'BKPN
 5910 DATA 1,19,1,93,1,125,1,116,2,244,3,208,5814'BNYO
 5920 DATA 8,1,55,1,21,1,2,21,1,29,5140'BFMO
 5930 DATA 1,55,1,29,69,1,63,1,255,1,200,5676'BKIQ
 5940 DATA 1,48,1,12,3,1,48,1,227,1,128,5471'BJCQ
 5950 DATA 1,48,6,1,192,7,1,3,1,12,5272'BFYR
 5960 DATA 4,48,1,192,1,195,1,3,1,14,1,56,5517'BKFT
 5970 DATA 1,192,1,224,1,140,1,227,1,136,1,32,5957'BOUJ
 5980 DATA 1,192,1,179,1,238,1,48,1,192,1,48,5903'BNPV
 5990 DATA 3,1,240,1,60,1,188,1,60,1,176,5732'BKTV
 6000 DATA 1,44,41,1,3,2,1,5,1,194,5293'BFVE
 6010 DATA 1,16,1,66,1,16,4,1,42,1,139,5288'BIHF
 6020 DATA 1,47,1,139,1,44,1,50,1,1,64,5350'BIVG
 6030 DATA 1,188,1,186,1,40,1,10,1,138,1,171,5739'BNCI
 6040 DATA 2,3,1,138,1,1,42,1,162,1,224,5576'BJVI
 6050 DATA 1,130,1,194,1,162,2,168,1,130,1,8,5799'BNFK
 6060 DATA 1,224,1,177,1,5,1,1,2,1,1,5415'BGLK

Continued overleaf

Continued from previous page

6070 DATA 1,179,1,157,1,109,1,21,2,5373'BHYL
6080 DATA 1,85,2,64,3,255,2,1,85,1,1,5500'BHBM
6090 DATA 1,2,3,246,1,22,1,90,1,106,1,98,5572'BKXO
6100 DATA 1,154,1,153,1,150,1,166,1,161,1,133,5923'BPHH
6110 DATA 1,144,1,133,1,97,1,168,1,42,1,170,5760'BNYH
6120 DATA 1,154,3,102,1,41,1,165,1,149,1,85,5704'BNUI
6130 DATA 1,37,1,149,2,85,3,86,1,109,1,89,5564'BLAJ
6140 DATA 2,106,1,162,1,154,1,166,1,169,1,170,5934'BPUL
6150 DATA 1,1,64,1,144,1,148,2,100,1,164,5627'BLLO
6160 DATA 1,148,1,5,1,1,6,3,64,13,5243'BFUL
6170 DATA 1,55,1,31,1,7,1,39,1,11,1,33,5182'BISM
6180 DATA 1,9,1,33,59,1,3,1,14,1,3,5126'BFUN
6190 DATA 2,1,224,1,48,1,236,1,179,1,1,5694'BIJO
6200 DATA 1,131,1,200,1,62,2,1,192,1,1,5592'BIGK
6210 DATA 1,192,1,32,1,136,1,224,2,1,1,12,5603'BKEI
6220 DATA 1,3,2,1,48,1,192,1,240,7,5496'BGEI
6230 DATA 1,3,8,1,192,1,48,8,1,48,5311'BFFJ
6240 DATA 1,192,3,1,48,1,192,54,3,1,5496'BHLK
6250 DATA 1,5,1,4,2,1,1,1,1,1,64,5081'BCOK
6260 DATA 1,1,1,1,4,1,21,1,65,1,16,5113'BFDM
6270 DATA 1,3,1,1,2,1,87,1,28,1,124,5250'BGON
6280 DATA 1,28,1,23,2,1,162,1,248,1,55,5523'BJXO
6290 DATA 1,31,1,1,15,1,79,1,84,1,85,5364'BJIQ
6300 DATA 1,255,1,61,1,254,1,246,1,217,1,68,5107'BNAI
6310 DATA 1,23,1,31,1,95,1,159,1,127,1,65,5506'BLYS
6320 DATA 1,5,1,204,3,255,1,207,1,255,1,253,6187'BNXK
6330 DATA 1,125,1,218,2,216,1,104,2,106,1,170,5947'BPKM
6340 DATA 1,168,1,166,1,38,1,41,1,105,1,169,5693'BNJM
6350 DATA 1,170,1,169,1,165,1,166,1,153,1,101,5930'BPMO
6360 DATA 1,149,1,64,5,85,2,86,1,31,1,94,5520'BKLO
6370 DATA 1,79,1,9,1,126,3,254,1,250,1,201,5927'BMCP
6380 DATA 1,249,1,185,1,106,1,154,1,104,2,106,5911'BPKR
6390 DATA 1,161,2,169,1,20,1,144,2,80,3,64,5648'BMCR
6400 DATA 25,1,9,1,33,1,9,1,33,1,9,5123'BFXI
6410 DATA 1,33,1,5,1,16,18,2,3,2,12,5094'BGRJ
6420 DATA 2,2,2,2,224,2,200,2,206,6,5648'BHQK
6430 DATA 2,192,32,1,63,98,1,1,1,4,5395'BGJL
6440 DATA 1,1,1,4,1,1,1,4,1,17,1,68,5101'BFGM
6450 DATA 1,16,1,67,1,7,2,31,1,68,1,28,5224'BIFN
6460 DATA 2,127,1,255,1,253,1,247,1,223,1,5,6117'BNSP
6470 DATA 1,87,1,31,2,127,6,255,1,253,2,246,6012'BNYQ
6480 DATA 2,218,1,233,1,105,1,103,1,167,3,159,5994'BPXS

6490 DATA 1,127,1,16,1,197,1,193,1,240,4,255,6037'BOCS
6500 DATA 1,125,1,118,1,54,1,246,1,218,1,216,5983'BOCK
6510 DATA 1,218,1,106,1,170,2,106,1,105,1,153,5865'BPIM
6520 DATA 4,149,3,85,1,84,1,80,1,64,1,5473'BIRL
6530 DATA 1,84,1,80,1,64,5,1,34,1,72,5344'BHEM
6540 DATA 1,18,1,4,1,1,2,1,5,1,118,5153'BFLN
6550 DATA 1,150,1,38,1,137,1,34,1,72,1,18,5455'BLVP
6560 DATA 1,88,3,165,1,148,1,84,1,148,1,16,5657'BMUQ
6570 DATA 1,144,32,1,16,2,1,16,1,36,5250'BHMQ
6580 DATA 1,37,2,25,16,2,200,2,2,192,5479'BIQR
6590 DATA 4,51,2,15,2,207,2,51,2,128,2,240,5706'BMRT
6600 DATA 2,48,2,60,23,1,14,7,1,192,5350'BHXX
6610 DATA 21,1,3,1,1,62,5,1,192,5287'BEBK
6620 DATA 1,1,128,22,1,2,140,4,5200'BEFL
6630 DATA 1,60,2,3,1,43,5,3,192,22,5332'BQGN
6640 DATA 1,1,1,6,1,1,1,2,7,1,31,5053'BDKN
6650 DATA 1,255,2,85,1,127,1,1,253,1,244,5971'BLCO
6660 DATA 1,245,1,218,1,90,1,104,1,223,1,127,6013'BOGR
6670 DATA 1,255,1,1,85,1,138,1,18,1,84,5586'BJLS
6680 DATA 1,255,2,253,1,6,1,86,1,150,2,166,5924'BMFT
6690 DATA 1,106,3,169,1,39,1,167,1,159,1,21,5669'BNPU
6700 DATA 1,1,127,1,255,1,192,4,255,1,85,2,255,6179'BOLN
6710 DATA 1,1,253,1,254,2,246,1,85,1,106,5952'BMXN
6720 DATA 1,5,1,169,1,165,1,149,1,144,1,85,5823'BOBP
6730 DATA 1,80,2,1,1,81,1,84,1,34,1,137,5507'BKDP
6740 DATA 1,80,2,1,1,1,102,1,136,1,37,5363'BLP
6750 DATA 1,145,2,1,5,1,88,1,34,1,149,5428'BIQ
6760 DATA 1,84,1,4,1,84,1,16,1,98,1,136,5428'BJKS
6770 DATA 1,37,1,80,4,1,34,1,137,1,96,5393'BIKS
6780 DATA 5,1,16,1,80,38,1,41,1,37,5221'BGTT
6790 DATA 1,5,1,36,2,20,2,16,16,2,2,4,5305'BIMU
6800 DATA 2,48,2,192,4,2,2,2,1,8,5263'BECM
6810 DATA 1,2,176,2,252,2,207,1,192,17,5852'BKAO
6820 DATA 1,14,2,59,2,224,2,56,1,12,1,192,5566'BLCP
6830 DATA 2,48,2,12,250,1,136,7,1,128,5389'BJEQ
6840 DATA 8,1,3,2,48,1,15,4,1,224,5307'BFWQ
6850 DATA 1,192,1,1,192,6,1,3,1,14,5412'BGOR
6860 DATA 1,3,3,1,3,1,60,1,192,1,188,5454'BHYS
6870 DATA 1,232,1,62,1,3,1,1,192,1,160,5555'BIRT
6880 DATA 2,1,43,1,188,1,192,1,1,60,5490'BHYU
6890 DATA 1,40,1,188,1,60,1,192,27,1,6,5518'BJBW
6900 DATA 1,1,6,1,170,1,89,1,5,1,1,5277'BIFN
6910 DATA 4,1,97,1,133,1,21,1,85,4,5348'BGFO
6920 DATA 4,85,4,1,41,1,73,1,81,1,85,5377'BHQP
6930 DATA 4,1,21,1,106,1,138,1,69,4,5346'BHYQ
6940 DATA 1,85,2,170,1,85,4,1,81,1,148,5579'BJPS
6950 DATA 1,144,1,84,92,1,16,14,1,14,5368'BIFS
6960 DATA 6,1,252,1,192,15,1,3,1,195,5667'BIJT
6970 DATA 1,3,1,192,8,2,3,1,8,1,56,5276'BFHU
6980 DATA 1,63,3,2,252,2,3,1,1,12,5340'BFHV
6990 DATA 2,3,2,192,2,48,1,15,1,136,2,238,5642'BLBX
7000 DATA 2,3,2,1,240,1,128,1,1,48,5427'BGFR
7010 DATA 2,240,127,2,1,1,7,1,63,1,5445'BGRG
7020 DATA 1,71,1,31,1,64,1,255,2,253,1,246,5927'BMCI
7030 DATA 1,2,247,1,31,1,127,1,1,85,5497'BHEI
7040 DATA 1,162,1,4,255,1,1,1,85,1,165,5677'BJEK
7050 DATA 1,1,246,1,218,2,106,1,170,1,137,5884'BMWL
7060 DATA 1,169,1,2,159,1,127,1,112,1,127,5701'BMQM
7070 DATA 2,255,1,3,255,1,2,255,1,253,6028'BJAM
7080 DATA 1,3,218,1,106,1,105,1,165,1,164,5766'BMUO
7090 DATA 1,1,165,1,149,1,85,1,84,1,85,5574'BJOP
7100 DATA 1,72,1,34,1,1,64,2,1,89,5266'BFQG
7110 DATA 1,34,1,137,1,100,2,1,1,1,86,5365'BIPI
7120 DATA 1,136,1,37,1,85,1,65,1,1,1,5330'BHTI
7130 DATA 1,88,1,34,1,137,1,84,3,1,86,5437'BIRJ
7140 DATA 1,136,1,34,1,88,4,1,36,1,132,5435'BJCK
7150 DATA 1,84,12,1,11,1,44,1,131,1,252,5539'BKLM
7160 DATA 1,200,1,50,1,1,3,1,252,1,240,5751'BJCM
7170 DATA 1,12,1,48,1,12,1,1,12,1,51,5141'BHBN
7180 DATA 2,192,2,12,2,1,192,1,60,6,5470'BHUO
7190 DATA 1,3,1,59,6,1,255,1,11,1,63,5402'BHTP
7200 DATA 2,227,2,251,2,51,1,204,1,2,192,5935'BLSI
7210 DATA 2,2,207,1,243,1,15,2,2,192,5667'BIAI
7220 DATA 2,1,192,1,240,2,15,8,2,192,5655'BIQJ
7230 DATA 116,2,1,5,1,85,1,149,1,170,5531'BIKX
7240 DATA 1,86,1,1,3,1,86,1,90,1,152,5423'BHAL
7250 DATA 1,97,1,69,1,85,2,1,132,1,21,5411'BIEM
7260 DATA 4,85,2,1,169,1,41,1,74,1,82,5461'BIIN
7270 DATA 1,84,1,85,2,1,167,1,133,1,69,5545'BJKP
7280 DATA 1,90,1,98,1,81,2,1,255,2,85,5617'BIIP
7290 DATA 2,170,1,85,2,1,253,1,85,1,84,5685'BJLR
7300 DATA 1,165,1,164,1,85,2,1,149,1,84,5654'BKJJ
7310 DATA 1,64,5,1,84,15,1,21,1,4,5197'BFQJ
7320 DATA 38,1,5038'BSFH
7330 DATA 1771,55917,1738,57800,1654,56436'BHHL
7340 DATA 1641,58774,1734,61560,1530,61549'BHUM

COMMODORE 64 OWNERS

FREE! Software Catalogue

The Strategic Software Club posts catalogues listing the latest Commodore 64 software at discount prices, free to members six times per year.

To join (no charge) ring (02) 957 6667 or simply fill in the attached form and send to Freepost 67, P.O. Box 742, North Sydney, N.S.W. 2060.
(No stamp required.)

Strategic
Software Club

169-185 Miller Street, North Sydney



NAME

ADDRESS

TEL



Commodore Telecomputing

The Hows and Whys Part 2

by Greg Perry

The Terminal Program.

Once you have finally got your modem, the next requirement is a good terminal program. What type of program you choose will depend on your needs. No one program will cover all situations. A special program will be required for Viatel, and a program which is good for Commodore-Commodore communications may well be useless when it comes to talking to a large mainframe computer.

If you think that there are such things as absolute standards in computing you are about to be rudely awakened. There are two main problems.

1. Most computers encode characters with the American Standard Code for Information Interchange known as ASCII. Unfortunately, Commodore's version of ASCII (known as CBM-ASCII) is not the same as 'standard' ASCII. (Other manufacturers do it as well!) There are no problems when talking Commodore-Commodore, but when talking to some other system, our CBM-ASCII must be converted to the standard form before sending the data and incoming data must be converted back into CBM-ASCII. If not, only garbage will appear on the screen. Most terminal programs invisibly perform these conversions. The simplest programs do no conversions at all while some allow you to select whether conversion is used or not. On Viatel, a different set of characters are used to control graphics and other features.

2. When transferring programs or sequential text files between computers, some method must be adopted to ensure that the data is not corrupted by noise on the line. Most methods involve sending the data in 'packets' containing 64, 128, or 256 characters followed by some form of checksum. The checksum is a unique code generated mathematically from the packet characters. If the receiving computer calculates the same checksum as that sent then it can be assumed (not always true!) that the packet of characters has been received correctly, and the next packet can be sent. If the checksums do not match, the same packet is sent again.

A number of different protocols are used. The main three you will encounter are the XMODEM (YAM or Ward Christensen), the Punter methods, and KERMIT. These are incompatible with each other. Some people also have written their own just to make life more complicated.

Before talking about the different methods, it must be established that, usually, the only requirement for Commodore-Commodore file transfers is that both terminal programs use the same method irrespective of what that actually is.

Probably the most common method is the XMODEM (Ward Christensen) protocol (sometimes known as YAM or XYAM - Yet Another Modem program). This is commonly used in systems using the CP/M operating system as with many of our local BBSs. A number of C64 terminal programs which use this protocol are available but some do not work correctly when used with the CP/M systems. (Most also download text files as program files causing problems for many wordprocessors). There is a public domain Commodore CP/M compatible terminal program which has just appeared for those users with a CP/M cartridge.

Another, although less common in Australia, protocol for transfer of Commodore files was developed by Steve Punter in the U.S. in the late '70s. There are at least two different Punter protocols.

KERMIT is a protocol specifically designed for micro-mainframe communication as often required by universities and the like. Developed by Columbia University in the U.S., a public domain version is available for just about every micro except Commodore! I have a written a fledgeling version but it still has a few problems. (Anyone interested in taking up the challenge?)

Types of Terminal Programs.

It is easy to write a simple terminal program (Reference Guide page 356) but most people prefer to use one of the range of public domain or commercial versions. Terminal programs are often described in terms of their 'smartness'. A 'dump' terminal is a simple program which will allow you to just talk to another system. Such programs usually allow you to set the baud rate and other parameters but will not upload/download programs, print the incoming data, or allow you to log the on-line session.

'Smart' and 'ultra-smart' programs provide many extra, almost indispensable, features. These include at least one method of transferring programs and text files, adjustable screen widths of 40/64/80 or more columns, graphics capability, efficient disk access, built-in text processing facilities, screen dumps and other hardcopy facilities, an in-built buffer to capture all or part of the on-line session (called a 'log') including complete documents and view, edit, and save the buffer when off-line, and other advanced features including touch tone dialing, auto dial and auto answer. Further, if you wish to access a large mainframe computer such as a VAX or PDP-11 etc., the terminal program may have to emulate one of the standard terminals used on mainframe computers. A number of programs will emulate the DEC VT52 or VT100 terminals and provide the correct set of characters (known as escape sequences) required by the mainframe. Students enrolled in university or technical college courses may need such a program to allow them to full access to the mainframe from home.

The best commercial program is undoubtedly VIP TERM from Softlaw in the US and

marketed here by Commodore. (At the time of writing, mid-July, I am informed that Commodore is planning to release a new version which provides XMODEM file transfer from the main menu. With apologies to Steve Sharp who runs the only Punter BBS in Australia, this will be a great boon to the rest of us BBS users.

Probably the best and most widely available public domain programs are TERM 64 and MODEM 64 (by Nick Gammon, written in G-PASCAL). For more information see our documentation for Term64 and other program summaries in the May issue.

RS 232 Terminal Parameters.

When using one of the terminal programs, a number of parameters or protocols must usually be set to define the characteristics of the RS 232 interface to the modem and the processing of incoming and outgoing characters. The protocols are usually defined by the Duplex, Baud Rate, Number of Stop Bits, Parity, Word length, and ASCII or CBM-ASCII characters.

Duplex: Most BBS operate at full-duplex. Every character you type goes down the line and is 'echoed' back to your terminal and then displayed on your screen allowing you to ensure that your characters are being received correctly. In half-duplex mode, characters are not echoed back and your own terminal program must display them on its own screen. Half-duplex is used when talking C64-C64 and full-duplex with BBSs. Essentially, if you cannot see what you are typing switch to half-duplex. If everything you type *eennddss uupp llookkiinnngg lliikkee tthhiiss*, switch to full-duplex. (Do not confuse this with the actual full/half duplex electrical protocol of the modem itself. Commercial full duplex modems may be manually set to 'echo' back received characters or not.)

To understand the other protocols we must first look at how a character is actually transmitted. As most of you probably know, each character in the computer's memory is stored as its CBM-ASCII code in one byte or eight bits. This is transmitted down the RS 232 line in serial form, that is, one bit at a time. For the letter 'A', ASCII value 65 and 01000001 in binary, the signal would look like

Signal

1	the line is high waiting for the first bit of character
1	still waiting
1	still waiting
0	the START BIT - a zero bit signalling that a character is coming
1	DATA bits for character starting with bit 0
0	bit 1
0	bit 2
0	bit 3
0	bit 4
0	bit 5
1	bit 6 'WORD LENGTH' = no of data bits followed by

often only 7 ASCII bits are used

Continued on page 32

64 TALK : Communications Cartridge for C64.

Greg Perry

ACME Software from Melbourne have recently released their 64 TALK communications cartridge for the Commodore 64 to partner their successful Micromodem III 300/300 and 1200/75 modem. This one cartridge contains more than 20k of software and by some smart memory switching provides a comprehensive set of telecommunications software to meet the needs of almost all Commodore 64 users. Unlike some other packages, the 24 page manual supplied with the package provides a full set of instructions, even if somewhat succinct at times. What's more its been completely designed and written in Australia by Bill Dimech from Acme Software.

Plug in the cartridge and turn the computer on, and the opening screen reveals an extensive menu providing access to Viatel (videotex) mode at 1200/75 baud or TERMINAL(ascii) mode at various baud rates from 300 up to 1200/75. This is the first package I have seen which allow me to access BBSs and other communications services at 1200/75 in a normal terminal mode.

Apart from selecting between the two terminal modes, the main menu provides full disk access as well as disk directory, 8 programmed function keys for passwords, IDs or messages, saving or loading of the complete terminal environment of function keys and parameters such as baud rates etc.

One can return to the main menu from either Viatel or Terminal mode at any time by simply pressing shift/run.

Viatel Mode.

The Viatel mode provides an almost(!) complete set of the standard videotex characters, colours, and attributes to access Viatel (and other Videotex systems) with a 1200/75 baud modem. However two features are missing - the flashing and reveal attributes. (See below.)

In summary, this mode provides

- Almost full Viatel compatability (*)
- Full implementation of TELECOM's CET download protocol for downloading of software from Microtex 666 (disk/tape).
- Store and recall up to 16 frames into memory.
- Save current or all stored frames to disk or tape.
- Reload saved frames from disk or tape.
- Selectable hires or ASCII hardcopy of current or all frames in memory.
- Single key LOGOFF and Retransmit last screen (*00)

Using the Viatel Mode.

I must mention at this point that I am very impressed with the whole package. However, since I have been playing with it for some two months or more I have had more than the usual amount of time to find fault with the Viatel mode.

But first, some of the features I like about the Viatel mode are:- The ability to switch the storage device between disk or tape while

on line (just in case you forget!); the choice of saving just the current frame or all the 16 stored frames to disk or tape; the possibility of dumping all stored frames to the printer or just the current one; and the nice layout and operation of the download.

Saving frames into memory or recovering them, takes a bit of practice. Put simply, it involves a quick tap of the appropriate function key f1, f3, or f5. Unfortunately, if the finger lingers too long, it is very easy to move two or more pages too far. One nice but confusing feature is that if the next store position contains a previously stored frame, this frame is displayed as a warning that it will be overwritten with the next Viatel frame. (In such cases, you can save or printout the lot to disk/tape before continuing.)

The download works very well. During downloads the screen shows the number of frames to download, the current frame being processed, and a running count of the number of bytes received and the number saved to disk/tape. If a number of errors are found in the download, the user is asked whether to retry or abort the download. However as with some other programs, since each frame is saved to disk as it is decoded, if the download aborts, the user is left with rubbish on the disk. (Not a problem for tape users.)

Lack of the reveal attribute (where Viatel transmits a hidden line which requires the pressing of a special key to reveal it) is irrelevant, all but one of the other C64 Viatel packages also don't bother either.

Unfortunately, I have one major reservation with the Viatel mode, the lack of the flashing attribute. This is a fairly major loss. Flashing on Viatel is used with great effect to draw attention to a special feature and is also an integral part of the frame design. On some frames, the picture will be distorted since it has been designed to swap between two sets of colours or images. One such example is the 'juggler' greeting card on *103325 where the juggling action is simulated by swapping between two flashing images.

A few other comments.

- Dynamic Viatel pages (for example *222) are not displayed correctly. Combined with the lack of flashing attribute this could be a problem when the graphic designers begin producing more complex frames.
- All keys repeat: a nice feature but not for Viatel where it is too easy to accidentally send the wrong numbers.
- One of the characters is incorrect, the Viatel character known as DBAR (\$7c) appears as a horizontal line. Since this is generally not used for graphic displays it poses no problem.

For most users who can never remember their Viatel user identification number I would have liked to see an auto-logon of the user id. The ASCII terminal mode has programmable function keys. 'Tis a pity a few couldn't be provided for Viatel. However, just how much can fit in a small cartridge!

Terminal Mode

The other option from the main menu is the normal ASCII terminal mode. A large range of terminal parameters may be chosen.

- Baud rates 300,600,1200,2400, and 1200/75. The 1200/75 terminal mode is very useful. A number of local BBSs are will be moving to an optional 1200/75 for faster access and downloads in the near future.
- Full or half duplex, parity, stop bits, word length.
- Optional carriage return after line feed (very useful).
- Display width 40 or 80 columns.
- Ability to use prestel (Viatel) graphics in terminal mode. Good for access to other 1200/75 or 300 baud videotex services such as Minerva via Austpac, Agridata videotex farm data base, Teledata, and others.

The actual terminal mode provides many nice features.

- A 14800 byte workspace for logging of on-line sessions. Workspace can be readily turned on or off to selectively log only important parts of a session. A flashing warning is provided when there are less than 1000 bytes left in the workspace.
- Workspace may be viewed or printed while on-line.
- Workspace may be saved (or loaded) to disk/tape
- Workspace can be transmitted directly. A file may be written with Easyscript, loaded into the workspace, then transmitted to the BBS or other user.
- Upload and Download with the most popular XMODEM protocol for either disk or tape.
- Optional key click.
- A carrier detect indicator (a telephone icon which flashes when no carrier is detected - will not work on a simple three wire connection of course.)
- Selectable screen and character colours.

Using Terminal Mode.

With developing our local BBS and other 300 baud communications, I would have spent over 10 hours on-line in terminal mode and it has performed without a hitch. Occasionally, the first few characters displayed on the screen at the initial log-on have been garbled but this is most likely caused by line noise or errors at the receiving end. When accessing OTC's Minerva or Telecom's new Telememo service this often happens, but after log-on everything works fine.

The XMODEM download and upload is quick and reliable, maybe even slightly faster than that in the new VIP Terminal XL program.

Depending on the colour combinations, the 80 column mode is quite good, even on my Sony TV. It is particularly useful for

Continued on page 42

Beginners Corner: BASIC Error Messages

Paul Blair

One of the most difficult skills for the new user to acquire is the ability to enter a program correctly at the first attempt without creating any extra errors. Don't worry if this happens to you occasionally, it happens to even the most experienced programmers all the time. However the experienced programmer can generally look at the offending line and rapidly find and correct the problem. For the beginner, just finding the error can be a frustrating experience.

Most beginning programmers quickly fall into the trap of trying to make the program more complicated than it actually needs be. One can always add the smart tricks once the program has done the basic job for which it was written.

A good rule is that if the program is very complicated and difficult to comprehend, then it probably is badly written program and most likely will take longer to debug than it took to write in the first place. At best it will work only for the specific job and not be readily adaptable for future problems.

One of the most difficult things to teach programming students is to plan the program carefully then write it in a series of simple, well documented, logical steps. These can be combined to solve a complicated problem. There is no point in saving program lines or making the program run 10% faster if it simply makes more errors! Plan the program, get it working correctly, then add all the frills.

One energetic person I know wrote a nice program to run the accounts of a service station. Only one problem - the program was 35K long and ran out of memory after entering two days takings! After some thought, and a lot of hard work, the program was rewritten in a more logical manner, eventually reducing to only 9K and would now keep track of all the accounts for a year!

Let's look at some of the typical errors messages encountered with Commodore BASIC programs and attempt to provide an analysis of what to look for and when. A few simple rules are also included. These provide only a rough guide and not an absolute truth! (In any case, most good programmers define their own set of guidelines with experience.)

One further complication arises if too many statements are placed on the one BASIC line. Often it can be difficult to decide which statement contains the error. In such cases, if all else fails, divide the line up into specific statements and put them all on separate lines to find out which is incorrect.

Some of the typical errors in programs are

?SYNTAX ERROR IN xx

The most common error is often caused by a simple typing mistake when entering a line. It means that the BASIC statement is unacceptable to the computer. This may be due to several causes. First of all, one must remember and look for the normal structure

of the BASIC statement.

That is

1. Line Number 0-63999
2. Command (Keyword)
3. Expression terminated by the end of a line or a colon ':'
4. A new Command keyword must immediately follow the colon ':'

This is the most common typing error. Some typical examples are

- Incorrect spelling of a BASIC keyword (PRINY instead of PRINT, or leaving spaces between commands, for example GO SUB instead of GOSUB)

- Line does not start with keyword or the equivalent LET command. For example forgetting PRINT as in 100 "HELLO FRED"

- Mathematical expression with incorrect number of brackets (number should always be even).

For example 100 A=(5*(X+9)*(Y+2)

- Incorrect variable name. (Variables should be kept to a maximum of two characters with first character A-Z and second character A-Z or 0-9, followed by variable type of integer '%' or string '\$' if required. Variables TI, ST, ON, FN, IF, and DS in BASIC 4 machines) are 'reserved words' (reserved for BASIC's own use) and cannot be used for user defined variable). Typical example

215 A#=12.6
or 150 FN=9

- Parenthesis (inverted commas) or commas missing, or commas and semicolons interchanged. For example

200 INPUT "NAME",A\$ (semicolon required, not comma.)

- Incorrect matching of variable types in READ and DATA statements. If a READ command attempts to read a number and the corresponding DATA statement contains a string variable, the SYNTAX ERROR will be shown as in the DATA statement. In reality it may be in either the READ or DATA statements. For example

100 READ A
110 DATA HELLO

Where is the error? Should Line 100 contain A\$ or is there a number value missing from Line 110? On the other hand, if a 'number' is read into a string variable, no syntax error results but the program may not work as advertised. (Difficult to find.)

?TYPE MISMATCH IN xx

A very specific error and easy to spot. Hopefully caused by typing errors and not a misunderstanding of variable types. Typical examples occur when trying to assign a string variable to a number and vice versa. As with

100 A="HELLO" (should be A\$)
or 110 X\$=25.697 (should be X or "25.679")

?UNDEF'D STATEMENT ERROR IN xx

Caused by a GOTO, GOSUB, or RUN to a line number which does not exist. Easy to find by simply listing the program to check if the offending line is there or not. This can be difficult to correct if entering a program from a book or magazine since one has to simply make the best guess as to which line number was actually intended. In your own program, this should be easily fixed by finding the correct line number.

?REDIM'D ARRAY IN xx

An attempt has been made to re-DIMension an array that has already been DIMensioned. One trap is that an array can be DIMensioned automatically, almost without your knowledge. If, for example, the variable Q(5) is used, then the array Q is automatically DIMensioned as if you performed a DIM Q(10). Any attempt to DIMension Q at a latter date will be in error.

All arrays should be only DIMensioned once and preferably at the beginning of the program.

?BAD SUBSCRIPT ERROR IN xx

Occurs when the value of the subscript for an array variable is negative, greater than the DIM statement allows, or uses the wrong number of subscripts. Or, an array variable larger than 10 is used without being DIMensioned at all!

Examples

10 PRINT Z(25) Array Z() not DIMensioned first.
20 INPUT S\$(2,5) Array DIMensioned as S\$(10)

often this error will occur in a statement such as

10 PRINT D(J)

In such cases the value of J must be determined at this point to check if it is within the limits defined by the DIM statement. (Ask the computer with PRINT J and check if within the allowed limits.)

One other trap for beginners is the following

10 PRINT TAB (30)"HELLO"

The 'space' left between the TAB and ' means that the line is not interpreted as a 'TAB(30)' statement at all but as the floating point array variable 'TA(30)'. Do not leave any spaces within keywords like TAB(or GOSUB etc.

?ILLEGAL QUANTITY ERROR IN xx

This is caused by the expression used in a function or BASIC command being outside the legal range. Typical examples are

- attempting to equate an integer variable to a value less than -32767 or greater than +32767.

Continued overleaf

Continued from previous page

```
as 100 A%=25413
or 100 X%=A*B*C
```

which gives a value greater than 32767

- A POKE to memory location NOT between 0 or 65535, or with a value greater than 255 or negative. This often happens when using variables.

```
as POKE 12654, A
```

where A turns out to be 1256 or similar because of an earlier error.

- A CHR\$ value outside 0-255.

```
as PRINT CHR$(259)
or PRINT CHR$(A)
```

where a is <0 or '255

- Attempting to find the ASCII value of a null string.

```
as AS$="": PRINT ASC(AS$)
```

This can often happen when getting information from the disk or tape. When read from disk or tape, a zero byte (a CHR\$(0)) is actually returned as a null string, that is AS\$="". Therefore always use the expression

```
PRINT ASC(AS$+CHR$(0))
```

? NEXT WITHOUT FOR ERROR IN xx

Hopefully this shouldn't happen in a well planned program. (Happened in one of mine recently!) In simple terms it may possibly be the result of bad nesting of FOR/NEXT loops or misspelling of the variable name. An example of bad nesting is

```
100 FOR X=1 TO 10
110 FOR J=1 TO 50
120 PRINT J*X
130 NEXT X
140 NEXT J ## error
```

This type of problem can be avoided by not using the variable name in the NEXT statement. But, you should only do this once you are sure that you are writing the program correctly in the first place.

There are other causes of this error which may be quite involved. One example is when the program jumps to within a FOR/NEXT loop. For example

```
100 FOR X=1 TO 20
110 PRINT "COUNT=";X
120 NEXT
130 GOTO 110
```

? OUT OF DATA ERROR IN xx

Results from an insufficient number of items in a DATA statement when a READ statement is used. For example

```
10 READ A,B,C,D,E
20 DATA 5,6,8,9
```

This often occurs in programs from magazines which contain a machine code, sound, or sprite routine where values are read and POKEd into memory. If the program contains a few hundred DATA lines it can be very difficult not to make a typing error. All you can do is check each line carefully. One small check is to compare the end of the previous DATA line with the end of the one currently being typed and how they appear in the original listing. For example, in the following

```
100 DATA 22,55,125,89,236,125,15
110 DATA 2,9,22,66,3,33,66,54,4
```

check if in the magazine listing that the '4' at end of line 110 is under the '1' of line 100.

Another simple cause of this error is pressing the RETURN key on the READY line. This attempts to READ Y.

? DIVISION BY ZERO ERROR IN xx

Not always an easy one to find. As stated in the error message an attempt has been made to divide by zero. This is not allowed in BASIC. A typical case might be

```
100 X=A/Q where Q=
or 100 PRINT A*(B-C)/(X Y) where X-Y
equals 0.
```

In such cases, the value of each variable must be determined to find which is causing the problem. However the actual cause of the problem may occur far earlier in the program.

? CAN'T CONTINUE ERROR

Occurs only when the CONT statement has been used to continue a program which was stopped by use of a STOP or END statement or by pressing the RUN/STOP key. There are five simple causes for this error.

- The program has never been RUN in the first place.

- The program has stopped due to a ?SYNTAX ERROR or similar and not as above.

- The variables have been cleared by using a CLR statement after program stopped.

or more likely

- The program lines have been edited after stopping. This clears all variable.

- Or a SYNTAX or other error has occurred in the direct mode after the program stopped. Typically you accidentally pressed RETURN on the READY or similar.

? EXTRA IGNORED

One main cause is attempting to use a comma or colon in an input statement. For example, assume the program contains a line

```
100 INPUT "ENTER ADDRESS";N$
```

Any attempt to enter something like- 12 GREY ST, ELMORE -will generate this error and everything after the comma will be ignored. (N\$ will contain 12 GREY ST.) Don't use commas or colons with the INPUT statement. Or, uses a leading quote (") if absolutely vital.

That's enough for now. If you have a particularly difficult problem, send it in to us and we will attempt to answer it in the Doctor column.

Continued from page 29

Commodore Telecomputing

```
0 PARITY bit (sometimes)
1 then a one or two 'STOP' bits
1 ok waiting for next start bit
1 still waiting
```

From this it can be seen that sending an normal 8-bit character actually involves sending between 10 and 11 bits of data.

Baud Rate: A baud rate of 300 baud will transfer 300 bits per second which, assuming 10 bits per character, means 30 8-bit characters per second. Baud rate must be selected to conform to that of the modem.

Word Length: Defined as the actual number of bits used for the character data. Optionally, 5,6,7 or 8. Select 8 unless otherwise advised. 7-bit words are used for Viatel and 5 and 6-bit words are very rare.

Stop Bits: The number of bits required to signal an end of character transmission. Optionally 1 or 2. Select 1 unless otherwise advised.

Parity: Parity bit is used as a check digit for the data bits. Five types - None, Even, Odd, Mark, Space. Briefly, a parity bit of 1 or 0 is used to make the total number of '1' bits for the character odd or even. Mark parity always send a '1' and space parity always sends a '0' bit. Select None unless otherwise advised. Often word length and parity are related to make an 8-bit total. That is 8-bit word, no parity, or 7-bit word with parity.

ASCII Conversion: Convert CBM-ASCII to 'true' ASCII or not. (Lower case CBM ASCII equaly uppercase true ASCII and vice versa.) When accessing a BBS or a non-

Commodore computers, use standard ASCII. For C64-C64, CBM ASCII may probably be ok depending on the terminal program.

Other Parameters.

Two other parameters are often used when accessing BBS. These are

Line Feeds: Depend on whether the sending system sends a line feed character as well as a carriage return at the end of each line. If it does not, then everything will appear on the same line. If in doubt, select for incoming line feeds. Normally not required when sending.

Nulls: 'How many nulls do you require?' is often asked when you log on to a BBS (especially of the RCPM type.) A null means a null character sent after each carriage return to prevent loss of any data bits. Select one if in doubt.



(c) Greg Perry 1985

ADVENTURE HELP

Michael Spiteri

Welcome to ADVENTURE HELP, where I will try to help adventurers escape or solve a certain problem in their games. If you are stuck in any adventure game, tell me your problem, and I'll see what I can do. If I can't help you, I'll print your problem on this page and hope that someone can help. If I can help you, you MIGHT receive the tip in the mail, otherwise, it will be printed in a future issue of the magazine...please be patient.

Those who are on VIATEL can send me their problem via electronic mail....my VIATEL number is: 378697780.

That way I can give you an immediate reply.

I received a very rare letter from a PLUS/4 adventurer. Col Ronneberg is stuck in SCOTT ADAMS STRANGE ODYSSEY. He can't seem to find a new crystal.

What he has found however, is a cave with a large boulder in it. Can anybody help??

John Watson was stuck in SHERLOCK. In fact, he couldn't get anywhere! Here are a few tips for SHERLOCK suckers:

A MAJOR FFORBES, will appear on the scene. He will hit one of the policemen and go home. Make sure you are with MAJOR FFORBES, and make him at least answer a few questions. He is a prime suspect... or is he? Try paying him a visit at his home....you'll have to ask HIM where he lives.

WITNESS fans should be aware of Infocom's help facility. Good ol DUFFY will give you help, but you have to ask him for it!

MOUNTAIN VALLEY SOFTWARE have special hint sheets for all their games! Write ot PO BOX 407, Boronia, Vic 3155 for more information.

Those stuck in EUREKA in the KING ARTHUR era, the tune you're after is a popular Elvis tune. Think about the present the old woman gave you, and give it a live sentence...got it yet?

Lot's of adventurers are stuck in CASTLE OF TERROR, some cannot enter the castle! Examine something in the old mill, then try entering the castle. Huh? Try the ladder!

Thats it for this issue, but don't be scared to ask for help. I also want to know what your "favourite" and "not-so-favourite" games are.

Write to me at the address given below or send me a message on VIATEL.

C/O Publisher
Commodore Magazine
82 Alexander Street
Crows Nest N.S.W. 2065

POSITION VACANT: Michael Spiteri is cutting back his workload with the magazine as next year is his final year at school. He has this twisted view on life that it is somehow important to study. Adventure Help is one of the columns he will dropping. If you have had wide experience, a vast library and suitable contact list to write this column please contact the editor. Pay is minimal, insults are high and pressure excessive.

BEYOND POLAR GRAPHS

Peter Davies

My article on polar graphs (Vol 5 No 1) created some interest. It was written for Year 11 students of mathematics to put a bit more interest into the topic - working with a calculator and using graph paper is quite tedious and limits the topic to very simple curves.

A friend and neighbour was experimenting with the polar graphs on his Amstrad and he saw no reason why the calculation of the x and y co-ordinates should be limited to $X=R*\cos(A)$ and $Y=R*\sin(A)$.

He tried the likes of


$$X=2*R*\cos(A)*\sin(A/2)$$



Fig 1.

Fig 2

Note that the graph is still incomplete even though 3000 points were used.



Of course the resulting graphs can no longer be described as polar in the strict mathematical sense - a more accurate description would be parametric graphs I would think. Anyway some extremely complex graphs result.

The example shown was produced from

$$\begin{aligned} R &= 50 * (\cos(5 * A) / 2) + 50 * \sin(A / 2) \\ X &= 2 * R * (\cos(A) * \sin(A) + 160) \\ Y &= 1.8 * R * \sin(A / 2) + 20 \end{aligned}$$

I have been asked several times 'What use is it?'. Who cares! It is fun, though polar graphs do have uses in describing the characteristics of microphones. Points to watch - I have found no easy way of determining the upper limit of the loop in the programs using this variation. Also, some of the graphs are so complicated that they show up fairly poorly on the screen. The 1520 plotter can handle them though with its 480 by 960 'resolution'.

The Printer Page

Paul Blair

It seems that there is a lot of interest in this subject, and as long as you keep showing it, we'll keep trying.

Mike Utting wrote to me from Katoomba, up thar in the Blue Mountains. Mike had been trying to make his word-processor do some of the things we listed (fig 1), but without success. He now knows how to handle a lot more features of his printer, but not before he had written a program for his particular printer set-up.

Presets discussed in greater detail in Issue 31 Commodore Magazine on the Printer Page.

Commands where no presets are required.

Function	Effect	Keypresses
Underline ON	Underline until an Underline OFF cmd is sent	F1//+
Underline OFF	Turn off underline	F1//I
Double Strike	Print twice in same place	F1//UA//G
End D. Strike	Revert to standard	F1//UA//H
Emphasized ON	Print, move paper, print again	F1//UA//E
Emphasized OFF	Revert to standard	F1//UA//F
Italics ON	Print italics	F1//UA//4
Italics OFF	Guess What!!	F1//UA//5

Commands requiring presets before using them.

Function	Effect	Presets/Keypresses
Enlarged print	Double width	6=14 F1//6
Normal print	No more big-uns	7=20 F1//7
Compressed ON	Half width	8=15 F1//8
Compressed OFF	Normal again	9=18 F1//9
Superscript ON	Print above line	0=0 F1//UA//S//F1//0
Superscript OFF	Line up again	None F1//UA//T
Subscript ON	Print below line	1=1 F1//UA//S//F1//1
Subscript OFF	Normal again	None F1//UA//T

Our first column was written around a simple cable connection between a C=64 and a Gemini printer. Mike pointed out to me that many people have the C=64 with Cardco interface to their Gemini's, which is doubtless true. Mike had worked out how to control this configuration from BASIC, and kindly agreed to have his program put before you.

In the program, you will find nearly all of the useful combinations you will want. There are lots of REMs, so it is all easy to follow.

64/GEMINI/CARDCO

```

100 REM: SAMPLE PRINTER PROGRAM BVXB
110 REM: CONFIGURATION: BPSA
120 REM: COMMODORE 64 BMPA
130 REM: GEMINI 10X BKIB
140 REM: CARDCO INTERFACE BQGE
150 REM: BBAA
160 REM: MIKE UTTING, KATOOMBA NSW BXJ
170 :ABHC
180 REM:*** THIS IS "ESC CODE A" BKDI

```

```

190 REM:*** BASED ON P22 OF INTERFACE BOOK BEVM
200 REM:*** DEFINE ESCAPE CHAR SET BXWC
210 AS=CHR$(27):REM ** ESCAPE CODE DTDD
220 BS=CHR$(17):REM ** LOWER CASE ON DUVE
230 CS=CHR$(145):REM ** UPPER CASE ON DVTG
240 DS=CHR$(14):REM ** EXPANDED ON DTDG
250 ES=CHR$(15):REM ** EXP OFF+COND ON AFTER
    EXP/COND ON DMJM
260 IS=CHR$(20):REM ** CONDENSED ON DUBI
270 GS=CHR$(18)+CHR$(146):REM ** CONDENSED OFF FBIM
280 HS=CHR$(14)+CHR$(20):REM ** EXP/COND ON FXJM
290 IS=AS+CHR$(45)+CHR$(1):
    REM ** UNDERLINE ON (ESC"~")GGPQ
300 JS=AS+CHR$(45)+CHR$(0):
    REM ** UNDERLINE OFF (ESC"~")GHBI
310 KS=AS+CHR$(52):REM ** ITALICS ON EUNF
320 LS=AS+CHR$(53):REM ** ITALICS OFF EVCG
330 MS=AS+CHR$(1):REM ** PICA ON FQMH
340 NS=AS+CHR$(2):REM ** ELITE ON FRAI
350 OS=AS+CHR$(3):REM ** COMPRESSED ON FWBL
360 PS=AS+CHR$(64):REM ** WILL CANCEL ANYTHING EEUN
370 QS=AS+CHR$(65):REM ** EMPHASIZED ON DTGL
380 RS=AS+CHR$(66):REM ** DOUBLE STRIKE ON DVWM
390 SS=AS+CHR$(67):REM ** DOUBLE STRIKE OFF DWGO
400 TS=AS+CHR$(68):REM ** EMPHASIZED OFF DUWF
410 US=AS+CHR$(69):REM ** SUPERSCRIPT ON FXHI
420 VS=AS+CHR$(70):REM ** SUB/SUPERSCRIPT OFF DAFJ
430 WS=AS+CHR$(71):REM ** SUBSCRIPT ON FVBJ
440 :ABHC
450 OPEN#4:PRINT#4"CFGF
460 PRINT#4,"THIS IS NORMAL UPPER CASE."BCBM
470 PRINT#4,"THIS IS NORMAL "BS"LOWER "CS
    "AND UPPER CASE."BGN
480 PRINT#4,"THESE ARE":BDVJ
490 PRINT#4,DS"EXPANDED":BFML
500 PRINT#4,ES"NORMAL":BFNC
510 PRINT#4,HS"EXPANDED/CONDENSED":BFTG
520 PRINT#4,ES"AND CONDENSED":BFCG
530 PRINT#4,GS"CHARACTERS":BEYG
540 PRINT#4,IS"THIS IS UNDERLINED":BFXJ
550 PRINT#4,JS"AND THIS IS NOT":BFSJ
560 PRINT#4,KS"THIS IS ITALIC CHARACTER SET":BFRO
570 PRINT#4,LS"NOW NORMAL":BEJK
580 PRINT#4,MS"THIS IS PICA
    ABCDEFGHIJKLMNOPQRSTUVWXYZ"BENT
590 PRINT#4,NS"THIS IS ELITE
    ABCDEFGHIJKLMNOPQRSTUVWXYZ"BECV
600 PRINT#4,OS"THIS IS COMPRESSED
    ABCDEFGHIJKLMNOPQRSTUVWXYZ"BEUO
610 PRINT#4,GS"NOW NORMAL":BEWF
620 PRINT#4,FS"THIS IS CONDENSED
    ABCDEFGHIJKLMNOPQRSTUVWXYZ"BETQ
630 PRINT#4,GS"NOW NORMAL":BFGH
640 PRINT#4,QS"NOW EMPHASIZED":BFKJ
650 PRINT#4,RS"NOW EMP/D-STRIKE":BFNL
660 PRINT#4,DS"EXP/EMP/D-STRIKE":BEAM
670 PRINT#4,PS"NOW NORMAL":BFPL
680 PRINT#4,RS"NOW D-STRIKE":BFRL
690 PRINT#4,SS"BACK TO NORMAL":BEMO
700 PRINT#4,DS"EXPANDED":ESBGAF
710 PRINT#4,DSQS"EXPANDED"ESTS"WITH EMPHASIZED"
    BKWL
720 PRINT#4,DSRS"EXPANDED"ESSS"WITH DOUBLE STRIKE"
    BKNN
730 PRINT#4,DSQSRS"EXPANDED"ESTSSS"WITH EMPHASIZED
    AND DOUBLE STRIKE":BOET
740 PRINT#4,KS"THIS IS ITALIC":BEKK
750 PRINT#4,QS"THIS IS ITALIC WITH EMP":TSBGGO
760 PRINT#4,RS"THIS IS ITALIC WITH D-STRIKE":SSBGKQ
770 PRINT#4,QSRS"THIS IS ITALIC WITH BOTH":LSTSSS
    "NOW BACK TO NORMAL":BMAW

```

Continued on page 42

New Avtek MultiModem II

Australia's top selling modem

is now 5 ways better

1. Fully Viatel compatible. Multimodem provides the 1200/75 baud rate necessary for Viatel and the new generation of high speed databases.

With Multimodem you won't be left out in the cold.

2. Fully integrated baud rate convertor (optional).

Multimodem II provides 1200/75 baud communications for computers such as Commodore, IBM, Osborne, Kaypro and MicroBee which do not support split baud rate as they stand.

Note: in order to operate on Viatel you will need special software. Avtek can supply software for a number of machines. For other machines, please contact your dealer directly.

3. Internal expansion buss. A Multimodem first. As developments come along, Multimodem will handle them.

4. Auto answer facility is a true 'ring detect' circuit.

Multimodem II can actually sense an incoming call and respond immediately.

It is completely independent of the strength of the ring voltage.

5. Interfacing is easy.

Multimodem now provides front and back channels that are fully integrated.

No need for special cables when using 1200/75 and other split baud rates.

And Multimodem II still incorporates all the features that have made it Australia's first choice.

1. Advanced digital filtering and signal processing.

Multimodem II provides the highest standards of data integrity. You will get reliable data transfer on lines where other modems simply cannot function.

2. Multimodem never requires adjustment. Complex

modulation, demodulation and filtering are performed by crystal locked filters. Critical analogue adjustments give way to crystal locked precision.

3. Australian and US standards at the flick of a switch. CCITT and Bell standards let you talk to any database or other computer in the world.

4. Full Analog and digital loopback facilities. Fast testing of line, computer, cabling and modem.

Multimodem II **\$365.00**

Multimodem II inc. auto answer **\$399.00**


Multimodem II inc. auto answer plus baud rate convertor **\$485.00**

Minimodem II.

New improved version of the famous Minimodem provides the reliability and digital filtering of the

Multimodem. Features include:

☒ Now provides Viatel (1200/75 baud rate) and 300/300 full duplex as standard.



☒ Commodore VIC 20 and 64 version now available. These plug directly into the user port. No need to buy expensive RS232 adaptors.

☒ Can be powered by the computer directly (for example MicroBee and Commodore).

☒ On 1200 baud (e.g. Viatel) special equalisation is available for improved results on poor phone lines.

Minimodem inc. power supply **\$199.00**

Minimodem (suit Commodore user port) **\$235.00**

Brilliant New Software for Viatel

Avtek brings you brilliant software at reasonable prices:

For IBM PC (and compatibles), NEC III, Apricot, Sanyo MB550 and 555, Wang PC and TI Professional.

Black and White **\$169**

Colour **\$275**

Better Viatel for the MicroBee

There are other Viatel modifications for the Bee, but they are hardware/software modifications and they are a compromise.

Our software is undoubtedly the fastest and easiest way to put your MicroBee on Viatel. Written by Conal Walsh, famous MicroBee software developer, it provides superb, fast, Viatel access on your MicroBee without the need for messy hardware modifications.

MicroBee Viatel Software **\$49.50**

3.5" or 5 1/4" format, please specify

Modem Cables

1.8 metre male to male **\$35.00**

1.8 metre male to female (suit IBM etc) **\$35.00**

Cables are also available to suit most other non standard RS232 ports (e.g. Macintosh) ring for details **\$45.00**

AVTEK

Electronics Pty Ltd
Phone (02) 427 6688
for the name of our dealer nearest you.
Or write to us for further details at: **PO Box 651 Lane Cove NSW 2066**

SUPERBASE

Paul Blair

The small snippet in Vol 4 No 6 about SUPERBASE (I will call it SB from now on) has generated a lot of interest. It seems that there is a lot of interest in using databases on the C64 (of course, versions of SB, sometimes hiding behind different names, are available for other Commodore computers).

The Editor (the ugly feller on the Editorial page who keeps us chained up and pays us his loose change) has churlishly agreed to make space available between the ads to discuss some of the better things of life, SB among them. And having made the suggestion, guess who gets to write the page?

If that frightens you (it frightens the hell out of me), rest easy. I intend to let you do the work, while I sit back and get to use your elegant, practical and efficient routines for my own work. Clever, huh?

Having defined the ground rules, I genuinely hope we can help each other to get more out of SB. Maybe you can understand the manual? Fine, write and we'll let Australia know about it, and maybe even let the Kiwis have a read too. Know how to set up labels with three fields on one line? Really? That could earn you a few letters of gratitude.

So fire up your C64 (or whatever) and start work. This column depends on you.

From time to time, we do get some material from ICPUK (UK), and despite their dismal grasp of the Queen's language, some (most?) of it is useful. We'll include the juicy bits where appropriate.

DELETE ROUTINE

This issue I will relate a cry from the heart of one Michael Robertson of Bacchus Marsh in Victoria. He wrote:

"Is there any way to delete large numbers of unwanted records from a file without going through the tedious and time consuming task of pressing the 'D' and 'Y' keys from the SELECT screen?". He continues "I have tried using the BATCH command but to no avail".

Michael points out that building a key list with FIND takes forever if the file is cluttered with extraneous junk. Good point.

I rang a few people in Canberra who are keen SB users and put the problem to them. I got no useful responses to pass on to you, but I did get a heap of "if you DO find out, please let me know". So a solution (if you have one) would win considerable approval. Write in (don't forget to include your name and address—you would be surprised at how many writers are shy) and tell us how you cope. There will probably be less sleepless nights at the Marsh as well.

Ed - I've received a couple of letters regarding this problem and published an answer here without Paul having a chance to run his eye over it.

SUPERBASE MULTIPLE DELETE ROUTINE

```
100 find "hlist" where "<search criteria for
records to be deleted>"
200 select from "hlist"
300 eof menu
400 select delete
500 goto 200
```

Note: See Prog section of Manual for how to enter programs (f5 from Menu 2).

This answer was from Ian MacColl. Similaa answer was also received from Brian Gower

Also

```
10 rem ***** DELETE ALL RECORDS
*****
20 display:across
30 select first
40 a$=[KEY FIELD]:display @1a$;
50 select delete:display @28"Deleted"
60 eof menu
70 goto 40
```

This program can be easily modified to add a conditional test after line 40. Depending on the result of the test, program flow could be directed to line 80.

```
80 select next
90 eof menu
100 goto 40
```

From R.J. Macaw, Frankston VIC

EXPORT/IMPORT

The second matter being discussed among some User Groups/SBers relates to the EXPORT and IMPORT functions. EXPORT, if you haven't used it, permits a SB file to be written out as a SEQ (sequential) file. The SEQ file can then be read with a Basic

program of your own devising, and you can then twiddle it and fiddle it at will. IMPORT is the reverse, converting a SEQ file into SB format for storage.

I first struck the problem when the local User Group membership records went awry. The Secretary, John Hambley, sought help with file reconstruction after something went wrong. John had followed the manual to the letter, and got a nasty shock when the sky fell in. This let me in for some hours work—first while I figured out how SB stores its records (I might pass that on one day if I can find my notes), then a bit more time purging the disk. I recovered all but 2 records (out of 330 odd), but the program had crashed because the disk sector link bytes on two DOS-adjacent sectors were pointing at each other—a 1541 version of perpetual motion. Then I found that the pointers used by SB to index a particular record were mangled—one record had two pointers, and neither could be erased. Do you ever have those sort of days?

Then news of other EXPORT/IMPORT crashes started filtering in. By this time my interest was aroused, so I set out to cause a crash from a sample program, which I did. Then, more by luck than any deeply reasoned calculation, I made sure every field of every record had an entry, even if it was something chosen to be of no program use (Z or zero was what I chose). This time—no problems.



I may have been lucky, or maybe I did nothing sinister to bring on spasms. For what it is worth, that was my experience. What has yours been?

I still haven't seen SB V2, although I notice some good prices for V1 being advertised (this is early June) probably due to end of financial year stock clearances. Chambers are advertising a "Mar 85" version for (ouch) \$199. Presumably it is V2, but there is no confirmation of that. If Precision Software or their Australian agent would like to forward a copy, we can let you know more about it.

For everyone's benefit, would anyone like to comment on use of SB with FLASH, EPYX cartridge, EXPRESS or any other (legal) hang-on for faster disk access?

We await your contributions. Remember that, with near-monthly publication, there will be a time lag between you writing and us responding in print. But if it's good enough, who minds waiting?

(C) 1985 Paul Blair

IEEE  COMMODORE
PARALLEL  64
FOR SPEED
FOR CAPACITY

LEADING EDGE PARALLEL 64

Use CBM 1001, 2031, 4040, 8050, 8250, 9060 or 9090 Drives. Use MSD Dual or Single Drives. Use ANY of these with a 1541 on line at the **SAME TIME!**

Features:

- Built into Kernal ROM for total transparency.
- You select screen colours, default device, serial device numbers.
- Unlike some interfaces, does not degrade drive speed at all.
- All serial routine entry points redirected for Parallel.

VICWEST
DISCOUNT
COMPUTER STORE

1001 DISK DRIVE NOW ONLY \$349
LEADING EDGE INTERFACE ONLY \$199


Six times the speed and Six times the capacity of 1541
— You cannot get more bytes per buck anywhere!

Call or write for info.

(09) 445 2152

Shop 6, Innaloo Shopping Centre,
Innaloo W.A. 6018.

NOTE:
This subscription offer supercedes and invalidates all subscription and re-subscription offers prior to the date shown on card.



PLEASE ALLOW 4-5 WEEKS FOR FIRST ISSUE DELIVERY
VALID FROM OCTOBER 1 1985



SAVE ON NEWSTAND PRICES BY SUBSCRIBING

☐ 6 ISSUES \$22.50

START AT ISSUE 33

Enclosed please find Cheque/Money Order for \$...

CREDIT CARDS:

Bankcard/Visa/Mastercard/AMEX No.....

NAME

ADDRESS

CITY..... STATE/P.CODE.....

Signature Expiry Date

NEW ZEALAND \$NZ25.00 (Personal cheques accepted) + \$A8 Airmail

OVERSEAS \$A27.00 + \$A8 Airmail (optional)



PLEASE ALLOW 4-5 WEEKS FOR FIRST ISSUE DELIVERY
VALID FROM OCTOBER 1 1985



SAVE ON NEWSTAND PRICES BY SUBSCRIBING

☐ 6 ISSUES \$22.50

START AT ISSUE 33

Enclosed please find Cheque/Money Order for \$...

CREDIT CARDS:

Bankcard/Visa/Mastercard/AMEX No.....

NAME

ADDRESS

CITY..... STATE/P.CODE.....

Signature Expiry Date


NEW ZEALAND \$NZ25.00 (Personal cheques accepted) + \$A8 Airmail

OVERSEAS \$A27.00 + \$A8 Airmail (optional)

We're Cleaning out the STOREROOM Get Your Missing Copies while stocks last.



Delivery
Some Issues are in limited supply. Sales will be made on a "first come first serve basis."



BACK ISSUE ORDER FORM

PLEASE FORWARD ME THE FOLLOWING BACK ISSUES OF COMMODORE MAGAZINE

VOL 4	1 <input type="checkbox"/>	VOL 4	6 <input type="checkbox"/>
	2 <input type="checkbox"/>	VOL 5	1 <input type="checkbox"/>
	3 <input type="checkbox"/>		2 <input type="checkbox"/>
	4 <input type="checkbox"/>		3 <input checked="" type="checkbox"/> SOLD OUT
	5 <input type="checkbox"/>		

Enclosed is Cheque/Money order for \$

CREDIT CARD:

Bankcard/Visa/Mastercard/AMEX No.....

NAME

ADDRESS

CITY..... P/CODE.....

Signature Expiry Date

N.Z. & Overseas - Please pay in Australian Currency

N.Z. personal cheques accepted at current rate of exchange.

array does not
check is made that each element does not
exceed 255. If numbers larger than 255 are

as useful subroutines in your own COMAL
Subject of price, I am very critical of
Australian publishers' pricing policy for
Continued overleaf

POSTAGE
PAID
WITHIN
AUSTRALIA

FREEPOST 24
KIM BOOKS
82 ALEXANDER ST.,
CROWS NEST 2065

POSTAGE
PAID
WITHIN
AUSTRALIA

FREEPOST 24
KIM BOOKS
82 ALEXANDER ST.,
CROWS NEST 2065

POSTAGE
PAID
WITHIN
AUSTRALIA

FREEPOST 24
KIM BOOKS
82 ALEXANDER ST.,
CROWS NEST 2065

- numbers
- Unlike some interfaces, ...
- All serial routine entry points redirected to ...

by David Roth

```
a[1] := 40 ;  
a[2] := 20 ;  
..... and so on
```

```

or
alpha[1] := "abc" ;
alpha[2] := "def" ;

```

But there is a better way. The following technique provides a useful way of setting up BASIC-like DATA statements in a G-Pascal program. It allows tables of strings or numbers to be more easily set up.

The following program sets up the 'DATA' at the start of the program as 'comments'. Each data element must be 3 digits, i.e. 1 = 001.

```

1: (*
2: 001002003004
3: 095160160186186186186186186186
   186186186160105££££*)
4:
5: varj : char;
6: z : array [80] of char;
7: (* read the data lines *)
8: procedure read data;
9: const start source = $4000;
10: var i, ptr : integer;
11: begin
12: for i := 0 to 79 do
   z[i] := 0 ; (* clr array *)
13: i := 0;
14: ptr := start source - 1;
15: repeat
16: ptr := ptr + 1
17: until memc[ptr] = "(";
18: ptr := ptr + 3;
19: repeat
20: z[i] := (memc[ptr] - $30) * 100;
21: z[i] := z[i] + ((memc[ptr + 1] - $30) * 10);
22: z[i] := z[i] + memc[ptr + 2] - $30;
23: i := i + 1; ptr := ptr + 3;
24: until (memc[ptr] = " " ; (* delimiter ? *))
25: end;
26: (* mainline - display the data *)
27: begin
28: read data;
29: (* display the data *)
30: forj := 0 to 74 do
   writeln(z[j]);
31: end.

```

required, then the receiving array must be defined as INTEGER.

The following program handles string data.

```

1: (*
2: Mary had a little lamb, its fleece
3: was white as snow.££££££)
4:
5: var j, k : char;
6: z : array [80] of char;
7: (* read the data lines *)
8: procedure read data;
9: const start source = $4000;
10: var i, ptr : integer;
11: begin
12: for i := 0 to 79 do
13:   z[i] := " "; (* clr array *)
14: i := 0;
15: ptr := start source - 1;
16: repeat
17:   ptr := ptr + 1
18: until memc[ptr] = "(";
19: ptr := ptr + 3;
20: repeat
21:   z[i] := memc[ptr] ;
22:   i := i+1; ptr := ptr + 1;
23: until (memc[ptr] = " " ;
24:   (* mainline - display the data *)
25: begin
26:   read data;
27:   (* display the data *)
28: forj := 0 to 79 do
29:   write(z[j]);
30: writeln
31: end.

```

Notice that the use of “*****”) as a delimiter for the ‘DATA’ rather than looking for the ending “*****)” for the comment allows “*****”s to be included in the ‘DATA’.

© David Roth 1985

REVIEW

Commodore 64 Graphics with COMAL

Author: Len Lindsay
Publisher: Prentice Hall (Aust)
Price: R.R.P.\$33.95

programs. If you don't have the COMAL handbook, appendices are provided explaining COMAL structured programming, COMAL keywords and useful functions and procedures.

The book is, I think, pitched towards the 'practical' programmer or student, rather than the technical theorist. The book is basically a manual of graphics commands and does not attempt to give a full explanation of Commodore 64 graphics concepts. Each category of graphics command (TURTLE, GRAPHICS and SPRITES) is introduced by a clear and simple explanation of the concepts used. If these explanations and the examples are followed through carefully, you will gain a good basic knowledge of graphics and a sound understanding of structured programming.

Some of the examples are a little complex – the sample program for SPRITECOLOR has too many ELIFs (ELSE IFs) when a CASE construct would have been simpler. But perhaps this is an implied invitation to the reader to improve the program as a learning exercise. But most of the sample programs are quite well thought out and present interesting ideas for the reader to build on. They could be improved if they were tied together by a common theme. If each sample program was a ‘building block’ in a bigger program then you would have a clearer idea of how the commands fit in together. For example, in a ‘shoot ‘em up’ game, SPRITECOLLISION could be used to detect hits, PLOTTEXT to give the score, the TURTLE to draw a landscape, and so on. Having completed the examples in the book, you would then have a completed project to fiddle with, modify and learn from, rather than a disconnected set of examples, however excellent in themselves.

The book could also be improved by the inclusion of pictures or diagrams of the screen when the sample program is run. It is far easier to check a program from a picture than from a verbal description. And it seems strange that a book on graphics should have no pictures.

One drawback for users of the public domain COMAL version 0.14 is the limited memory available for user programs – 6 to 8K. I understand that the new COMAL version 2.0 for the 64 – now available from COMAL User Groups in the UK or USA – has over 100K available to the user, but it is expensive (over \$100 for the cartridge). The graphics commands available do get around the memory limitation to some extent, since they condense a good deal of power into one simple statement (imagine the number of BASIC lines required to implement a TURTLE). If you are too lazy to type in the examples, you can send away for a companion disk. I don't recommend this, since you can learn far more by typing in and debugging the programs (and hopefully modifying them to try out your own ideas). The disk is also rather pricy, at \$20 (US).

On the subject of price, I am very critical of Australian publishers' pricing policy for

Continued overleaf

SNIPPETS

Paul Blair

A few snippets that have come my way lately.

1. EASY SCRIPT/EASY SPELL 4040 DISKS

Despite there being some minor differences between disks formatted on CBM 4040 dual drives and those NEWed on CBM 1541 drives, many of us forget about these differences and cheerily use the disks interchangeably.

By and large, few problems arise in practice, despite the heavy warnings about going blind or whatever. But I have found that using EASY SPELL with 4040 format disks in a 1541 drive has caused me one or two heart stoppages.

Before finishing off my scribbles, I usually run EASY SPELL to check the worst of my spelling. I have noticed an odd thing when using a 4040 format disk. The problem shows up when I edit an incorrect word by adding a letter or two to a word. The program throbs on to the end quite cheerily, but reloading the file reveals that the first character of all paragraphs following the correction have vanished. Edit more words to lengthen them, and yet more letters evaporate.

I offer no explanation, because I don't have one. I know that the problem does not arise on 1541 format disks (that I can discover, anyway). Has anyone out there had a similar experience? If so, can they throw any light on the scene?

ED - Paul we've had this trouble with 1541 and the SX quite consistently. Loveto know a way around it.

2. CHIP SHORTAGES

There is a reported shortage of 6525/6526 chips, which is delaying repairs to C64's. Without them, there is no life!

There are abundant supplies available from the USA, but at a price. For example, 6526 chips would cost about \$50 each. They are less than US\$20 in quantity, but the Australian dollar is kinda sick, and duty has to be paid. The price seems to be very hefty to me, but the supplier works in the international IC market, so would have to be competitive to stay in business. Commodore, my spies report, are pretty awful in the spare part department, so if folk are desperate enough, alternate supplies could be arranged. Let us know.....

3. 8032/8096/8296/SUPERPET USERS CIRCLE

With umpteen million C64's floating around, some users of older (i.e., more than 2 years!!) CBM equipment feel left out. Many 8XXX owners wish to make contact with other owners for information exchange. If you would like to send us your name and address, a list of your computer gear and your interests, together with a self addressed, stamped envelope I will attempt to set up a register and send a compiled list to you all.

Some folk are a bit wary about these lists, fearing burglary, in which case a phone number alone could be supplied. It might take a month or two to get it together, so be patient.

While on the subject of 8XXX computers, would anyone have a copy of the instructions for a database program named DMS, a Compsort product? It is something of an antique now, and a friend of mine cannot find his set of words. Anyone who can help could contact me direct.

4. BUSCARD

Both models, I and II. There have been spasmodic reports of (a) overheating (b) problems with power line "spikes" when the fridge switches on. Any reports would be welcomed.

5. 1525 PRINTERS

A revised character ROM is now available for the later models. As with the 801, the new chip offers descenders on appropriate lower case letters (g,i,y,p,q) and overall improvements to ALL other characters. Smarten up your printout. Contact me for further information.

6. PRINTER ROMs (General)

The MPS801 printer ROM with revised characters has 'taken off', following articles in the TPUG (Toronto, Canada) Magazine and RUN. Two dealers in Canada are selling dozens each week. A mini-export drive?? Some hundreds are printing away happily in Australia and NZ, and now many hundreds more in Canada and the USA.

7. EPSON/COMMODORE PRINTER

The EPSON GX-80 is due for release in June. This model connects directly to the serial port, and uses a built-in interface to give the full Commodore character set, funny graphics, control characters and all. NLQ (near letter quality) mode promises better looking correspondence. We have a review model (Serial # 2, would you believe?) and will tell you all about it as soon as we can.

8. END OF (FINANCIAL) YEAR BLUES?

It's bargain time again. Commodore hardware and some software is being drastically reduced in price, either to clear old stock before new models, or to provide some bread for the accountants.

The C64 has been cut to \$299 (\$399 over the counter, with a \$100 rebate directly from Commodore on proof of purchase). Any bets that the \$299 price will stick? Having cut the price of the apparently not-popular C16 and Plus/4 (they can be had down to \$99 and \$280 I'm told), and other items like the 1541 disk drive (reportedly down to around \$325) and 803 printer (around \$289), it could be a

great time to get some bargains. But hurry. The release of the C128 seems likely to be brought forward to give impetus to flagging sales, and prices will then firm up again, I suspect.

9. ROM REVISIONS

The article on Kernel update (Vol 5 No. 1, page 44) had a section at the end of the listing to help load VIC tapes into the C64. Not everyone needs this, as the note at Line 2999 indicates.

With this fix in place, there may be hassles getting standard C64 tapes to load (you can't win 'em all!!), but SAVE routines will not be affected.

The tip is to only use the VIC timing fixes when it is absolutely necessary.

CONTACT

You can contact me:-
Paul Blair,
C/- Commodore Magazine,
82 Alexander Street,
Crows Nest 2065 N.S.W.


Continued from previous page

microcomputer books. They cost far more than comparable works in other technical fields and it is therefore reasonable to assume that popularity, rather than time and effort, is the principal determinant of price. The excessive price is, in my opinion, a disservice to both readers and authors and a reflection on the the business acumen of publishers. It restricts the market to wealthy readers and school libraries. Since microcomputers become rapidly obsolete (remember the VIC 20 ?), the majority of people who would like to read the book will not have access to it until it is out of date. It is therefore likely that cheaper microcomputer books would mean more sales revenue for the publisher and more royalties for the author. It would also cause demand for these books to rise generally since if people have read and enjoyed one computer book, they are likely to want to read others. This is publishers' policy in the USA and UK - in the UK, I was able to buy books comparable to, or better than, the one under review for about a third of the Australian price. Unlike supermarkets, which take great pains to study customer demand, Australian publishers (and booksellers) appear not to study their market and simply skyrocket the price if the subject is popular. If the book doesn't sell, they remainder it rather than adjust the price downwards to see if more people will buy. Unfortunately, it seems that the Australian book trade generally has only one idea on marketing and that is a wrong one.

David Roth
Canberra ACT

Call us NOW
for the latest in
Commodore Modems.

THE PRICE/PERFORMANCE WINNER



CIC300101

"CICADA" RANGE OF

- DATA MODEMS
- LINE ISOLATION UNITS
Stand Alone or built into your equipment
- LINE ISOLATION XFORMERS

* ALL DESIGNS FULLY TELECOM APPROVED

For all enquiries please contact -



187 Allambie Road, Allambie Heights, NSW 2100
Telephone (02) 451 5555 After Hours (02) 451 6244
Telex AA 22671



P.O. BOX 5A,
MT. KURING-GAI, N.S.W. 2080.
(02) 457 8289

Chart TOPPERS FOR THE COMMODORE 64

ELITE	(d)	\$45.00
	(t)	\$36.00
AIR WOLF	(t)	\$18.00
SPITFIRE 40	(t)	\$27.00
SUPER HUEY	(d)	\$36.00
	(t)	\$27.00
DAMBUSTERS	(d)	\$36.00
	(t)	\$27.00
SKY FOX	(d)	\$55.00
BC II GROG'S REVENGE	(t)	\$27.00
MASTER OF THE LAMPS	(t)	\$27.00
BEACH HEAD II	(d)	\$31.50
	(t)	\$27.00
ULTIMA III EXODUS	(d)	\$45.00
A VIEW TO KILL	(t)	\$31.50
CAULDRON	(t)	\$27.00
JET SET WILLY II	(t)	\$27.00
MINDSHADOW	(d)	\$45.00
747 FLIGHT SIMULATOR	(t)	\$37.00
THE FOURTH PROTOCOL	(t)	\$36.00
THE TRACER SANCTION	(d)	\$45.00
SUMMER GAMES II	(d)	\$36.00
MONSTER TRIVIA	(t)	\$27.00
PASTFINDER	(d)	\$36.00
	(t)	\$27.00
BOUNTY BOB STRIKES BACK	(d)	\$31.50
	(t)	\$27.00
CONAN THE BARBARIAN	(d)	\$36.00
	(t)	\$27.00
DROPZONE	(d)	\$36.00
	(t)	\$27.00

d = disk t = tape c = cartridge

We also have a wide range of software, books and accessories for Commodore 64, C16, Plus 4, Atari, Apple, Amstrad and MSX computers. Send \$2 for our catalogue and details of our services. \$2 credited upon receipt of your first order.

SOFTWARE TO GO

P.O. Box 5A, Mt. Kuring-Gai, N.S.W. 2080.

Please supply the following titles:

1	Qty	\$
2	Qty	\$
3	Qty	\$
4	Qty	\$

Sub Total \$

Delivery Charge (If below \$50) \$ 2.50

Charge to Credit Card/Enclosed \$

Name..... Phone.....

Address.....

Please debit my Master/Visa/Bankcard No.

..... Exp Date.....

Signature..... Date.....

CREDIT CARD PHONE ORDERS WELCOME

BOOKS & THINGS

A sampler of the publications we've recently received.

THE HOME COMPUTER WARS

Title: The Home Computer Wars - An Insider's Account of Commodore and Jack Tramiel

Author: Michael S Tomczyk

Publisher: COMPUTE! Publications Inc

Published: 1984 ISBN 0-942386-75-2

Reviewed by: Laurence Hulse

This book lifts its reader to a height where it is easy to believe that anything can be achieved by getting "INVOLVED".

Newspapers have been full of stories which say some computers companies are near their end, but here is a book about a survivalist. Jack Tramiel, Chairman of the Commodorians, says, They (people) just obeyed the rules. But that's why we need more Commodores. We need more mavericks, just so the rules don't take over." His fundamental philosophy is, "Computers for the masses, not the classes".

The real action begins in the second chapter, and gives a general background of the company which was primarily a calculator company. "The purchase of MOS was one of Jack's most brilliant moves, and one of the things that helped keep Commodore from going bankrupt after the Calculator Wars in the 1970's." MOS gave Commodore its own source for semiconductor chips and provided the 6502 microprocessor.

Here's a bit of inside history, "The full name of the Commodore PET was Personal Electronic Transactor. ... The name PET was inspired by the Pet Rocks fad. ... The VIC's official name is Video Interface Computer, but the 20 was selected because twenty sounds friendlier" than 22 (22 columns) or 5 (5 bytes memory). "Jack shrugged and that was that."

The initial marketing strategy is worth noting. Jack Tramiel decided to commit most of Commodore's resource to Europe, because starting in the U-S meant competing head to head with Apple and Radio Shack (Tandy). He conquered Europe, where there was no real competition, and then stormed the American shores, knocking out old rivals (Texas Instrument and others) by slashing Commodore prices.

On competition, Tramiel said, "The Japanese are coming - so we will become the Japanese. We have to compete with ourselves, always. We have to be like the Japanese. We have to constantly come up with something new, something better. We have to believe that we are the competition. If we do this, no one can get ahead of us."

"Jack called his management philosophy The Religion. A key element was people. He believed people will go out and hire more people. Next to money, overstaffing is the single biggest problem associated with growth. He (Jack) believed managers had to be doers as well as managers. They had to be INVOLVED. Business is like sex, you have to be INVOLVED."

The approach to setting prices is interesting. Working from a cost-up as opposed to price-down, always meant reaching a lower cost and therefore when needed a lower price than the competition.

There is also an interesting story about how Tomczyk handled a corporate political 'assassin' who wanted to stick in the knife. The tale starts on page 200.

Jack Tramiel resigned from Commodore on Friday, Jan 13, 1984 and within six months had purchased his old competitor, Atari from Warner Communications. "On the day Jack and his team started, Atari occupied over 40 separate buildings, most of them leased. By the end of the first week the total was down to seven buildings. The closings left a warehouse full of used office furniture, much of it more plush than Jack and his group were used to at Commodore."

Tomczyk began his days as a Commodorian as Tramiel's assistant and went on to establish the VIC as a marketing success. His book lights a fire within the reader as it describes the people and the problems behind the plastic which became 'the machines'.

IMPOSSIBLE ROUTINES FOR THE COMMODORE 64

Publisher: Duckworth

Author: Kevin Bergin

These routines will enable you to utilise the more hidden areas of your 64. The book contains most of the answers to the questions that give you sleepless nights, and also provides an insight into how to approach future problems.

The topics covered include protecting a program on tape or disk, moving Basic, scrambling programs, disabling control keys, and how to make a program auto-run as soon as it's loaded. There is a collection of routines to speed up program execution using the internal routines on your 64, and many other hints and tips such as adding commands to Basic, downloading the Commodore character set to an Epson FX80, and producing screen dumps, etc.

Each routine includes a documented listing, along with a general outline of the idea and a detailed look at how the program was constructed.

COMMODORE 64 LOGO PRIMER

Publisher: Prentice-Hall (Aust.)

Authors: Gary G. Bitter/

Nancy Ralph Watson

Price: R.R.P. \$27.50

Discover how easy it is to learn Logo! This book teaches anyone - novice or advanced user - how exciting, useful and creative Logo can be.

The authors divide this comprehensive volume into three distinct stand-alone sections:


Part I is a step-by-step development of Logo with no user prerequisites except access to a Commodore computer with Commodore Logo.

Part II, Quick-Start Logo, is for the person who has some familiarity with Logo.

Part III gives you a broad overview of Logo that includes its historical development along with useful Logo applications.

Together, the three sections form a comprehensive picture and cover all the major Logo topics, including procedures, recursion, coordinates, the REPEAT capabilities, screen commands, and the Logo library. In addition, you'll benefit from the pictorial examples, the list of commands and error messages, and the detailed glossary/index.

Commodore 64 Logo Primer makes you a Logo user with a minimum of anxiety and frustration.



COMMODORE UPGRADES

- 80 COLUMN CARD FOR COMMODORE 64 Includes word processor \$185*
- 40/80 COLUMN CARD FOR VIC 20 \$165*
- NEED EXTRA MEMORY FOR YOUR VIC?**
- 32K RAM card, fully switchable \$130*
- 64K RAM card, includes RAMDISK \$189*
- SERIAL TO PARALLEL PRINTER INTERFACE for CBM64 and VIC20 \$110*
- As above with 16K Buffer \$135*
- EPROM PROGRAMMER with ROM software Suits CBM64 and VIC20 \$163*

*P&P included within Australia

Send for full catalogue and price list to

FORREST DATA SERVICES

(09) 339 5087 - P.O. Box 71, Palmyra WA 6157

COMPUTER WAVE

EDUCATIONAL SOFTWARE
PRINTERS - CABLES QUALITY GAMES
COMMUNICATIONS EXPERTS

"Specializing in better quality Commodore programs"

325 George Street Sydney (02) 29 1631

DEALERS - Let the universe
know where you are!

SPACE THIS SIZE
- \$40.
for SALE

CONTACT:

WEBSTER MEDIA SALES (02) 331 4777

C64 USERS

- ★ EPROM PROGRAMMERS
- ★ MAKE AUTO-START CARTRIDGES
- ★ Save & Load Program to EPROM

- ★ Real world Interface
- ★ 8 lines in 8 Relays out

- ★ Analog Joy sticks

★ Dealer Inquiries welcome

P.O. BOX 65
RIVERSTONE 2765
Ph: (02) 627 2510

MEYERTRONIX

SOLUTION TO:

The Secret of Bastow Manor

Find out how to get into the Treasure Room,...get the Gold
...and escape from the Manor with it. Amaze your friends. For
all the necessary instructions, lots of other notes, and plans of
Old Man Bastow's Manor, send \$5.00 to

C. Luckman - 98 Nimmo St., Middle Park Victoria 3206

A DISCOUNT COMPUTER BOOKS

B SECOND HAND S.F/FANTASY BOOKS


Send 33c Stamp for lists of books available (specify AorB)

P.D.S.H P.O. BOX 335 GLADESVILLE N.S.W. 2111

WE ACCEPT CREDIT CARDS, BUY & SELL SECOND HAND
SCIENCE FICTION AND FANTASY BOOKS

Special Disk Offer for the Commodore 64

OTHER MODELS WHERE INDICATED



\$10.00 ea

INCLUDES P&P

DISK OFFER # 1

MONAD - Vol 4 No 2 & 3
NICE LISTER - Vol 4 No 2
DEMO PROGRAMS of TOTL BUSINESS,
VIDEO BASIC & PAINTPIC.

DISK OFFER # 2

BASAD - Vol 4 No 4
FILEUSER - Vol 4 No 4
FILEMAKER
MUSIC SUITE 3 - Vol 4 No 5
RASTER PROG. - Vol 4 No 5
FAST-DISK - Vol 4 No 5
SSORT - Vol 4 No 5
FUZZY SORT - Vol 4 No 4

KIM BOOKS

82 Alexander St., Crows Nest N.S.W. 2065

CREDIT CARDS: MasterCard/Bankcard/Visa/AMEX

Please Quote No., Expiry Date, User Signature

DISK OFFER # 3

TERM 64 - Vol 5 No 1
HELPOUT - Vol 5 No 1
MULTICOLOUR RECORDS - Vol 4 No 6
MINUET IN G - Vol 4 No 6
HOME LIBRARY (ALL MACHINES) - Vol 5.No 1
DISPLAY PROGRAM - Vol 5 No 1
MAPGEN - Vol 5 No 1

DISK OFFER # 4

EPROM LISTINGS (VIC, C64) - Issues 30, 31
DIRECTORY 64 - Issue 30
COMPACTION - Issue 30
TREASURE QUEST - Issue 31
DISPLAY PRINT - Issue 31
COCKPIT - Issue 31
POLAR GRAPHS - Issue 31
KERNEL REV-03 - Issue 29

PLUS OTHERS FROM ISSUES 29 - 31

The Printer Page-Continued from page 34

```
780 PRINT#4,US"THIS IS SUPERScript"VS;"BHYQ
790 PRINT#4,WS" THIS IS SUBScript"VS;" NOW NORMAL"BGTT
800 PRINT#4,KSUS"THIS IS ITALIC SUPER"VS;"BJFK
810 PRINT#4,WS" THIS IS ITALIC SUB"VSL$" NOW NORMAL"
  BIBN
820 PRINT#4:CLOSE4"CDRF
```

I suggest that you type in the program, then LIST it to paper just as is. Then, immediately below the listing, RUN the program and get the exact output on paper. Keep the two sections together for future reference.

Thanks, Mike. Your efforts will be appreciated by many, I'm sure.

Are there others of you out there who are doing useful things like this? Or are there some of you who wish they had such a program for their printer? Well, stop shuffling your feet and let us know, or send in your favourite sequences. Meanwhile, I'm playing around with an OLYMPIA 165 with a Xetec interface, a very powerful combination. I'll keep you posted.....

(C) 1985 Paul Blair

M.P.S. 802 Printer-Continued from Page 11

Listing 5

```
10 REM #####
20 REM D HARE 1985
30 REM HIRES MEMORY RELOCATOR (SIMON'S)
40 REM #####
50 C=0: FOR AD=21820 TO 21902
60 READ A
70 POKE AD,A:C=C+A: NEXT
80 IF C<>9513 THEN PRINT " ERROR IN DATA STATEMENTS":
  END
90 NEW
100 DATA 76,63,85,32,78,85,32,90
110 DATA 85,32,84,85,169,192,141,9
120 DATA 80,96,120,169,52,133,1,96
130 DATA 169,55,133,1,88,96,169,224
140 DATA 141,112,85,169,32,141,115,85
150 DATA 160,32,162,0,142,111,85,142
160 DATA 114,85,189,0,224,157,0,32
170 DATA 232,208,247,238,112,85,238,115
180 DATA 85,136,208,238,96
190 DATA 169,132,141,112,85,169,4,141
200 DATA 115,85,160,4,208,215
```

Listing 6

```
10 REM #####
20 REM D HARE 1985
30 REM SIMON'S HIRES - WHEEL WITH TEXT
40 REM #####
50 HIRES 0,1
60 CIRCLE 160,100,40*1.4,40,1
70 CIRCLE 160,100,45*1.4,45,1
80 FOR X=0 TO 360 STEP 22.5
90 ANGL 160,100,X,40*1.4,40,1
100 NEXT
110 TEXT 28,20,"A PRINTING SIMON'S ON THE MPS802",1,2,8
115 TEXT 100,175,"A BY DENIS HARE ",1,1,8
120 PAUSE 5
130 NRM
```

64 TALK:

Continued from page 30

accessing non-commodore boards where the output is designed for 80 column screens.

Overview

64 Talk's most appealing feature is that everything is in the one package and does not have to be loaded. Just plug in the cartridge and go! Another nice feature is the ability to rapidly swap models. For example, if you dial the local BBS and its engaged, just hang up, redial Viatel, and with the press of a few keys you're ready to log on. At the end of the Viatel session, redial the BBS, press shift/run and select Terminal mode and you're away again.

Apart from some problems with the Viatel mode, this is an excellent well designed package for the asking price of \$79.00. Since it does provide Viatel access as well as 1200/70 terminal access as well as many of the more useful features of VIP Terminal XL (at \$100.00) it would appear to be one of the best overall communications programs for the Commodore 64 user thinking of getting into communications.

© Greg Perry, August 1985

Superior Software

15 PROGRAMS for under \$19.00 VIC FAMILY PACK - VIC 20

15 Super Programs taken from the VIC FAMILY BOOK
6 Games - 5 Educational Programs - 4 HOME/BUSINESS
Programs ★ LIMITED OFFER ★
TAPE \$15.00 DISK (TBA) \$18.00

GARDEN OF EDEN - CBM 64

A new Adventure for the CBM-64. You take the role of Adam, searching for the key of life. Even Eve and the Snake are there! In TEXT ONLY.

TAPE \$15.00 DISK \$18.00

MASTERMIND 64 - CBM 64

How many Questions can you answer? Over 100 questions, 7 subjects with all the features of the TV favourite. Up to 4 Players.

TAPE \$12.00 DISK \$15.00

\$12 NEW PROGRAMS \$12

BUDGET PACK I - \$12.00 Tape

Address Book/Supercall for the CBM-64!

HORSE SELECTION - \$12.00 Tape

A betting program for the CBM - 64!

Add \$2.00 for P & P

ONE WEEK DELIVERY!!!!

(03) 786 9778

20 LAROOOL CRESCENT
SEAFORD VIC. 3198

COMMODORE DOCTOR

by Dr. Greg Perry

The aim of this column is to help our readers with any problems they have with CBM/PETs, VICs, C64s, Plus 4/C16 and associated Commodore equipment. Send us your queries and we will do our best to provide an intelligent answer.

Alternatively, if you don't have any immediate problems but have discovered some smart tricks in BASIC or machine code, or even better ways to program some of our answers/articles we would be interested to hear from you. You never know the routine may even win you a prize for the best item published each month. Also drop us a line if you would like a specific topic covered in the magazine.

Write to

Commodore Doctor
The Commodore Magazine
82 Alexander Street
Crows Nest, NSW 2065.

OR MAIL them to me on VIATEL
738329500

Please ensure that any program listings are in NICE LISTER format and include a REM statement with your name and address. (By the time it passes through several hands and reaches me sometimes bits of the letter can have been mislaid. If not, I'm also likely to lose it!) Machine code programs should be in assembler format and not directly in hex. I apologise for the fact that, in general, letters can not be answered personally. Also, because of printing schedules and other factors, some questions may not appear until two months after they are received.

Comments

This has been an interesting month. One of our other writers (PB) has finally discovered the adventureland of modems and telecomputing. Who said old dogs can't learn new tricks!

Telecomputing can be great fun, but sometimes it can be just the opposite. Because the magazines's writers live in different cities, many of our articles are transmitted by electronic mail from the various cities to Sydney where they go directly into the typesetting machine. (Which sometimes chews them up anyway!). The system we use is MINERVA from OTC. In late June, however, OTC apparently switched computer systems. This probably seemed like a good idea to them but in the process our mailbox identification number got changed without anyone telling us. Terror reigned for some time afterwards. Think of what would happen if Australia Post changed your address without telling you! We are finally back on line, although nobody seems to know where the 6-7 articles which were in waiting in our editor's mailbox at the time have gone!

Questions/Answers

Q. I have a problem with my VIC 20. After using it for about half an hour, the screen 'cuts out', the keyboard drops dead, and the only way to revive it is to turn it off for a while. This is very infuriating when you've just typed in a program and you lose it because your computer goes on strike. It never used to do this and I've no idea what caused it.

**Can you help.
David Catling
QLD**

A. This sort of problem often occurs when the power supply is getting towards the end of its life. Once the power supply warms up it fails to produce the correct voltage. Try using another power supply and see what happens. Alternatively, if the VIC is of some age, a similar problem could be happening to the internal ROM/RAM or I/O chips. As the chips age their output voltage tends to drop as they warm up. If swapping the power supply does not work the only thing to do is to take the lot into an authorised Commodore service centre.

Q. I have a C64 with the Commodore datacassette and have recently purchased several games from 'Melbourne House'. These include 'Sherlock', 'Hobbit' and 'Spatial Billiards'. However none of these programs will load correctly. The 'Rolf Harris' program that came with the C64 also will not load. All these tapes feature the Pavlodra high speed loader.

When in Brisbane recently I took these tapes and my equipment back to the supplier. They made an adjustment to the datacassette that increased the strength of the signal and also demonstrated the effect of magnetic interference on the datacassette with the suggestion that I change the position of the furnishings and equipment. The only improvement was that 'Hobbit' will load occasionally. When I tried to save this, however, it was lost. Can this be rectified.

**J. Corney
Dalby 4405**

A. Your problem is a common one encountered by many users with tapes whether using fast load routines or not. All of the high speed tape loading systems, including Pavlodra, achieve their increase in loading speed by eliminating most of the safeguards in the original process and recording the program at a much higher density on the tape. By this I mean that the actual length of tape used to record each bit is dramatically shorter. Therefore if the alignment of the read/write head in the datacassette is out by a small amount, or, if the tape has been recorded at a slightly lower level (as is common), or, if the quality of the tape is poor, the program will not load successfully.

There are two solutions. You could contact your dealer again and obtain another copy of the programs and see if these versions will load. If not, your datacassette will need realignment (yet again). This could be done by the dealer or you could try yourself.

A rough alignment is relatively simple if you have the perseverance. Just behind the label on the front of the datacassette you will find a small hole leading to the screw controlling the alignment of the read/write head. Find a 'good' commercial tape recorded at normal speed (check with a friend for one which is known to load on other decks) and see if it will load. If not, insert a small screwdriver into the hole and give the alignment screw a quarter turn and try to load the program again. Keep repeating this until the program loads successfully. At this point, check PEEK(159). This stores the number of errors found on the load. (normal load ONLY!) It should be zero. If not re-adjust the alignment and try again.

The datacassette should now be in good alignment and should load 'turboload' programs. (If not try the dealer for a new tape!)

In practice, you should find that the screw needs to be out by as much as one full turn for the program not to load.

Two final points. As suggested by your dealer, tapes with high speed loaders are extremely sensitive to interference. Place the datacassette as far away from the TV and power cables as possible to minimise magnetic interference with the signal from the tape. If you do manage to load the program successfully, because of the program protection, it will generally not be possible to save the program back to a new tape. What you do save is not in fact what you loaded.

Competitions

Interesting One Liners. If you have found any interesting one line routines we would like to hear about them. The best routines every month will receive a NSW lottery ticket or equivalent prize.

For example

1 FOR I=0 TO 1 STEP 0: POKE 53280.3:
POKE 53280.6: NEXT

Come on folks! Send some in!

COMPETITION 2

Still, none of the entries for this competition have been successful! As we announced last month, our editor has agreed that the prize for this competition will jackpot each issue until we receive a correct solution and program. See below for hints.

The Problem: Two computer experts, who live on country properties, are having a quiet drink in a country pub. Expert 'A' owns a rectangular property which is totally enclosed within a 23 by 23 kilometre square. Expert 'B' knows the area of the property and that the sides are whole numbers (integers), but does not know the dimensions. He ('B') asks if the breadth of the property is greater than half the length. Expert 'A' answers. (We are not privy to rural conversation, but we know the answer was either yes or no.) On hearing the answer, expert 'B' can now

Continued overleaf



Ergonomics – A better way to work & play

Ergonomics simply means designing furniture for people. Ergonomically designed workstations help reduce work-related injuries. They provide for a range of functions at the workplace and at home.

Ergonomic Designs are the workstation specialists. With a range of styles and designs we know we can fit your needs — exactly. From furniture designed to fit with your decor ... that provides everything you need at your fingertips. And we also provide the chairs to go with them.

Our computer workstations look neat and tidy all the time. All wiring is hidden away. Computer software and hardware is neatly stored.

Take a look at our range. Isn't this a better way to work ... and play!
For full details see your Ergonomics stockist or post the coupon for our literature package.



**ERGONOMIC
DESIGNS LTD**
 Living Made Easier

414 Stirling Hwy., Cottesloe, W.A. 6011.
 Telephone: (09) 384 8499.

I'd like to work & play ergonomically.
 Please send me full details.

Name

Address




TC DESK



PANELINE



MICROSTATION



TUBELINE

The Commodore 64 Music Maker.



The Keyboard For The Keyboard

Well, it's not exactly 'clip on Chopin', but the Commodore 64 Music Maker certainly adds a new dimension to home computers. It's the 'keyboard' for the 'keyboard'. Just clip on and play. Music Maker comes with instructions and easy-step melody book to enable you to explore the wonderful world of music at your own pace and in your own time. In fact, it's so much fun that music

lessons may never be the same again. Music Maker encourages musical adventure and experiment, and that, in our opinion, is a good place to start experiencing the magic of making your own music.

Talk to your nearest Commodore dealer today about the simple, easy way to turn your Commodore 64 computer into a Music Maker.

 **commodore**
COMPUTER
Keeping up with you.

Contact your nearest Commodore Dealer or Commodore Business Machines:
Sydney: (02) 427 4888. Melbourne: (03) 429 9855. Brisbane: (07) 393 0300. Perth: (09) 389 1266. BMS/CC373